

7-691.4:2

CONNECTICUT GROUND WATER SURVEY
A PROJECT OF THE WORK PROJECTS ADMINISTRATION



THE
CONNECTICUT RIVER VALLEY FLOOD
OF SEPTEMBER 1938 IN CONNECTICUT

BULLETIN W-2

PREPARED BY
OFFICIAL PROJECT 665-15-3-116
WORK PROJECTS ADMINISTRATION FOR CONNECTICUT
VINCENT J. SULLIVAN, ADMINISTRATOR

IN CO-OPERATION WITH AND UNDER THE DIRECTION OF THE
CONNECTICUT STATE WATER COMMISSION, SPONSOR

HARTFORD, CONNECTICUT
NOVEMBER - - 1939




PLEASE HANDLE
WITH CARE

University of
Connecticut Libraries



3 9153 00968042 4





Digitized by the Internet Archive
in 2009 with funding from
Boston Library Consortium Member Libraries

Connecticut Ground Water Survey
A Project of the Work Projects Administration

CONN
GB
1227
.C66
A4
1939

THE CONNECTICUT RIVER VALLEY
FLOOD OF SEPTEMBER 1938
IN
CONNECTICUT

Bulletin W-2

Prepared by
Official Project 665-15-3-116
Work Projects Administration for Connecticut
Vincent J. Sullivan, Administrator

In co-operation with and under the direction of the
Connecticut State Water Commission, Sponsor

Hartford, Connecticut
November, 1939

CONTENTS

	Page
Letters of Transmittal	1
I Introduction	5
(a) General Conditions Preceding and During the Flood	5
(b) Participation of this Survey in Emergency	5
(c) Field Operations	6
(d) Emergency Investigation of Stream Conditions at Dams	8
(e) History & Organization of the Connecticut Ground Water Survey	9
(f) Acknowledgments	9
(g) Collaboration with Other Agencies	10
II General Discussion	11
(a) Precipitation	11
Precipitation Records	13
Massachusetts	13
Vermont	14
New Hampshire	14
Connecticut	15
River Discharge Records	16
Thompsonville	16
Hartford	17
(b) Ground Water Conditions	18
Water Level Records	18
III General Listing of Water Stage Measurement Stations on the Connecticut River	22
IV Description of Measurement Stations and Tabulation of Gauge Heights along the Connecticut	24
Essex (Essex Paint & Marine Company)	24
Middletown (Feldspar Company Dock)	29
Middletown (Opposite Bodkin Rock)	31
Middletown (near Town Farm)	35
Middletown (Hartford Avenue)	43
Cromwell (Center)	48
Cromwell (Wall Street)	50
East Hartford (Connecticut Company Pole A34)	52
East Hartford (Gilman Street)	54
Rocky Hill (Connecticut Foundry Company)	56
Rocky Hill (north of Connecticut Foundry)	58
Rocky Hill (Silas Deane Highway)	61
Wethersfield (Silas Deane Highway, Mill Street)	63
Wethersfield (Middletown Avenue, Warner Place)	65

1. The first part of the document is a list of names and addresses, which are arranged in a columnar format. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list is organized into three columns, with the names in the first column, the addresses in the second column, and the names in the third column.

2. The second part of the document is a list of names and addresses, which are arranged in a columnar format. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list is organized into three columns, with the names in the first column, the addresses in the second column, and the names in the third column.

3. The third part of the document is a list of names and addresses, which are arranged in a columnar format. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list is organized into three columns, with the names in the first column, the addresses in the second column, and the names in the third column.

4. The fourth part of the document is a list of names and addresses, which are arranged in a columnar format. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list is organized into three columns, with the names in the first column, the addresses in the second column, and the names in the third column.

5. The fifth part of the document is a list of names and addresses, which are arranged in a columnar format. The names are written in a cursive script, and the addresses are written in a more formal, printed style. The list is organized into three columns, with the names in the first column, the addresses in the second column, and the names in the third column.

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

1. The first part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

2. The second part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

3. The third part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

4. The fourth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

5. The fifth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

6. The sixth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

7. The seventh part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

8. The eighth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

9. The ninth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

10. The tenth part of the document is a list of names and addresses, which appears to be a directory or a list of contacts. The names are written in a cursive script, and the addresses are listed below them.

CONTENTS

IV Description of Measurement Stations and Tabulation of Gauge Heights along the Connecticut - continued

	Page
Wethersfield (Elm Street)	68
Wethersfield (Main Street, near railroad tracks)	70
Thompsonville (Bigelow-Sanford Company)	72
Enfield Dam (U. S. Geological Survey)	74
Wethersfield (Broad and Marsh Streets)	78
Hartford (Bulkeley Bridge)	80
Windsor (Wilson Fire Station)	88
Windsor (Wilson Avenue)	90
Windsor (railroad underpass)	94
Windsor (Farmington Avenue Bridge)	96
Windsor Locks (Connecticut Light & Power Company)	100
Windsor Locks (Montgomery Company)	103
V Comparative Flood Crests, Connecticut River, 1936-1938	107
VI High-Water Marks, Connecticut River Flood of September 1938	109
West Shore: Old Saybrook, Essex, Saybrook, Chester, Haddam, Middletown, Cromwell, Rocky Hill, Wethersfield, Hartford, Windsor, Windsor Locks	109
East Shore: Lyme, East Haddam, Haddam, East Hampton, Portland, Glastonbury, East Hartford, South Windsor, East Windsor, Enfield	113
VII Hurricane Wave-Marks, Connecticut River	116
West Shore: Old Saybrook, Saybrook, Essex, Chester	116
East Shore: Old Lyme, Lyme	116
VIII High-Water Marks, Tributary Streams, Connecticut River	117
Little River, Cochinchaug River, Salmon River	117
IX Description, Grading, and Elevations of High-Water Marks, Connecticut River	118
X Description of Measurement Stations and Tabulation of Gauge Heights, Farmington River Valley	164
East Granby (Hartford Electric Light Company Dam)	164
Collinsville (Collins Company Dam)	166
Unionville (Connecticut Power Company Dam)	168
XI General Listing of High-Water Marks in Farmington River Valley ...	170
Farmington River, West Branch, Still River, Mad River, Sandy Brook	170

1	THE JOURNAL OF THE AMERICAN MEDICAL ASSOCIATION
2	PUBLISHED WEEKLY
3	CHICAGO, ILL., MAY 1, 1913
4	CONTENTS
5	ORIGINAL ARTICLES
6	REPORTS
7	REVIEWS
8	NOTES
9	EDITORIALS
10	DEPARTMENTS
11	SYMPOSIUM
12	DISCUSSIONS
13	QUESTIONS AND ANSWERS
14	LETTERS TO THE EDITOR
15	OBITUARIES
16	ANNOUNCEMENTS
17	INDEX
18	ADVERTISING RATES
19	SUBSCRIPTIONS
20	RECEIPTS
21	MEMBERSHIP
22	ASSOCIATION NEWS
23	STATE NEWS
24	CITY NEWS
25	LOCAL NEWS
26	PERSONAL NEWS
27	SPORTS
28	ENTERTAINMENT
29	MARKET PRICES
30	WEATHER
31	STOCKS
32	BONDS
33	COMMODITIES
34	CURRENCY
35	INTEREST
36	DISCOUNT
37	RESERVE
38	ISSUES
39	REVENUE
40	EXPENDITURE
41	DEBT
42	ASSETS
43	LIABILITIES
44	EQUITY
45	NET WORTH
46	PERCENTAGE
47	PROFIT
48	LOSS
49	GAIN
50	LOSS
51	GAIN
52	LOSS
53	GAIN
54	LOSS
55	GAIN
56	LOSS
57	GAIN
58	LOSS
59	GAIN
60	LOSS
61	GAIN
62	LOSS
63	GAIN
64	LOSS
65	GAIN
66	LOSS
67	GAIN
68	LOSS
69	GAIN
70	LOSS
71	GAIN
72	LOSS
73	GAIN
74	LOSS
75	GAIN
76	LOSS
77	GAIN
78	LOSS
79	GAIN
80	LOSS
81	GAIN
82	LOSS
83	GAIN
84	LOSS
85	GAIN
86	LOSS
87	GAIN
88	LOSS
89	GAIN
90	LOSS
91	GAIN
92	LOSS
93	GAIN
94	LOSS
95	GAIN
96	LOSS
97	GAIN
98	LOSS
99	GAIN
100	LOSS

CONTENTS

	Page
XII Description, Grading, and Elevations of High-Water Marks on the Farmington River	173

GRAPHS AND ILLUSTRATIONS

1. Barometric Pressure Recording	21
2. Connecticut River Flood Stages at Standard Oil Company, Essex, in 1936 and at Essex Paint and Marine Company, Essex, 1938	28
3. Comparative Flood Stages at Hartford Avenue Underpass, Middletown, Connecticut, 1936 and 1938	46
4. Graphic Comparison of Various Flood Crests, Middletown, Connecticut	47
5. Connecticut River Flood Stages at U. S. Geological Survey Stations, Enfield, Connecticut, 1936 and 1938	77
6. Relation of Various Level Systems used in Hartford and Vicinity ...	85
7. Flood Stages at Bulkeley Memorial Bridge, Hartford, Connecticut, 1936 and 1938	86
8. Graphic Comparison of Various Flood Crests, Hartford, Connecticut	87
9. Connecticut River Flood Stages at Farmington River Bridge, Windsor, Connecticut, 1936 and 1938	99
10. Graphic Comparison of Various Flood Crests, Windsor Locks, Connecticut	105
11. Graphic Comparison of Various Flood Crests, Springfield, Massachusetts	106
12. Area Flooded (1938 and 1936) and High-Water Mark Locations (1938) - a series of eight maps depicting in continuity the Connecticut River from the Massachusetts State line to Long Island Sound	156

*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

CONNECTICUT GROUND WATER SURVEY

Rooms 501-502, State Capitol

Hartford, Connecticut

November 29, 1939

General S. H. Wadhams, Director
Connecticut State Water Commission
State Office Building
Hartford, Connecticut

Dear Sir:

I am pleased to transmit to you in this report the major part of the results of the work of the Connecticut Ground Water Survey during the Connecticut River Valley Flood of September, 1938.

In the emergency caused by an imminent flood, and upon approval of your request for assistance by the Works Progress Administration, the available personnel of this project were organized to secure certain factual data relating to the behavior of the expected major flood in the Connecticut River Valley, an assignment for which no established public agency had facilities. As soon as the field staff, averaging 15 men, had completed the desired field observations, the data secured was reviewed and checked.

The present report, supplemented by files of tabular, graphical, and photographic material, and substantiated by detailed records, is intended to make available the data as a public record.

The nature and the extent of the work thus carried out was similar to that accomplished by this Survey during the 1936 flood in the Connecticut River Valley. It was not possible to secure detailed information as to the nature and amount of flood damage with the facilities at hand. Throughout the work, the Survey was afforded the closest co-operation by public agencies and officials, as well as by the citizens, even under the disaster conditions following the hurricane. The accomplishment of the work was made possible not only through active co-operation between the Works Progress Administration in furnishing personnel and the State in meeting the costs of transportation and materials, but also through the close co-operation of their respective administrative staffs.

THE HISTORY OF THE

REIGN OF

CHARLES THE FIRST

BY

JOHN BURNET, ESQ.
OF LINCOLN'S INN.
IN TWO VOLUMES.
LONDON:
Printed by J. Sturges, in Pall-mall.

THE HISTORY OF THE REIGN OF CHARLES THE FIRST, BY JOHN BURNET, ESQ. OF LINCOLN'S INN. IN TWO VOLUMES. LONDON: Printed by J. Sturges, in Pall-mall.

THE HISTORY OF THE REIGN OF CHARLES THE FIRST, BY JOHN BURNET, ESQ. OF LINCOLN'S INN. IN TWO VOLUMES. LONDON: Printed by J. Sturges, in Pall-mall.

THE HISTORY OF THE REIGN OF CHARLES THE FIRST, BY JOHN BURNET, ESQ. OF LINCOLN'S INN. IN TWO VOLUMES. LONDON: Printed by J. Sturges, in Pall-mall.

THE HISTORY OF THE REIGN OF CHARLES THE FIRST, BY JOHN BURNET, ESQ. OF LINCOLN'S INN. IN TWO VOLUMES. LONDON: Printed by J. Sturges, in Pall-mall.

The field work during the two-week period of emergency was supervised by R. M. Logie and W. E. Danielson, assisted by J. I. Anderson and F. W. Carter. The compilation and correlation of the data for this report, as well as of the supplementary material, were very capably brought to completion by J. I. Anderson, succeeding R. M. Logie who so ably supervised the earlier office work. The preparation of present report was the responsibility of J. I. Anderson. The report was stenciled, mimeographed and assembled under the direction of W. E. Danielson.

Acknowledgment is made of the valuable public services rendered during the emergency by others of our staff: S. G. Tuell assisted by W. C. Pendleton, assigned to observations at outlying dams, whose resourcefulness overcame the many difficulties at the height of the disaster; and Arthur McDonald, who ably directed our chemical laboratory unit in assisting local health and civic authorities after the hurricane.

To Mr. Anderson and to the others of this Survey who contributed so largely to the successful completion of this report is due my sincere appreciation. To those of this Survey who worked in the field for long hours under the most adverse conditions during the emergency, the thanks of the State and Federal governments, and of myself, are due.

May I also express to you and to your staff my appreciation, as well as that of the Survey, for the valued instruction and co-operation tendered us during our activity in this special task.

Very truly yours,

W. H. Brothwell
W. H. Brothwell, Supervisor

CONNECTICUT GROUND WATER SURVEY

WHB/atp

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
CHICAGO, ILLINOIS 60637
U.S.A.

TO THE EDITOR OF THE JOURNAL OF THE
ROYAL CHEMICAL SOCIETY
LONDON, ENGLAND

SIR,
I have the honor to acknowledge the receipt of your letter of the 10th inst. in relation to the above-mentioned matter.

I am, Sir, very respectfully,
Yours faithfully,
[Signature]

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
CHICAGO, ILLINOIS 60637
U.S.A.

Connecticut Ground Water Survey
Room 325
State Office Building
Hartford, Connecticut

June 30, 1939

Mr. W. H. Brothwell, Supervisor
Connecticut Ground Water Survey
State Office Building
Hartford, Connecticut

Dear Sir:

I herewith submit for your consideration and acceptance the final report of the special survey made by our staff, on the flood of September, 1938 in the Connecticut River Valley.

Included in this report are all data secured by our men in the field relating to heights attained by and extent of the flood waters, together with hydrographs of flood stages at various points along the Connecticut and Farmington River Valleys. Certain related data gathered and furnished by various public agencies and others not connected with our Survey are also presented for reference.

Included in this report for purposes of comparison and ready reference are selected data from "The Great Flood of March 1936 etc." prepared by our survey in June 1938. This typed report on the preceeding flood contains much additional data of value in flood studies.

Supplementing but not included in the present report are four maps as follows:

The first is a "Plan and Profile of the Flood of September 1938, Connecticut River in Connecticut," which shows (a) the areas flooded in 1936 and in 1938 along the Connecticut River from the Connecticut-Massachusetts line to the Jetties at Saybrook Point; (b) the profile of the 1938 flood crest; (c) the profile of the 1936 flood crest; (d) the profile of the 1927 flood crest; (e) the location and designation of high water marks; and (f) location-diagrams of various known flood control measures as proposed by U. S. Army Engineers and by others. Items (a) and (e) of this map have been reproduced on eight letter-size maps which are included in this report.

The second map carries the same features on an enlarged scale; but covers only that section of the river which lies between Gildersleeve on the north to Higganum on the south.

The third map is a "Plan of the Farmington River Valley" showing (a) the area flooded in September, 1938; (b) the location and designation of high-water marks and (c) the location of dams, rain-gauges and stream gauging stations.

The fourth showing on an enlarged scale certain features of the third, covers (a) The profile of the 1938 flood crest in the Farmington Valley; (b) the 1936 flood crest profile and (c) the low water profile. The latter two aspects of this map have been plotted from data obtained from "A Digest of High-Water Marks on the Connecticut River and Tributaries," compiled October 14, 1936, by V. C. Dempsey, U. S. Engineer Office, Providence R. I.

Preliminary work on the compilation of data and maps, including flood crest profiles on the Connecticut River, was carried out by and under the supervision of Mr. R. M. Logie, formerly of this Survey.

The compilation of data and level work relating to the Farmington Valley was done by Mr. R. G. Pike, assisted by Mr. R. A. Baldauf and Mr. E. H. Reynolds, and reviewed by the writer.

I have been able to complete the compilation and checking of the data contained in this report, as well as of the maps described heretofore, with the able assistance of yourself, Mr. R. G. Pike, Mr. E. Doll, Mr. E. H. Reynolds and Mr. G. C. Ebersold of our staff, Mr. William Rogers Copeland, Chief Engineer of the State Water Commission; Mr. C. W. Cooke of the Engineering Department, City of Hartford; Mr. Henry E. Hathaway of the U. S. Weather Bureau at Hartford and Mr. B. L. Bigwood, District Engineer, U. S. Geological Survey, Water Resources branch, all gave most helpful suggestions and technical guidance.

Respectfully submitted

J. Irving Anderson

J. Irving Anderson
Field Engineer

J.I.A:AT

I. INTRODUCTION

I. Introduction

(a) General Conditions Preceding and During the Flood.

In 300 years of record it does not appear that a major flood in the lower Connecticut River Valley ever occurred before in September. Ordinarily, early autumn rains in this section are quickly absorbed into ground water supplies and surface water storage. The heavy rainfall which began on September 17, 1938, and which continued intermittently through the twenty first totaled at different points from ten to seventeen inches of precipitation. Because of the saturated condition of the ground and with little or no storage capacity remaining in dams and reservoirs, the run-off was rapid. Tributary streams became torrents carrying away dams, bridges, highways and buildings; and with the arrival of heavy discharge from upper New England, the swollen Connecticut rose in this State to heights that were within a foot or two of those reached by the unprecedented flood of March 1936.

The tropical hurricane which swept across New England on the twenty-first added immeasurably to the desolation caused by the flood, but the hurricane itself was a minor factor in producing flood conditions. The flood and hurricane combined, however, took a toll of human life and property such as New England has perhaps never known before.

Another unusual feature of this flood was that most of the tributaries of the Connecticut River in Connecticut reached flood stages in excess of those encountered during the 1936 flood. Furthermore, according to the Seventh Biennial Report¹ of the State Water Commission "there is no reason to doubt that future floods may rise to even greater heights."

(b) Participation of this Survey in Emergency

"It is of utmost importance," continues the report, "that the most accurate records obtainable of this flood should be collected and recorded. It is possible that study of those records may show the wisdom of revising in certain details the present program of dike and reservoir construction in the Connecticut River Valley.


"With this in mind," declares the report, "The State Water Commission stationed men at strategic points along the Connecticut River who made frequent observations throughout each 24-hour period when it became apparent that the river was to reach flood stages. This was made possible through the approval by Works Progress Administration authorities of the use for this purpose of the personnel engaged on the Ground Water Survey,

"It will take some time to collect, check, and evaluate the data obtained by the Ground Water Survey, but when that has been done, there should be a complete and accurate record of the flood of 1938 as it affected the Connecticut River and some of its major tributaries. * * *

Lack of funds and personnel did not permit including in this investigation any estimate of property losses."²

¹ 1938: Connecticut State Water Commission: Page 24.

² op. cit., p.25.



(c) Field Operations


Field operations of the Survey in connection with flood observations started on September 21, but were hampered by the hurricane which reached Hartford about 4 o'clock in the afternoon of the same day. After much round-about travel, due to highways being flooded or blocked by fallen trees and wires, observations at selected key points were begun on the morning of the twenty-second, continuing in day and night shifts until the water receded to fairly low stages. The program and procedures followed were in general modeled after those in effect during the flood of 1936, when the personnel of the Ground Water Survey was assigned to carry out an emergency program of establishing high-water marks, taking water-stage measurements, photographing, mapping flooded areas, establishing elevations, plotting data and related activity. Technical direction in 1938 as in 1936 was provided by the engineering staff of the State Water Commission, assisted by the technical and supervising staff of this Survey.

Gauge stations were established at numerous locations between Enfield and Essex, at which successive river stage measurements were taken and recorded at frequent intervals during the several days of flood. Gauges and high-water marks were later referenced by this Survey to established benchmarks by third-order levelling and the Water-stage measurements then were converted to mean sea-level datum.

Immediately upon completion of stage measurements, field personnel examined the borders of the areas flooded and established high-water marks at intervals along both shores of the Connecticut and Farmington rivers. These marks were in general established by means of examination of the scum line on poles, trees, and structures. In addition, a number of well substantiated high-water marks were secured from citizens, co-operating concerns and agencies. All useable marks were indicated definitely by means of kiel, spikes, brass angle-plates, or copper discs. Descriptions of their appearance and location were then prepared. (These marks were referenced to mean sea level by third-order levelling, using suitable bench-marks or known elevations.) All testimony offered by citizens was carefully checked to guard against exaggeration or error. After such checking, the high-water marks were carefully graded according to an accepted classification used by United States Engineer Office in grading similar 1936 flood marks. This classification is as follows:

- A-Clear mark, accurately located, reliable witness;
- B-Fairly good mark, accurately located, reliable witness;
- C-Mark, location, or testimony doubtful;
- D-Distinctly poor mark, location, or elevation;
- E-All factors so uncertain as to destroy value of data;
- X-Inconsistent with previous data.*

* It is of interest to note that approximately 80% of the 1938 high-water marks established by the Ground Water Survey were properly classifiable under "A", 15% under "B," and the remainder among "C," "D," "E," and "X," Only those marks classified under "A" or "B" were used on the flood crest profile prepared to supplement this report.



In all, 178 points, comprising 152 high-water marks and 26 gauge stations, were established at different locations.

The following tables give the number of high-water marks and gauge stations established by this Survey and by the various co-operating organizations:

High-water Marks established:

Connecticut Ground Water Survey	116
W.P.A. (various projects)	8
Hartford City Engineer Department	19
Connecticut State Water Commission	3
Bigelow-Sanford Company, Inc.	1
Middletown Dept. of Public Works	1
Montgomery Company (Windsor Locks)	3
Horton Company (Windsor Locks)	1
Total	<u>152</u>

Gauge Stations established:

Connecticut Ground Water Survey	18
W.P.A. (East Hartford)	2
Bigelow-Sanford Company, Inc.	1
U.S. Geological Survey*	1
U.S. Weather Bureau*	1
Montgomery Company	1
Connecticut State Water Commission	1
Connecticut Light & Power Company	<u>1</u>
Total	<u>26</u>


In localities where other agencies were prepared to make surveys of flood data, arrangements were made through the Ground Water Survey for exchange of data. Such pertinent information as had been gathered under this arrangement were later incorporated with the material the Survey had gathered and designated as to source.

Some observations were made and recorded on the hurricane wave which swept in from the southeast with the hurricane on the afternoon of September 21st. This wave manifested itself as a great surge of sea-water temporarily raising the level of the lower Connecticut River to a considerable degree, as was the case in other tidal estuaries in its path.

A series of wave crest marks was also established by the field men, extending from Long Island Sound to as far upstream as Chester and Hamburg Cove. (A list of these marks, with their locations and elevations, is included in this report.)

High-water and wave-crest marks, as well as gauge-station points, have been numbered for ready reference. All points and marks on the west shore bear even numbers beginning with "2" at Old Saybrook and ending with "152" at Windsor Locks, while the points and marks on the east shore bear odd numbers, beginning with "3" at Lyme and ending with "101" at Thompsonville.

* Official gauges in operation regularly.



Wave-crest marks were numbered similarly except that the letter "T" was prefixed as a distinguishing symbol. High-water marks established on tributaries of the Connecticut, numbered in sequence, were coded as follows;

FR - FARMINGTON RIVER
 WB - WEST BRANCH, FARMINGTON RIVER
 SR - STILL RIVER
 MR - MAD RIVER
 SB - SANDY BROOK
 LR - LITTLE RIVER
 C - COCHINCHAUG RIVER
 SA - SALMON RIVER

Distances along the Connecticut River to gauge station points and marks were computed in land-miles from the Saybrook Jetty using U. S. Coast & Geodetic Survey hydrographic charts and U. S. Engineers' tables. Distances on tributaries were scaled from U. S. Geological Survey topographic maps.

A total of fifty-four high-water marks was established throughout the Farmington River Valley, in addition to those in the Connecticut River Valley, after flood waters had receded. Thirty-four of these marks were on the main Farmington River, six on the west branch of that river, four on Still River, six on Mad River, and four on Sandy Brook. The elevations of these points was referenced by the Ground Water Survey to mean sea-level datum by third-order leveling. Procedures of establishing, recording, grading and checking followed those used for the Connecticut River data.

Through the co-operation of the Collins Company, the Connecticut Power Company, and the Hartford Electric Light Company, valuable river-stage measurements were obtained at their respective dams at Collinsville, Unionville, and East Granby.

The altitude of the zero of the gauge at each of these three points was referenced to mean sea-level datum by this Survey from established bench-marks.


Considerable additional data relating to the Farmington River Valley Flood of March, 1936 and to the Great Flood in the Connecticut, may be found in a report prepared by this Survey.* This report is on file in the office of the State Water Commission.

(d) Emergency Investigation of Stream Conditions at Dams.

Supplementing the data on stages of the Connecticut River, needed emergency information as to stream conditions near and at various dams in the State was requested of this Survey by the State Water Commission. Such information was obtained by the Survey, with the approval of the Works Progress Administration, through field inspections covering numerous dams located in and outside of the Connecticut River Valley. The information thus obtained was reported directly to the State Water Commission on an emergency basis and is not included in this report.

As the devastation wrought by the hurricane and flood waters became revealed, however, the need of more broadly scaled information regarding dams became apparent; and, at the recommendation of the State Water Commission, a more extensive program, calling for the inventorying of dams within the State, was approved. This work, in which the Works Progress Administration.

* "The Great Flood of March, 1936, in Connecticut, with Supplementary Data on the Farmington River Valley Flood of March, 1936."



participated, was set up on a formal basis as soon as the emergency was over.

(e) History and Organization of the Connecticut Ground Water Survey.

At the suggestion of the Director of the Connecticut State Water Commission, the Ground Water Survey was started on October 1, 1934 as a Federal Emergency Relief Administration project, and has been operated since November 22, 1935, by the Division of Professional and Service Projects of the Works Progress Administration as, successively, Official Projects 65-15-861, 465-15-3-26, and 665-15-3-116.

Set up to carry out a part of the State's program of long-range hydrologic studies, the Connecticut Ground Water Survey was sponsored by the Connecticut State Planning Board in co-operation with the State Water Commission from its beginning until July 1, 1937, when it came directly under the sponsorship of the latter body. Under a co-operative agreement between the State Water Commission and the Geological Survey, U. S. Department of the Interior, technical direction of certain parts of the work of the Survey has been furnished by the latter organization.

William H. Brothwell, who has been in charge of the Sponsor's program since its inception, and has supervised the Ground Water Survey project since 1934, directed the flood survey.

(f) Acknowledgments

The assistance and co-operation of the administrative and engineering staffs of the Connecticut State Water Commission have been greatly appreciated. Thanks is due the Engineering Department of the City of Hartford for furnishing the description, location, and elevation of various high-water marks in Hartford and nearby towns, as well as for furnishing maps of various towns in the Metropolitan District.

Acknowledgment and appreciation is extended to Mr. B. L. Bigwood, District Engineer, U. S. Geological Survey, Water Resources branch at Hartford, for river-discharge, certain river-stage records, and precipitation data; to the Engineering Department of the City of Middletown for its fine co-operation during the flood in furnishing men, base space, and incidentals, as well as for assistance after the flood in furnishing elevation data and maps; to various local observers for valuable aid; and to operators of industrial concerns and power plants and public utilities who furnished private records upon which several flood-stage graphs have been based.

The Survey wishes to acknowledge also the courtesy shown it by the Essex Yacht Club and the Essex Paint and Marine Company in supplying a photo-print of a Stormograph record showing the barometric pressure before, during, and following the hurricane.

Thanks are due the Middletown office of the Connecticut Power Company for two prints of the town of Cromwell.

Recognition is gratefully accorded the staff of the Ground Water Survey, who spent long hours in the field.

The assistance and co-operation of Mr. Vincent J. Sullivan, Administrator of the Works Progress Administration and of the staff of the Professional and Service Division, under whose supervision the project was operated, are also appreciatively acknowledged.

(g) Collaboration with Other Agencies

A number of organizations and individuals supplied the Ground Water Survey with invaluable material and assistance in the flood surveys. By arrangement, several public agencies and concerns co-operated in obtaining flood measurements and related data for their joint use. Advance copies of much of the technical material contained in this report were furnished those agencies and concerns which thus collaborated. The agencies and the types of data furnished them are as follows:

United States Geological Survey, Hartford branch - river-gauge readings;

Hartford Electric Light Company-elevations of high-water marks for the 1936 and 1938 floods at the Company's dam at East Granby;

The Connecticut Company, Middletown office, - a plotting on one of its own prints of the area flooded in the town of Cromwell together with flood-crest elevations at various points in that town.

In addition, the Survey has furnished the Engineering Department of the City of Hartford with descriptions and stage measurements taken at twenty-two gauging stations.

A complete list of all high-water marks with their location and elevation on the Connecticut and Farmington rivers has been given the Hartford branch of the United States Geological Survey for use in completing its profile of flood crests; and information regarding the location and elevation of many high-water marks for use in flood control studies has been furnished to the United States Engineer Office at Providence, R. I.

NOTES

- P. 91 The map referred to under the heading, "Remarks," is on file at the offices of the Connecticut State Water Commission entitled, "Location of Measuring Points at Wilson, Windsor, Connecticut, Flood of September, 1938.
- P. 107 & 108 All items not bearing special notations represent data gathered by the Connecticut Ground Water Survey.
- P. 110 In column captioned "Set by," "Copeland" refers to Mr. W. R. Copeland, Chief Engineer of the Connecticut State Water Commission, who furnished certain data obtained by the Commission.

Vol. 40, Part 1, 1910. Published by the Royal Society.
The Journal of the Royal Anthropological Institute is a quarterly publication devoted to the study of man and his development. It contains original researches, reviews, and reports on the progress of anthropology in various branches, including physical anthropology, ethnology, and social anthropology.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published in four parts each year. The first part is published in January, the second in April, the third in July, and the fourth in October. The Journal is published in English and is available to members of the Royal Society and to subscribers.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

The Journal is published by the Royal Society, which is the highest authority in the United Kingdom for the advancement of natural knowledge. The Royal Society is a learned society that promotes the study of science and the arts.

II. GENERAL DISCUSSION

II GENERAL DISCUSSION

(a) Precipitation

There is general agreement that the cause of the flood of September, 1938, was the tremendous concentration of rainfall during the five-day period from September 17 to 21 inclusive, whereas in March, 1936, it was the combination of an abnormally heavy rainfall combined with the melting of the excessive amount of snow which had fallen during January and February of that year that caused the greatest flood in the history of New England.

The amount and distribution of rainfall recorded during the period September 17-21 has been the subject of considerable study by other agencies and authorities. While the Connecticut Ground Water Survey has made extensive contributions of precipitation records not previously available, in connection with its ground-water work, the interpretation of such data with regard to surface waters is outside the scope of this agency. It is sufficient, therefore, to quote from a paper which was read at a meeting of the Connecticut Society of Civil Engineers by Mr. B. L. Bigwood, District Engineer, Geological Survey, U. S. Department of the Interior, at Hartford, entitled "The Hurricane Floods of September, 1938, in Connecticut." Mr. Bigwood's paper reads, in part, as follows:

"This great flood developed from a tremendous concentration of precipitation over a five-day period from September 17 to 21, inclusive. The hurricane terminated the rainfall abruptly as you will recall. This hurricane, in itself, could be made the subject of a very interesting paper but I have neither the time nor qualifications to hold forth at any length with regard to that phenomenon.

"Centers of heavy precipitation east of Hartford and over central Massachusetts may be observed. Maximum rainfall in both these centers was just over 17 inches. Maximum rainfall for the entire flood area as shown on this map was 17.07 inches at Camp Buck of the Civilian Conservation Corps, near Portland, Connecticut. Except in the extreme eastern portion of Connecticut the five-day rainfall was nowhere in the State less than 8 inches.

"At some stations in the areas of heavy precipitation, 24-hour rainfall of as much as 11.83 inches was observed, with a rate of fall at times of nearly two inches per hour. And this heaviest concentration came generally at the end of the period after 3 or 4 days of heavy, soaking rains. Normal stream channels, already full to overflowing, were entirely inadequate to carry off this tremendous volume

of additional water and consequently reached steadily to new record levels and into new overflow area, while developing a power of destruction far surpassing previous floods.

"Heaviest run-off generally occurred in the eastern half of the State. The upper Quinebaug, the Hop, Willimantic, and Natchaug Rivers, the Shetucket, Yantic, Salmon, Hockanum, Scantic, and their tributaries, all raged through their valleys in huge volume, wrecking many dams, bridges, highways, railways, and other structures while inundating new areas of the land, and all over the western side of the State, new stage and flow records were established. The great Connecticut River fed by the tremendous volumes of water pouring from its lower tributaries attained a level less than $2\frac{1}{2}$ feet under the record crest of March, 1936.

"The surprising feature of this flood is that it developed at a season of the year when the maximum amount of precipitation is required to produce a given flood. Every natural deterrent to a great flood was present; absorption capacity of the ground was maximum; evaporation must have been high; vegetation was taking its share of moisture; and ponds, swamps, stream channels and other reservoirs were relatively low, providing a near maximum amount of natural storage and control."

The following precipitation tables, prepared from records of the U. S. Geological Survey and from precipitation records of the Connecticut Ground Water Survey, illustrate the vast amount of rainfall which occurred during the period September 17-21, inclusive. The resultant discharge at Thompsonville (Enfield), and Hartford, Connecticut, as tabulated by the U. S. Geological Survey is also presented in the tables following.

THE HISTORY OF THE
CITY OF BOSTON
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
IN TWO VOLUMES
BY NATHANIEL BENTLEY
OF THE BARR

LONDON: Printed by J. BARNARD, at the Angel in St. Dunstons Church, in the Strand, 1787.

NEW ENGLAND TOTAL PRECIPITATION*

September 17 to 21, inclusive

1938

Massachusetts

Amherst	11.96	Middlefield	10.61
Ashley Pond	10.65	Monson	12.39
Athol	12.31	Montague City	10.80
Baldwinsville	14.94	Montgomery	10.33
Barre	17.03	New Braintree	12.34
Blandford	10.34	New Salem	9.79
Bondsville	11.33	North Rutland	13.92
Borden Brook Reservoir	11.27	Otis Reservoir	11.40
Carmody Reservoir	13.10	Peru	9.12
Chester	10.31	Petersham	13.12
Chesterfield	10.87	Phillipston	13.25
Colrain	9.28	Plainfield	9.82
Cummington	8.91	Provin Mountain Res.	8.72
East Northfield	10.06	Rutland	12.26
Enfield	11.61	Shelburne Falls	9.31
Fryville	11.20	Shutesbury	10.33
Gardner	14.52	South Deerfield	10.48
Greenfield	10.06	Springfield	10.18
Hardwick	11.43	Springfield	10.04
Heath	9.74	Springfield	10.43
Holyoke	9.77	Turners Falls	10.73
Hoosac Tunnel	9.91	Ware Center	12.79
Hubbardston	15.60	Ware River Intake	13.55
Knightsville	10.07	Warren	12.25
Lake Pleasant	10.55	Warwick	10.76
Ludlow Reservoir	12.69	Wendell	10.78
West Brookfield	13.74		

* Data from "The Hurricane Floods of September, 1938": U.S. Geological Survey. Water Supply Paper.

[illegible]

NEW ENGLAND TOTAL PRECIPITATION*

September 17 to 21, inclusive

1938

Vermont

Bellows Falls	6.53	Ricker Mills	3.97
Bethel	5.29	Rochester	5.53
Bloomfield	4.22	St. Johnsbury	4.17
Brattleboro	8.22	Searsburg Mountain	8.50
Canaan	2.86	Searsburg Station	8.88
Cavendish	7.26	Somerset	8.20
Chelsea	4.99	South Newberry	4.83
East Barnet	4.59	Vernon	8.80
East Haven	4.09	West Burke	3.19
East Ryegate	5.35	West Hartford	5.51
Gallup Mills	3.94	Wheelock	3.69
Gilman	4.89	White River Junction	5.38
Mays Mill	8.57	White River Junction	5.53
McIndoes Falls	4.85	Whitingham	9.44
Newfane	8.00	Wilder	5.48
North Tunbridge	4.84	Wilmington	10.25
Plymouth	7.51	Windsor	6.80
Readsboro	8.89	Woodstock	5.95

New Hampshire

Bethlehem	5.69	Marlow	7.75
Claremont	6.80	Minnewawa	9.20
Dixville Notch	3.52	Mount Washington	8.29
First Connecticut Lake	2.97	Newport	7.29
Fitzwilliam	9.19	North Grantham	7.43
Franconia	4.47	North Stratford	4.37
Franconia	6.06	Pierce Bridge	7.57
Glencliff	7.60	Randolph	6.33
Hanover	5.43	Twin Mountain	6.01
Keene	6.52	West Canaan	6.64
Keene	7.44	West Lebanon	5.60
Lancaster	2.85	West Stewartstown	2.89
York Pond	4.30		

* Data from "The Hurricane Floods of September, 1938"; U.S. Geological Survey. Water Supply Paper.

* *THE HISTORY OF THE*

REPUBLIC OF THE UNITED STATES

OF

THE HISTORY OF THE
REPUBLIC OF THE UNITED STATES
OF AMERICA
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
BY
JAMES OSGOOD
VOLUME I
NEW YORK
PUBLISHED BY
J. B. LIPPINCOTT & CO.
1852

THE HISTORY OF THE
REPUBLIC OF THE UNITED STATES
OF AMERICA
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
BY
JAMES OSGOOD
VOLUME I
NEW YORK
PUBLISHED BY
J. B. LIPPINCOTT & CO.
1852

THE HISTORY OF THE
REPUBLIC OF THE UNITED STATES
OF AMERICA
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
BY
JAMES OSGOOD
VOLUME I
NEW YORK
PUBLISHED BY
J. B. LIPPINCOTT & CO.
1852

THE HISTORY OF THE
REPUBLIC OF THE UNITED STATES
OF AMERICA
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME
BY
JAMES OSGOOD
VOLUME I
NEW YORK
PUBLISHED BY
J. B. LIPPINCOTT & CO.
1852

PRECIPITATION IN CONNECTICUT *

September 17 to 21, inclusive

1938

Avon	8.98	Glastonbury	15.93
Barkhamsted	9.95	Haddam	13.76
Barkhamsted (Camp White) ..	11.19	Hartford	13.17
Bloomfield	9.69	(U.S. Weather Bureau)	
Bristol	10.32	Hartford	12.58
Burlington (Whigville)	10.20	(City of Hartford)	
Burlington	9.93	Manchester	16.01
(Phelps Brook Dam)		Middletown	13.44
Colchester	9.96	New Hartford	9.80
East Granby	9.72	Newington	11.88
East Hartland	11.58	Portland (Camp Buck)	17.07
East Hartland	11.45	Southington	11.90
(Camp Robinson)		West Hartford	10.16
Enfield	11.00	West Hartland	11.30
Windsor	11.47		

* Data obtained by Connecticut Ground Water Survey.

DISCHARGE OF CONNECTICUT RIVER AT THOMPSONVILLE, CONN.*
September, 1938

Hr.	Sept. 19		Sept. 20		Sept. 21		Sept. 22		Sept. 23	
	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.
2	2.35	15,600	2.86	22,000	5.82	73,500	12.75	203,000	14.40	236,000
4	2.32	15,500	3.06	25,000	6.10	78,600	13.35	215,000	14.37	235,400
6	2.20	14,200	3.25	28,000	6.32	82,800	13.80	224,000	14.30	234,000
8	2.22	14,400	3.44	31,200	6.66	89,000	14.00	228,000	14.22	232,000
10	2.23	14,500	3.86	38,300	7.09	97,000	14.09	230,000	14.10	230,000
M	2.19	14,100	3.99	40,500	7.50	105,000	14.15	231,000	13.96	227,000
2	2.13	13,400	4.18	43,900	7.97	113,000	14.24	232,800	13.80	224,000
4	2.12	13,300	4.36	47,200	8.58	125,000	14.30	234,000	13.60	220,000
6	2.17	13,900	4.62	51,900	9.32	138,000	14.35	234,600	13.40	216,000
8	2.24	14,600	4.84	55,800	9.92	149,000	14.35	235,000	13.14	211,000
10	2.36	16,000	5.39	65,900	10.68	164,000	14.38	235,600	12.92	206,000
M	2.60	18,700	5.63	70,400	11.71	183,000	14.40	236,000	12.67	201,000

	Sept. 24		Sept. 25		Sept. 26		Sept. 27		Sept. 28	
	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.
2	12.43	197,000	8.94	131,000	6.48	85,700	5.18	61,700	4.43	48,000
4	12.17	191,000	8.65	126,000	6.36	83,500	5.09	60,000	4.39	47,300
6	11.87	185,000	8.39	121,000	6.24	81,200	5.02	58,700	4.36	46,800
8	11.58	181,000	8.14	117,000	6.11	78,800	4.94	57,200	4.34	46,400
10	11.27	174,000	7.88	112,000	6.00	76,800	4.88	56,100	4.32	46,100
N	10.97	168,000	7.68	108,000	5.90	75,000	4.81	54,900	4.29	45,500
2	10.67	163,000	7.48	105,000	5.77	72,500	4.73	53,400	4.26	45,000
4	10.38	158,000	7.30	101,000	5.65	70,300	4.68	52,500	4.21	44,100
6	10.09	153,000	7.12	97,600	5.57	68,900	4.62	51,500	4.16	43,200
8	9.83	148,000	6.96	94,500	5.47	67,000	4.58	50,700	4.09	41,900
10	9.48	142,000	6.79	91,500	5.37	65,100	4.53	49,800	4.01	40,500
M	9.21	136,000	6.63	88,500	5.28	63,500	4.48	48,900	3.92	38,900

Gauge height in feet, and discharge, in second-feet 1938

* Data from "The Hurricane Floods of September, 1938"; U.S. Geological Survey, Water Supply Paper 1380.

THE
FEDERAL
BUREAU OF
INVESTIGATION
UNITED STATES
DEPARTMENT OF JUSTICE
WASHINGTON, D. C.

REPORT OF
SPECIAL AGENT
IN CHARGE
ON THE
ACTS AND
OCCURRENCES
OF THE
FEDERAL BUREAU
OF INVESTIGATION
DURING THE
YEAR 1908

THE
FEDERAL
BUREAU OF
INVESTIGATION
UNITED STATES
DEPARTMENT OF JUSTICE
WASHINGTON, D. C.

REPORT OF
SPECIAL AGENT
IN CHARGE
ON THE
ACTS AND
OCCURRENCES
OF THE
FEDERAL BUREAU
OF INVESTIGATION
DURING THE
YEAR 1908

THE
FEDERAL
BUREAU OF
INVESTIGATION
UNITED STATES
DEPARTMENT OF JUSTICE
WASHINGTON, D. C.

REPORT OF
SPECIAL AGENT
IN CHARGE
ON THE
ACTS AND
OCCURRENCES
OF THE
FEDERAL BUREAU
OF INVESTIGATION
DURING THE
YEAR 1908

THE
FEDERAL
BUREAU OF
INVESTIGATION
UNITED STATES
DEPARTMENT OF JUSTICE
WASHINGTON, D. C.

REPORT OF
SPECIAL AGENT
IN CHARGE
ON THE
ACTS AND
OCCURRENCES
OF THE
FEDERAL BUREAU
OF INVESTIGATION
DURING THE
YEAR 1908

THE
FEDERAL
BUREAU OF
INVESTIGATION
UNITED STATES
DEPARTMENT OF JUSTICE
WASHINGTON, D. C.

REPORT OF
SPECIAL AGENT
IN CHARGE
ON THE
ACTS AND
OCCURRENCES
OF THE
FEDERAL BUREAU
OF INVESTIGATION
DURING THE
YEAR 1908

DISCHARGE OF CONNECTICUT RIVER AT HARTFORD, CONN. *
September, 1938

Hr.	Sept. 19		Sept. 20		Sept. 21		Sept. 22		Sept. 23	
	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.
2	5.19	16,600	6.33	23,600	17.05	71,300	26.20	193,000	34.30	251,000
4	5.02	16,700	6.57	27,200	17.90	77,400	27.20	206,000	34.55	251,000
6	4.91	16,900	6.93	29,400	18.65	83,900	28.20	214,000	34.80	250,000
8	5.02	15,900	7.65	31,200	19.35	90,400	29.15	222,000	35.00	248,000
10	5.27	16,100	8.75	34,300	20.00	98,600	30.00	228,000	35.15	247,000
N	5.32	16,200	9.83	37,800	20.75	108,000	30.80	234,000	35.30	245,000
2	5.29	16,100	10.90	41,300	21.47	118,000	31.50	238,000	35.38	242,000
4	5.32	17,000	11.85	44,700	22.30	129,000	32.10	242,000	35.42	239,000
6	5.30	17,100	12.85	48,700	22.95	139,000	32.65	245,000	35.41	235,000
8	5.51	17,900	13.80	52,900	23.60	152,000	33.15	248,000	35.40	232,000
10	5.82	19,000	14.90	58,400	24.35	163,000	33.60	250,000	35.35	229,000
M	6.04	20,100	16.10	65,300	25.25	179,000	33.95	251,000	35.27	225,000

	Sept. 24		Sept. 25		Sept. 26		Sept. 27		Sept. 28	
	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.	Ft.	Sec. Ft.
2	35.15	221,000	31.50	159,000	26.20	106,000	21.25	74,600	17.00	57,500
4	34.97	216,000	31.10	153,000	25.75	103,000	20.85	72,200	16.66	56,000
6	34.80	213,000	30.65	148,000	25.30	100,000	20.50	70,500	16.31	55,200
8	34.55	208,000	30.25	143,000	24.90	96,500	20.15	69,200	16.00	54,500
10	34.30	202,000	29.80	139,000	24.50	94,400	19.75	67,500	15.72	53,800
N	34.05	198,000	29.35	135,000	24.05	91,300	19.40	66,100	15.48	53,100
2	33.70	191,000	28.90	129,000	23.65	88,700	19.10	64,700	15.22	52,300
4	33.40	187,000	28.45	125,000	23.25	86,400	18.70	63,500	14.98	51,300
6	33.05	181,000	27.95	120,000	22.83	83,800	18.35	61,800	14.72	50,400
8	32.70	177,000	27.55	116,000	22.43	81,500	18.00	60,200	14.48	49,400
10	32.30	171,000	27.10	112,000	22.03	79,000	17.68	59,000	14.20	48,200
M	31.90	165,000	26.65	109,000	21.63	77,000	17.35	58,000	13.90	47,000

Gauge height in feet, and discharge, in second-feet

1938

* Data from "The Hurricane Floods of September, 1938": U.S. Geological Survey, Water-Discharge Paper

1914

1914

1914

1914

1914

1914

1914

1914

1914

1914

1914

1914

(b) Ground Water Conditions.

The effects of the rainfall which commenced on September 17th, appeared immediately in a slight rise of ground-water levels. This rise in levels apparently accelerated as the storm continued, with the highest levels being reached September 22 to 27. In some cases the high levels did not mean a correspondent recharge of ground water. This is particularly true in wells which reached high points on September 21 and 22. However, the largest part of the rise did represent actual recharge of ground water as shown by the fact that the levels remained high well into October.

The following water levels, measured by the Connecticut Ground Water Survey at selected wells, illustrate the trends as outlined above.

Similar water-level measurements in some 376 selected wells were taken and reported by this Survey¹ under a program of ground-water level measurements.

GROUND WATER LEVELS

WHv. 324. W. Ames - Abandoned dug well, Corner Jones Hill Road, Route 122 West Haven. Diameter 30 inches, depth 16.0 feet. Measuring point is a red paint mark upper sharp edge of well curb on west side at land surface. Source formation is stratified drift.

Water level in feet below measuring point.

Date	Water level	Date	Water level	Date	Water level
1938		1938		1938	
Aug. 16	9.81	Sept. 27	7.07	Oct. 18	9.47
Sept. 6	11.40	Oct. 3	8.19	31	9.94
19	11.61	10	8.88		

St. 83. T. H. Krueger - Abandoned dug well, North Main Street, Stratford. Diameter 36 inches, depth 27.9 feet. Measuring point is yellow kiel mark on tile curbing 7.0 feet above land surface. Source formation is stratified drift.

Water level in feet below measuring point.

Date	Water level	Date	Water level	Date	Water level
1938		1938		1938	
Aug. 15	15.50	Sept. 27	12.78	Oct. 31	16.44
Sept. 6	17.73	Oct. 5	14.68		
19	17.47	17	15.72		

¹ "Ground Water Levels in Connecticut" - January 1, 1938 to June 30, 1939. Report #GW-7.

[Faint, illegible handwritten notes]

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

Mt. 163. J. Schmidt - Abandoned drilled well, at 3 Flower Avenue Middletown. Diameter 6 inches, depth 80.05 feet. Measuring point is a yellow kiel mark top of casing 0.4 feet above land surface. Source formation is sandstone.

Water level in feet below measuring point.

Date	Water level	Date	Water level	Date	Water level
1938		1938		1938	
Aug. 1	7.56	Sept. 7	7.91	Oct. 6	5.91
2	7.61	8	7.95	7	6.04
3	7.65	9	7.99	8	6.14
4	7.69	10	8.02	9	6.20
5	7.72	11	8.05	10	6.24
6	7.74	12	8.09	11	6.37
7	7.75	13	8.13	12	6.41
8	7.77	14	8.16	13	6.47
9	7.73	15	8.17	14	6.54
10	7.64	16	8.14	15	6.62
11	7.52	17	8.07	16	6.67
12	7.38	18	7.62	17	6.73
22	7.40	19	7.31	18	6.78
23	7.42	20	6.28	19	6.82
24	7.44	22	3.60	20	6.88
25	7.53	23	3.75	21	6.95
26	7.57	24	3.96	22	7.03
27	7.64	25	4.14	23	7.07
28	7.66	26	4.42	24	7.14
29	7.68	27	4.59	25	7.18
30	7.69	28	4.78	26	7.13
31	7.70	29	5.04	27	7.09
Sept. 1	7.73	30	5.28	28	7.15
2	7.74	Oct. 1	5.37	29	7.18
3	7.76	2	5.45	30	7.23
4	7.77	3	5.57	31	7.29
5	7.84	4	5.67		
6	7.88	5	5.80		

OS. 35. C. P. Dietch - Abandoned dug well, Ayers Point, Old Saybrook. Diameter 36 inches, depth 19.7 feet. Measuring point outer point of paint mark top of curb at land surface. Source formation is stratified drift.

Water level in feet below measuring point

Date	Water level	Date	Water level	Date	Water level
1938		1938		1938	
Aug. 9	15.07	Sept. 20	15.02	Oct. 12	13.89
23	14.90	27	11.20	26	15.84
Sept. 7	15.80	Oct. 5	13.39		

Wt. 792. M. K. Moore - Abandoned drilled well, Scotch Cap Road, Quaker Hill, Waterford. Diameter 6 inches, depth 40.7 feet. Measuring point is a yellow kiel mark top of steel casing 0.5 feet below land surface. Source formation is gneiss.

Water level in feet below measuring point.

Date	Water level	Date	Water level	Date	Water level
1938		1938		1938	
Aug. 1	14.73	Sept. 1	15.97	Oct. 2	14.63
2	14.86	2	16.13	3	14.67
3	15.00	3	16.27	4	14.70
4	15.14	4	16.43	5	14.73
5	15.27	5	16.60	6	14.83
6	15.35	6	16.77	7	14.93
7	15.43	7	16.91	8	15.00
8	15.50	8	17.07	9	15.07
9	15.47	9	17.23	10	15.17
10	15.60	10	17.40	11	15.28
11	15.42	11	17.54	12	15.35
12	15.47	12	17.65	13	15.45
13	15.47	13	17.77	14	15.47
14	15.49	14	17.89	15	15.53
15	15.53	15	17.92	16	15.60
16	15.59	16	18.07	17	15.67
17	15.16	17	18.20	18	15.73
18	14.97	18	18.30	19	15.77
19	14.85	19	18.13	20	15.87
20	14.83	20	17.70	21	15.97
21	14.81	21	16.70	22	16.07
22	14.79	22	15.79	23	16.17
23	14.90	23	15.25	24	16.13
24	14.97	24	14.85	25	15.85
25	15.11	25	14.73	26	15.79
26	15.25	26	14.63	27	15.67
27	15.36	27	14.61	28	15.56
28	15.50	28	14.63	29	15.47
29	15.60	29	14.67	30	15.36
30	15.71	30	14.70	31	15.25
31	15.83	Oct. 1	14.66		

III. GENERAL LISTING OF WATER STAGE
MEASUREMENT STATIONS ON THE
CONNECTICUT RIVER

GENERAL LISTING OF WATER STAGE MEASUREMENT STATIONS
ON THE CONNECTICUT RIVER
FLOOD OF SEPTEMBER 1938
SHOWING
LOCATION, CREST ELEVATION AND TIME OF CREST

NO.	LOCATION	TIME OF FLOOD CREST			ELEVATION
		DATE	FROM	TO	M.S.L. (in feet)
6	<u>Essex</u> Essex Paint & Marine Co.	Sept. 24	12:00 Noon	12:15 PM	8.824
48	<u>Middletown</u> Feldspar Co. dock	Sept. 23 Sept. 24	11:45 PM	1:15 AM	25.34
52	<u>Middletown</u> Narrows opposite Bodkin	Sept. 24	12:30 AM		25.751
58	<u>Middletown</u> Narrows near Town Farm	Sept. 23	10:04 PM	11:04 PM	26.214
64	<u>Middletown</u> Hartford Ave. Underpass	Sept. 23 Sept. 24	8:30 PM	1:00 AM	27.42
70	<u>Cromwell Center</u> Near Railroad Station	Sept. 24	12:15 AM		28.548
72	<u>Cromwell</u> Wall St. and River Road	NO READINGS AT CREST			29.070**
79*	<u>East Hartford</u> C.L. Pole A 34	Sept. 23	3:15 PM	9:45 PM	34.27
83*	<u>East Hartford</u> Gilman at King Street	Sept. 23	3:00 PM	7:00 PM	35.87
84	<u>Rocky Hill</u> Connecticut Foundry Co.	Sept. 23	6:56 PM		31.806
86	<u>Rocky Hill</u> Grey House north of Connecticut Foundry Co.	Sept. 23	5:33 PM		31.909
90	<u>Rocky Hill</u> Silas Deano Highway	Sept. 23	10:15 PM		32.554
92	<u>Wethersfield</u> Silas Deano south of Mill Street	Sept. 23	9:30 PM		32.546
94	<u>Wethersfield</u> Middletown Ave. Warner Place	NO READINGS AT CREST			32.518**

* - East Shore of Connecticut River

** - Determined by High Water Mark

THE HISTORY OF THE

REIGN OF KING CHARLES THE FIRST

THE HISTORY OF THE REIGN OF KING CHARLES THE FIRST			
1625	1626	1627	1628
1629	1630	1631	1632
1633	1634	1635	1636
1637	1638	1639	1640
1641	1642	1643	1644
1645	1646	1647	1648
1649	1650	1651	1652
1653	1654	1655	1656
1657	1658	1659	1660
1661	1662	1663	1664
1665	1666	1667	1668
1669	1670	1671	1672
1673	1674	1675	1676
1677	1678	1679	1680
1681	1682	1683	1684
1685	1686	1687	1688
1689	1690	1691	1692
1693	1694	1695	1696
1697	1698	1699	1700

NO.	LOCATION	TIME OF FLOOD CREST			ELEVATION U.S.L. (in foot)
		DATE	FROM	TO	
96	<u>Wethersfield</u> Elm Street	NO READINGS AT CREST			32.442**
98	<u>Wethersfield</u> Main St. near Railroad	NO READINGS AT CREST			32.720**
101 *	<u>Thompsonville</u> Bigelow-Sanford Carpet Co.	Sept. 23	6:00AM		55.983
101A*	<u>Enfield</u> Enfield Dam U.S. Geological Survey	Sept. 22 Sept. 23	11:00PM	2:00AM	52.88
102	<u>Wethersfield</u> Broad & Marsh Street	NO READINGS AT CREST			32.786**
110A	<u>Hartford</u> U.S. Weather Bureau	Sept. 23	5:00PM		34.88
124	<u>Windsor</u> Wilson Fire Station	Sept. 23	6:20PM	7:50PM	36.35
128	<u>Windsor</u> Wilson Ave.	Sept. 23	2:15PM	7:00PM	36.52
134	<u>Windsor</u> Railroad Underpass	Sept. 23	5:30PM		36.83
138	<u>Windsor</u> Farmington River Bridge	Sept. 23	3:45PM	5:30PM	36.48
140	<u>Windsor Locks</u> Conn. Light & Power Co.	Sept. 23	11:00AM	5:00PM	38.17
150	<u>Windsor Locks</u> The Montgomery Co.	Sept. 23	11:00AM	1:00PM	38.40

* - East Shore of Connecticut River

** - Determined by High Water Mark

Total - Gauges established

East Shore	4
West Shore	22
Total	<u>26</u>

IV. DESCRIPTION OF MEASUREMENT
STATIONS AND TABULATION OF GAUGE
HEIGHTS

Gauge Heights at Essex, Connecticut
Essex Paint and Marine Company Garages
Point Number 6
Approximately 7.1 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 9:24AM, September 22 to 11:00AM, September 25, 1938.

FLOOD CREST ALTITUDE:- 8.824 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 6-1 Bottom point of galvanized iron triangle at the northeast corner of north face at east end of east garage, garage at end of Novelty Lane and southwest of Essex Paint and Marine Company. Elevation 8.319 feet, m.s.l.

Station 6-2 Bottom point of galvanized iron triangle on north face at east end of west garage about 50 feet west of Station 6-1. Elevation 10.074 feet, m.s.l.

REMARKS:-

Measurements taken at these points show effect of tides as well as flood crest during a period of very high river discharge.

Altitude of stations determined by the Connecticut Ground Water Survey.

Readings converted to mean sea level by the Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Essex, Connecticut
Essex Paint and Marine Company Garages
Point Number 6

September 22 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 23 (Continued)		
Station 6-1			Station 6-1		
9:24AM	3.0	5.319	4:30AM	1.30	7.019
10:00	2.9	5.419	4:45	1.30	7.019
10:15	2.9	5.419	5:00	1.35	6.969
10:30	2.9	5.419			
10:45	2.85	5.469	Station 6-2		
11:00	2.85	5.469			
11:15	2.85	5.469	5:00AM	2.95	7.124
11:30	2.9	5.419	5:15	2.95	7.124
11:45	2.9	5.419	5:30	2.90	7.174
12:00Noon	2.9	5.419	5:45	2.90	7.174
1:15PM	2.95	5.369	6:00	2.85	7.224
2:00	3.0	5.319	6:15	2.80	7.274
5:00	2.75	5.569	6:30	2.75	7.324
9:30	1.60	6.719	6:45	2.70	7.374
9:45	1.60	6.719	7:00	2.70	7.374
10:00	1.55	6.769	7:15	2.65	7.424
10:15	1.50	6.819	7:30	2.60	7.474
10:30	1.45	6.869	7:45	2.50	7.574
10:45	1.45	6.869	8:00	2.45	7.624
11:00	1.40	6.919	8:15	2.40	7.674
11:15	1.40	6.919	8:30	2.40	7.674
11:30	1.35	6.969	8:45	2.30	7.774
11:45	1.35	6.969	9:00	2.25	7.824
September 23			9:15	2.15	7.924
12:00Mid	1.30	7.019	9:30	2.10	7.974
12:15AM	1.30	7.019	9:45	2.05	8.024
12:30	1.30	7.019	10:00	2.00	8.074
12:45	1.30	7.019	10:15	2.00	8.074
1:00	1.30	7.019	10:30	1.95	8.124
1:15	1.30	7.019	10:45	1.90	8.174
1:30	1.30	7.019	11:00	1.90	8.174
1:45	1.35	6.969	11:15	1.85	8.224
2:00	1.35	6.969	11:30	1.85	8.224
2:15	1.30	7.019	11:45	1.85	8.224
2:30	1.30	7.019	12:00Noon	1.80	8.274
2:45	1.30	7.019	12:15PM	1.80	8.274
3:00	1.30	7.019	12:30	1.80	8.274
3:15	1.25	7.069	12:45	1.80	8.274
3:30	1.25	7.069	1:00	1.80	8.274
3:45	1.25	7.069	1:15	1.80	8.274
4:00	1.25	7.069	1:30	1.80	8.274
4:15	1.25	7.069	1:45	1.85	8.224
			2:00	1.85	8.224
			2:15	1.85	8.224

Gauge Heights at Essex, Connecticut (Continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 23 (Continued)

Station 6-2

2:30PM	1.85	8.224
2:45	1.85	8.224
3:00	1.90	8.174
3:15	1.90	8.174
3:30	1.95	8.124
3:45	1.95	8.124
4:00	1.95	8.124
4:15	1.95	8.124
4:30	1.95	8.124
4:45	1.95	8.124
5:00	1.95	8.124
5:15	1.95	8.124
5:30	1.95	8.124
5:45	1.9	8.174
6:00	1.9	8.174
6:15	1.9	8.174
6:30	1.85	8.224
6:45	1.85	8.224
7:00	1.85	8.224
7:15	1.8	8.274
7:30	1.8	8.274
7:45	1.8	8.274
8:00	1.7	8.374
8:15	1.7	8.374
8:30	1.65	8.424
8:45	1.65	8.424
9:00	1.65	8.424
9:15	1.50	8.574
9:30	1.50	8.574
9:45	1.45	8.624
10:00	1.45	8.624
10:15	1.45	8.624
10:30	1.4	8.674
10:45	1.4	8.674
11:00	1.35	8.724
11:15	1.35	8.724
11:30	1.35	8.724
11:45	1.40	8.674

September 24

12:00Mid	1.40	8.674
12:15AM	1.40	8.674
12:30	1.40	8.674
12:45	1.40	8.674
1:00	1.40	8.674
1:15	1.45	8.624
1:30	1.45	8.624

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 24 (Continued)

Station 6-2

1:45AM	1.45	8.624
2:00	1.45	8.624
2:15	1.50	8.574
2:30	1.50	8.574
2:45	1.50	8.574
3:00	1.55	8.524
3:15	1.55	8.524
3:30	1.55	8.524
3:45	1.60	8.474
4:00	1.60	8.474
4:15	1.60	8.474
4:30	1.70	8.374
4:45	1.65	8.424
5:00	1.60	8.474
5:15	1.60	8.474
5:30	1.60	8.474
5:45	1.60	8.474
6:00	1.65	8.424
6:15	1.65	8.424
6:30	1.65	8.424
6:45	1.65	8.424
7:00	1.60	8.474
7:15	1.60	8.474
7:30	1.65	8.424
7:45	1.55	8.524
8:00	1.55	8.524
8:15	1.60	8.474
8:30	1.55	8.524
8:45	1.50	8.524
9:00	1.50	8.524
9:15	1.45	8.624
9:30	1.45	8.624
9:45	1.40	8.674
10:00	1.40	8.674
10:15	1.35	8.724
10:30	1.35	8.724
10:45	1.30	8.774
11:00	1.30	8.774
11:15	1.30	8.774
11:30	1.30	8.774
11:45	1.30	8.774
12:00Noon	1.25	8.824
12:15PM	1.25	8.824
12:30	1.30	8.774
12:45	1.30	8.774
1:00	1.30	8.774
1:15	1.35	8.724
1:30	1.35	8.724

Gauge Heights at Essex, Connecticut (Continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 24 (continued)

Station 6-2

1:45PM	1.40	8.674
2:00	1.40	8.674
2:15	1.40	8.674
2:30	1.50	8.574
2:45	1.50	8.574
3:00	1.55	8.524
3:15	1.60	8.474
3:30	1.60	8.474
3:45	1.65	8.424
4:00	1.65	8.424
4:15	1.70	8.374
4:30	1.70	8.374
4:45	1.70	8.374
5:00	1.70	8.374
5:15	1.75	8.324
5:30	1.80	8.274
5:45	1.85	8.224
6:00	1.90	8.174
6:15	1.90	8.174
6:30	1.90	8.174
6:45	1.90	8.174
7:00	1.90	8.174
7:15	1.95	8.124
7:30	1.95	8.124
7:45	1.95	8.124
8:00	1.95	8.124
8:15	1.95	8.124
8:30	1.95	8.124
8:45	1.95	8.124
9:00	1.95	8.124
9:15	1.95	8.124
9:30	1.95	8.124
9:45	1.95	8.124
10:00	1.95	8.124
10:15	1.95	8.124
10:30	1.95	8.124
10:45	1.90	8.174
11:00	1.90	8.174
11:15	1.90	8.174
11:30	1.90	8.174
11:45	1.90	8.174

September 25


12:00Mid	1.90	8.174
----------	------	-------

September 25 (continued)

Station 6-2

12:15AM	1.90	8.174
12:30	1.90	8.174
12:45	1.95	8.124
1:00	1.95	8.124
1:15	2.0	8.074
1:30	2.0	8.074
1:45	2.05	8.024
2:00	2.1	7.974
2:15	2.1	7.974
2:30	2.1	7.974
2:45	2.2	7.874
3:00	2.2	7.874
3:15	2.25	7.824
3:30	2.25	7.824
3:45	2.3	7.774
4:00	2.35	7.724
4:15	2.4	7.674
4:30	2.4	7.674
4:45	2.45	7.624
5:00	2.5	7.574
5:15	2.55	7.524
5:30	2.55	7.524
5:45	2.55	7.524
6:00	2.55	7.524
6:15	2.6	7.474
6:30	2.6	7.474
6:45	2.6	7.474
7:00	2.65	7.424
7:15	2.65	7.424
7:30	2.65	7.424
7:45	2.7	7.374
8:00	2.7	7.374
8:15	2.7	7.374
8:30	2.7	7.374
8:45	2.7	7.374
9:00	2.7	7.374
9:15	2.7	7.374
9:30	2.65	7.424
9:45	2.7	7.374
10:00	2.65	7.424
10:15	2.65	7.424
10:30	2.65	7.424
10:45	2.6	7.474
11:00	2.6	7.474

FEET ABOVE MEAN SEA LEVEL
FEET ABOVE MEAN SEA LEVEL



CONN RIVER
FLOOD STAGES AT
STANDARD OIL CO.
ESSEX PAINT AND MARINE CO.,
ESSEX, CONN. 1936-1938

1936 HYDROGRAPH
PLOTTED FROM READINGS

INCLUDED IN
"THE GREAT FLOOD OF MARCH 1936"

PREPARED BY
CONN. GROUND WATER SURVEY
JUNE 1938

OBSERVED BY - CONN. GROUND WATER SURVEY
PLOTTED BY - CONN. GROUND WATER SURVEY
W.P.A. OFFICIAL PROJECT 665-15-3-116

Gauge Heights at Middletown, Connecticut
Narrows - Tree Near Concrete Wall, Dock
International Feldspar Company
Point Number 48
Approximately 29.0 miles from Saybrook Light

OBSERVED BY:- State Water Commission.

PERIOD:- 8:15PM, September 23 to 7:30AM, September 24, 1938.

FLOOD CREST ALTITUDE:- 25.34 feet m.s.l.

DATUM:- United States Coast & Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Galvanized iron nail set in tree near concrete
wall, dock of International Feldspar Company.

REMARKS:-

* Elevation of crest established by State Water Commission
and elevations of readings figured from that point.

Altitude of crest determined by State Water Commission.

Readings converted to mean sea level by
State Water Commission.

Time is Eastern Standard Time.

Gauge Heights at Middletown, Connecticut
 "Narrows" - Tree Near Concrete Wall
 Dock of International Feldspar Company
 Point Number 48

September 23 to September 24, 1938

TIME E.S.T.	ELEVATION M.S.L.	TIME E.S.T.	ELEVATION M.S.L.
September 23		September 24 (Continued)	
8:15PM	25.29	1:15AM	25.34
8:30	25.31	1:30	25.33
8:45	25.31	1:45	25.33
9:00	25.30	2:00	25.32
9:15	25.30	2:15	25.32
9:30	25.29	2:30	25.32
9:45	25.32	2:45	25.32
10:00	25.30	3:00	25.30
10:15	25.32	3:15	25.30
10:30	25.32	3:30	25.28
10:45	25.33	3:45	25.28
11:00	25.33	4:00	25.28
11:15	25.33	4:30	25.26
11:30	25.33	4:45	25.26
11:45	25.34	5:00	25.26
12:00Mid	25.34	5:15	25.24
September 24		5:30	25.24
12:15AM	25.34	5:45	25.23
12:30	25.34	6:00	25.21
12:45	25.34	6:15	25.19
1:00	25.34	6:30	25.17
		7:00	25.15
		7:30	25.11

Gauge Heights at Middletown, Connecticut
Narrows Opposite Bodkin Rock
Point Number 52
Approximately 29.5 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 12:50PM, September 22 to 5:28PM, September 26, 1938.

FLOOD CREST ALTITUDE:- 25.751 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Levelling rod strip fastened to 3 to 4" tree located on bank of river. Tree is east of a point on railroad which is about 18.0 feet south of P. T. monument 1456 + 1220 on Valley railroad line and 65.0 feet north of signal tower base.
Elevation of O.O of gauge 19.451 feet m.s.l.

REMARKS:-

After water had receded beyond point where readings could be taken from gauge, a series of eight stakes were set and time noted. Elevations were determined at these points by the Connecticut Ground Water Survey. Elevation of O.O of gauge also determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Middletown, Connecticut
 "Narrows" - Opposite Bodkin Rock
 Point Number 52

September 22 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 23 (Continued)		
Station 52			Station 52		
12:50PM	-0.02	19.431	11:00AM	5.55	25.001
1:00	+0.06	19.511	11:30	5.60	25.051
1:30	+0.25	19.701	12:00Noon	5.63	25.081
2:00	+0.45	19.901	12:30PM	5.72	25.171
2:30	+0.62	20.071	1:00	5.76	25.211
3:00	+0.81	20.261	1:30	5.83	25.281
3:30	+0.99	20.441	2:00	5.88	25.331
4:00	+1.16	20.611	2:30	5.90	25.351
4:30	+1.32	20.771	3:00	5.97	25.421
5:00	+1.49	20.941	3:30	6.01	25.461
5:30	1.66	21.111	4:00	6.03	25.481
6:00	1.81	21.261	4:30	6.03	25.481
6:30	2.00	21.451	4:45	6.04	25.491
7:00	2.14	21.591	5:00	6.05	25.501
7:30	2.31	21.761	5:15	6.07	25.521
8:00	2.44	21.871	5:30	6.09	25.541
8:30	2.62	22.071	5:45	6.105	25.556
9:00	2.75	22.201	6:00	6.115	25.566
9:30	2.86	22.311	6:15	6.130	25.581
10:00	3.02	22.471	6:30	6.145	25.596
10:30	3.16	22.611	6:45	6.160	25.611
11:00	3.26	22.711	7:00	6.175	25.626
11:30	3.41	22.861	7:15	6.190	25.641
September 23			7:30	6.205	25.656
12:00Mid	3.53	22.981	7:45	6.205	25.656
12:30AM	3.65	23.101	8:15	6.220	25.671
1:00	3.78	23.231	8:30	6.225	25.676
1:30	3.88	23.331	8:45	6.230	25.681
2:00	3.97	23.421	9:00	6.265	25.716
2:11	4.03	23.481	9:15	6.265	25.716
3:00	4.20	23.651	9:30	6.265	25.716
3:40	4.34	23.791	9:45	6.265	25.716
4:15	4.45	23.901	10:00	6.265	25.716
4:55	4.61	24.061	10:15	6.265	25.716
6:20	4.84	24.291	10:30	6.240	25.691
7:00	4.97	24.421	10:45	6.280	25.731
7:35	5.03	24.481	11:00	6.260	25.711
8:15	5.12	24.571	11:15	6.265	25.716
8:50	5.21	24.661	11:30	6.270	25.721
9:00	5.28	24.731	11:45	6.265	25.716
9:30	5.35	24.801	12:00Mid	6.280	25.731
10:00	5.40	24.851	September 24		
10:30	5.47	24.921	12:15AM	6.29	25.741

Gauge Heights at Middletown, Connecticut (Continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 24 (Continued)

Station 52

12:30AM	6.30	25.751
12:45	6.30	25.751
1:00	6.25	25.701
1:15	6.285	25.736
1:30	6.285	25.736
1:45	6.275	25.726
2:00	6.275	25.726
2:15	6.275	25.726
2:30	6.275	25.726
2:45	6.260	25.711
3:00	6.260	25.711
3:15	6.21	25.661
3:30	6.21	25.661
3:45	6.20	25.651
4:00	6.23	25.681
4:15	6.20	25.651
4:30	6.18	25.631
4:45	6.18	25.631
5:00	6.20	25.651
5:15	6.175	25.625
5:30	6.18	25.631
5:45	6.11	25.561
6:00	6.12	25.571
6:15	6.13	25.581
6:30	6.09	25.541
6:45	6.10	25.551
7:00	6.07	25.521
7:15	6.05	25.501
7:30	6.07	25.521
8:15	6.01	25.461
8:30	6.02	25.471
8:45	5.99	25.441
9:00	5.99	25.441
9:15	5.98	25.431
9:30	5.94	25.391
9:45	5.91	25.361
10:00	5.92	25.371
10:15	5.88	25.331
10:30	5.86	25.311
10:45	5.83	25.281
11:00	5.82	25.271
11:15	5.80	25.251
11:30	5.78	25.231
11:45	5.78	25.231
12:00Noon	5.73	25.181
12:15PM	5.72	25.171
12:30	5.72	25.171
12:45	5.68	25.131

September 24 (Continued)

Station 52

1:00PM	5.66	25.111
1:15	5.62	25.071
1:30	5.62	25.071
1:45	5.57	25.021
2:00	5.56	25.011
2:15	5.55	25.001
2:30	5.51	24.961
2:45	5.47	24.921
3:00	5.47	24.921
3:15	5.43	24.881
3:30	5.40	24.851
3:45	5.37	24.821
4:00	5.35	24.801
4:15	5.32	24.771
4:30	5.28	24.731
4:45	5.28	24.731
5:00	5.25	24.701
5:15	5.20	24.651
5:30	5.20	24.651
5:45	5.18	24.631
6:00	5.14	24.591
6:15	5.13	24.581
6:30	5.10	24.551
6:45	5.05	24.501
7:00	5.00	24.451
7:15	4.95	24.401
7:30	4.93	24.381
7:45	4.90	24.351
8:00	4.88	24.331
8:15	4.85	24.301
8:30	4.80	24.251
8:45	4.78	24.231
9:00	4.75	24.201
9:15	4.70	24.151
9:30	4.68	24.131
9:45	4.65	24.101
10:00	4.60	24.051
10:15	4.60	24.051
10:30	4.55	24.001
10:45	4.53	23.981
11:00	4.45	23.901
11:15	4.43	23.881
11:30	4.40	23.851
11:45	4.35	23.801

September 25

12:00Mid	4.35	23.801
----------	------	--------

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637
TEL. 733-4331

THE UNIVERSITY OF CHICAGO
LIBRARY
1100 EAST 58TH STREET
CHICAGO, ILL. 60637
TEL. 733-4331

Gauge Heights at Middletown, Connecticut (Continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 25 (Continued)

Station 52

12:15AM	4.31	23.761
12:30	4.28	23.731
12:45	4.21	23.661
1:00	4.19	23.641
1:15	4.15	23.601
1:30	4.11	23.561
1:45	4.07	23.521
2:00	4.03	23.481
2:15	4.00	23.451
2:30	3.97	23.421
2:45	3.94	23.391
3:00	3.86	23.311
3:15	3.84	23.291
3:30	3.77	23.221
3:45	3.70	23.151
4:00	3.67	23.121
4:15	3.62	23.071
4:30	3.60	23.051
4:45	3.58	23.031
5:00	3.54	22.991
5:15	3.52	22.971
5:30	3.47	22.921
5:45	3.45	22.901
6:00	3.38	22.831
6:15	3.34	22.791
6:30	3.30	22.751
6:45	3.25	22.701
7:00	3.205	22.656
7:15	3.180	22.631

September 25 (Continued)

Station 52

7:30AM	3.140	22.593
7:45	3.100	22.551
8:00	3.040	22.491
10:01	2.70	22.151
10:17	2.685	22.136
11:05	2.525	21.976
12:00Noon	2.325	21.776
12:38PM	2.150	21.601
1:18	2.125	21.576
1:53	2.000	21.451
2:32	1.850	21.301
3:05	1.795	21.246
3:48	1.650	21.101
4:23	1.540	20.991
5:04	1.40	20.851
5:39	1.30	20.751
6:12	1.150	20.601

September 26

11:21AM	Stake	17.450
12:23PM	"	17.212
1:23	"	17.179
2:35	"	17.081
3:20	"	16.841
4:00	"	16.545
4:48	"	16.40
5:28	"	16.373

Gauge Heights at Middletown, Connecticut
 Narrows "A"
 On Valley Railroad Line Near Town Poor Farm
 Point Number 58
 Approximately 30.5 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 1:26PM, September 22 to 5:45PM, September 26, 1938.

FLOOD CREST ALTITUDE:- 26.214 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- Station 58-1 Mark cut on top of tie on railroad trestle. Trestle is east of Town Poor Farm. Mark is 14.6 feet west of a chiseled cross in northeast corner of east end of north wing of east abutment of trestle. Elevation 24.337 feet, m.s.l.
- Station 58-2 Stake driven 125.0' east of station 58-1, 13 ties west of W.U.T. pole, first pole west of W.U.T. pole 25. Elevation 26.152 feet, m.s.l.
- Station 58-3 Stake driven on north side of railroad track 22 ties east of 58-2 and 9 ties east of W.U.T. pole above. Elevation 27.202 feet, m.s.l.
- Station 58-4 Stake driven on north side of railroad track 45 ties east of 58-3 and 26 ties west of W.U.T. pole 25. Elevation 26.642 feet, m.s.l.
- Station 58-5 Stake driven on north side of railroad track 36 ties east of 58-4 and 9 ties east of W.U.T. pole 25. Elevation 27.077 feet, m.s.l.
- Station 58-6 Stake driven on north side of railroad track, 30 ties east of 58-5 and 38 ties west of W.U.T. pole U2. Elevation 27.379 feet, m.s.l.
- Station 58-7 Stake driven on north side of railroad track, 11 ties east of 58-6 and 27 ties west of W.U.T. pole U2. Elevation 27.374 feet, m.s.l.
- Station 58-8 Notch cut in tree on bank of Connecticut River, approximately 20 feet north of railroad track, and 100 feet east of 58-7. Elevation 27.958 feet, m.s.l.

...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

REMARKS:-

After water had reached a height where original Station 58-1 was not useable, a series of seven stakes were driven as described above and measurements taken from top of these stakes.

Altitude of measuring points determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Middletown, Connecticut
Narrows "A"
On Valley Railroad Line Near Town Poor Farm
Point Number 58

September 22 to September 26, 1938

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 22				September 23 (continued)			
1:26PM	1	4.32	20.017	9:10AM	2	1.05	25.102
2:00	1	4.10	20.237	9:10	3	2.06	25.142
2:30	1	3.91	20.427	9:10	4	1.40	25.242
3:00	1	3.75	20.607	9:20	5	1.94	25.137
3:30	1	3.57	20.767	9:21	4	1.35	25.292
4:00	1	3.40	20.937	9:21	3	2.04	25.162
4:30	1	3.24	21.097	9:22	2	0.97	25.182
5:00	1	3.02	21.317	9:30	2	0.95	25.202
5:30	1	2.85	21.487	9:51	3	2.04	25.162
6:00	1	2.67	21.667	9:52	4	1.33	25.312
6:30	1	2.46	21.877	9:53	5	1.84	25.237
7:00	1	2.33	22.007	9:45	2	0.94	25.212
7:30	1	2.10	22.237	9:46	3	1.96	25.242
8:00	1	1.95	22.387	9:47	4	1.27	25.372
8:30	1	1.80	22.537	9:48	5	1.79	25.287
9:00	1	1.57	22.767	10:00	2	0.92	25.232
9:00	1	1.70	22.637	10:01	3	1.94	25.262
9:30	1	1.51	22.827	10:02	4	1.24	25.402
10:00	1	1.41	22.927	10:03	5	1.77	25.307
10:30	1	1.30	23.057	10:15	2	0.90	25.252
11:00	1	1.20	23.137	10:15	3	1.92	25.282
11:30	1	1.13	23.207	10:16	4	1.21	25.432
12:00Mid.	1	0.99	23.347	10:18	5	1.73	25.347
September 23				10:30	3	1.85	25.352
				10:30	4	1.17	25.472
				10:32	5	1.70	25.379
12:30AM	1	0.78	23.557	10:45	3	1.83	25.372
1:00	1	0.62	23.717	10:46	4	1.14	25.502
1:30	1	0.53	23.757	10:48	5	1.65	25.427
2:40	1	0.35	23.987	11:00	3	1.79	25.412
3:25	1	0.22	24.117	11:01	4	1.11	25.532
3:55	1	0.10	24.237	11:02	5	1.64	25.437
4:30	1	0.05	24.387	11:15	3	1.76	25.442
5:15	1	0.2	24.557	11:16	4	1.09	25.552
6:40	2	1.41	24.742	11:16	5	1.62	25.457
7:10	3	2.32	24.882	11:30	3	1.76	25.442
7:20	2	1.38	24.772	11:31	4	1.07	25.572
7:55	3	2.26	24.942	11:52	5	1.57	25.507
7:55	2	1.22	24.932	11:45	3	1.70	25.502
8:25	2	1.15	25.000	11:45	4	1.05	25.592
8:26	3	2.19	25.012	11:45	5	1.58	25.497
8:27	4	1.50	25.142	12:00Noon	3	1.69	25.512

THE UNIVERSITY OF CHICAGO
LIBRARY

No.	Date	Description	Amount	Balance	Total	Remarks
1	1891-1892
2	1892-1893
3	1893-1894
4	1894-1895
5	1895-1896
6	1896-1897
7	1897-1898
8	1898-1899
9	1899-1900
10	1900-1901
11	1901-1902
12	1902-1903
13	1903-1904
14	1904-1905
15	1905-1906
16	1906-1907
17	1907-1908
18	1908-1909
19	1909-1910
20	1910-1911
21	1911-1912
22	1912-1913
23	1913-1914
24	1914-1915
25	1915-1916
26	1916-1917
27	1917-1918
28	1918-1919
29	1919-1920
30	1920-1921
31	1921-1922
32	1922-1923
33	1923-1924
34	1924-1925
35	1925-1926
36	1926-1927
37	1927-1928
38	1928-1929
39	1929-1930
40	1930-1931
41	1931-1932
42	1932-1933
43	1933-1934
44	1934-1935
45	1935-1936
46	1936-1937
47	1937-1938
48	1938-1939
49	1939-1940
50	1940-1941
51	1941-1942
52	1942-1943
53	1943-1944
54	1944-1945
55	1945-1946
56	1946-1947
57	1947-1948
58	1948-1949
59	1949-1950
60	1950-1951
61	1951-1952
62	1952-1953
63	1953-1954
64	1954-1955
65	1955-1956
66	1956-1957
67	1957-1958
68	1958-1959
69	1959-1960
70	1960-1961
71	1961-1962
72	1962-1963
73	1963-1964
74	1964-1965
75	1965-1966
76	1966-1967
77	1967-1968
78	1968-1969
79	1969-1970
80	1970-1971
81	1971-1972
82	1972-1973
83	1973-1974
84	1974-1975
85	1975-1976
86	1976-1977
87	1977-1978
88	1978-1979
89	1979-1980
90	1980-1981
91	1981-1982
92	1982-1983
93	1983-1984
94	1984-1985
95	1985-1986
96	1986-1987
97	1987-1988
98	1988-1989
99	1989-1990
100	1990-1991

Gauge Heights at Middletown, Connecticut (cont'd)

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 23 (continued)				September 23 (continued)			
12:00 Noon	4	1.01	25.632	4:05 PM	7	1.40	25.974
12:01 PM	5	1.53	25.547	4:25	5	1.14	25.937
12:02	6	1.85	25.529	4:28	6	1.50	25.879
12:16	3	1.68	25.522	4:30	7	1.35	26.024
12:16	4	1.00	25.642	4:45	5	1.13	25.947
12:17	5	1.52	25.557	4:46	6	1.45	25.929
12:18	6	1.84	25.539	4:47	7	1.37	26.000
12:30	3	1.66	25.542	4:51	8	2.10	25.858
12:31	4	0.98	25.662	5:00	5	1.07	26.007
12:32	5	1.49	25.587	5:02	6	1.37	26.009
12:33	6	1.81	25.569	5:03	7	1.31	26.064
12:45	3	1.63	25.572	5:06	8	1.93	26.028
12:45	4	0.95	25.692	5:15	5	1.11	25.967
12:46	5	1.46	25.617	5:17	6	1.43	25.949
12:47	6	1.77	25.609	5:18	7	1.31	26.064
1:00 . .	4	0.89	25.752	5:22	8	1.90	26.058
1:01	5	1.44	25.657	5:31	5	1.10	25.977
1:01	6	1.75	25.629	5:32	6	1.43	25.949
1:15	4	0.89	25.752	5:33	7	1.55	26.024
1:16	5	1.44	25.637	5:35	8	1.88	26.078
1:16	6	1.74	25.639	5:45	5	1.07	26.007
1:30	4	0.85	25.792	5:46	6	1.40	25.979
1:31	5	1.38	25.697	5:48	7	1.32	26.054
1:32	6	1.70	25.679	5:50	8	1.88	26.078
1:45	4	0.81	25.832	6:00	5	1.05	26.027
1:46	5	1.35	25.727	6:01	6	1.36	26.019
1:46	6	1.68	25.699	6:02	7	1.25	26.124
2:00	4	0.79	25.852	6:04	8	1.89	26.068
2:01	5	1.33	25.747	6:15	5	1.00	26.077
2:01	6	1.66	25.719	6:16	6	1.36	26.019
2:35	4	0.75	25.892	6:18	7	1.24	26.134
2:36	5	1.29	25.787	6:20	8	1.89	26.068
2:37	6	1.62	25.759	6:32	5	1.03	26.047
3:00	4	0.70	25.942	6:33	6	1.29	26.089
3:01	5	1.25	25.827	6:35	7	1.27	26.104
3:01	6	1.60	25.779	6:39	8	1.90	26.058
3:15	4	0.68	25.962	6:45	5	1.00	26.077
3:16	5	1.21	25.867	6:47	6	1.32	26.059
3:16	6	1.54	25.839	6:48	7	1.23	26.144
3:30	4	0.65	25.992	6:53	8	1.88	26.078
3:31	5	1.18	25.897	7:00	5	0.99	26.087
3:32	6	1.50	25.879	7:02	6	1.28	26.099
3:45	4	0.64	26.002	7:04	7	1.22	26.154
3:45	5	1.16	25.917	7:09	8	1.87	26.088
3:46	6	1.50	25.879	7:15	5	1.02	26.057
4:01	5	1.20	25.877	7:17	6	1.32	26.059
4:02	6	1.55	25.827	7:19	7	1.24	26.134

Gauge Heights at Middletown, Connecticut (cont'd)

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 23 (continued)				September 23 (continued)			
7:30PM	5	1.01	26.067	10:49PM	7	1.16	26.214
7:32	6	1.33	26.049	11:00	5	1.00	26.077
7:34	7	1.22	26.154	11:02	6	1.28	26.099
7:39	8	1.84	26.118	11:04	7	1.16	26.214
7:46	5	1.01	26.067	11:10	8	1.80	26.158
7:48	6	1.30	26.079	11:15	5	0.92	26.157
7:50	7	1.20	26.174	11:17	6	1.27	26.109
8:02	5	0.99	26.087	11:19	7	1.20	26.174
8:04	6	1.33	26.049	11:24	8	1.79	26.168
8:04	7	1.27	26.104	11:30	5	0.95	26.127
8:10	8	1.87	26.088	11:32	6	1.30	26.079
8:15	5	1.05	26.027	11:34	7	1.21	26.164
8:16	6	1.35	26.029	11:40	8	1.79	26.168
8:17	7	1.25	26.124	11:45	5	0.96	26.117
8:30	5	0.98	26.097	11:50	6	1.26	26.119
8:31	6	1.33	26.049	11:52	7	1.19	26.184
8:32	7	1.24	26.134	11:58	8	1.79	26.168
8:38	8	1.86	26.098	September 24			
8:45	5	0.98	26.097	12:15AM	5	1.14	25.937
8:47	6	1.28	26.099	12:20	6	1.39	25.989
8:49	7	1.19	26.184	12:25	7	1.24	26.134
9:00	5	0.95	26.127	12:25	5	0.92	26.157
9:02	6	1.26	26.119	12:40	6	1.24	26.139
9:04	7	1.18	26.194	12:45	7	1.15	26.124
9:09	8	1.81	26.148	12:45	8	1.79	26.168
9:15	5	0.98	26.097	1:11	5	0.96	26.117
9:17	6	1.29	26.089	1:13	6	1.245	26.134
9:19	7	1.18	26.194	1:14	7	1.15	26.124
9:30	5	0.97	26.107	1:19	8	1.795	26.163
9:32	6	1.30	26.079	1:30	5	0.92	26.157
9:34	7	1.17	26.204	1:34	6	1.25	26.129
9:40	8	1.80	26.158	1:35	7	1.145	26.119
9:45	5	0.95	26.127	1:39	8	1.81	26.148
9:47	6	1.28	26.099	1:53	5	0.93	26.147
9:49	7	1.18	26.194	1:55	6	1.26	26.119
10:00	5	0.95	26.127	1:55	7	1.17	26.204
10:02	6	1.26	26.119	1:59	8	1.80	26.158
10:04	7	1.16	26.214	2:15	5	0.91	26.167
10:10	8	1.79	26.168	2:16	6	1.21	26.169
10:15	5	0.92	26.157	2:17	7	1.15	26.124
10:17	6	1.28	26.099	2:22	8	1.82	26.138
10:19	7	1.16	26.214	2:40	5	0.93	26.147
10:30	5	0.93	26.147	2:41	6	1.27	26.109
10:30	6	1.31	26.069	2:42	7	1.20	26.174
10:34	7	1.21	26.164	2:45	8	1.835	26.123
10:40	8	1.82	26.158	3:00	5	1.02	26.057
10:45	5	0.95	26.127				
10:47	6	1.25	26.129				

Gauge Heights at Middletown, Connecticut (cont'd)

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 24 (continued)				September 24 (continued)			
3:00AM	6	1.30	26.079	6:38AM	6	1.48	25.899
3:01	7	1.20	26.174	6:31	8	1.98	25.978
3:05	8	1.82	26.138	6:56	5	1.095	25.982
3:22	5	1.01	26.067	6:56	6	1.45	25.929
3:23	6	1.29	26.089	7:00	8	1.98	25.978
3:23	7	1.22	26.154	7:09	4	0.555	26.087
3:29	8	1.87	26.088	7:10	5	1.12	25.957
3:42	5	1.02	26.057	7:12	6	1.50	25.879
3:43	6	1.35	26.029	7:13	7	1.43	25.944
3:43	7	1.24	26.134	7:15	8	2.05	25.908
3:47	8	1.87	26.088	7:30	5	1.21	25.867
4:00	5	0.97	26.107	7:31	6	1.55	25.829
4:01	6	1.30	26.079	7:32	7	1.41	25.964
4:02	7	1.22	26.154	7:38	8	2.40	25.558
4:06	8	1.865	26.093	7:42	4	0.68	25.962
4:21	5	1.00	26.077	7:45	5	1.20	25.877
4:22	6	1.365	26.014	7:46	6	1.65	25.729
4:23	7	1.24	26.134	7:46	7	1.47	25.904
4:27	8	1.90	26.058	7:51	8	2.65	25.308
4:36	5	1.02	26.057	8:20	5	1.25	25.827
4:37	6	1.33	26.049	8:21	6	1.60	25.779
4:38	7	1.28	26.194	8:25	8	2.12	25.838
4:45	8	1.90	26.058	8:40	5	1.28	25.797
4:57	5	1.04	26.037	8:41	6	1.61	25.769
4:56	6	1.37	26.009	8:45	8	2.14	25.818
4:57	7	1.29	26.084	9:00	5	1.25	25.827
5:03	8	1.90	26.058	9:01	6	1.57	25.809
5:08	4	0.56	26.082	9:03	8	2.12	25.838
5:15	5	1.05	26.027	9:15	5	1.27	25.807
5:16	6	1.37	26.009	9:16	6	1.59	25.789
5:17	7	1.30	26.074	9:20	8	2.15	25.808
5:23	8	1.95	26.008	9:30	5	1.27	25.807
5:30	5	1.06	26.017	9:31	6	1.60	25.779
5:31	6	1.39	26.009	9:31	6	1.61	25.769
5:32	7	1.30	26.074	9:33	8	2.15	25.808
5:35	8	1.945	26.013	9:34	8	2.16	25.798
5:45	5	1.06	26.017	9:45	5	1.30	25.777
5:46	6	1.40	25.979	9:46	6	1.62	25.759
5:52	8	1.96	25.998	9:49	8	2.18	25.778
6:00	5	1.07	26.007	10:00	5	1.35	25.727
6:01	6	1.44	25.939	10:01	6	1.65	25.729
6:07	8	1.94	26.018	10:04	8	2.19	25.768
6:20	5	1.07	26.007	10:15	5	1.42	25.657
6:21	6	1.40	25.979	10:16	6	1.70	25.679
6:24	8	1.96	25.998	10:20	8	2.22	25.738
6:27	4	0.575	26.067	10:30	5	1.38	25.697
6:37	5	1.09	25.987	10:31	6	1.72	25.659

Gauge Heights at Middletown, Connecticut (cont'd)

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 24 (continued)				September 24 (continued)			
10:34AM	8	2.25	25.708	2:01PM	5	1.65	25.427
10:46	5	1.38	25.697	2:04	8	2.55	25.408
10:47	6	1.71	25.669	2:15	3	1.86	25.342
10:50	8	2.27	25.688	2:16	5	1.69	25.387
11:00	5	1.37	25.707	2:20	8	2.59	25.368
11:01	6	1.72	25.659	2:30	3	1.86	25.342
11:04	8	2.28	25.678	2:31	5	1.70	25.377
11:15	3	1.57	25.632	2:35	8	2.60	25.358
11:17	5	1.44	25.637	2:45	3	1.89	25.312
11:17	6	1.78	25.599	2:46	5	1.76	25.317
11:19	8	2.33	25.628	2:50	8	2.65	25.308
11:29	3	1.59	25.612	3:00	3	1.92	25.282
11:30	5	1.40	25.677	3:01	5	1.80	25.277
11:31	6	1.75	25.629	3:03	8	2.71	25.248
11:34	8	2.35	25.608	3:07	2	0.89	25.262
11:40	3	1.62	25.582	3:15	2	0.91	25.242
11:41	5	1.44	25.637	3:16	3	1.96	25.242
11:42	6	1.76	25.599	3:17	5	1.85	25.227
11:45	8	2.36	25.598	3:20	8	2.75	25.208
12:00Noon	3	1.67	25.532	3:30	2	0.95	25.202
12:01PM	5	1.50	25.577	3:31	3	2.00	25.202
12:03	6	1.82	25.559	3:32	5	1.85	25.227
12:05	8	2.39	25.568	3:35	8	2.76	25.198
12:15	3	1.67	25.532	3:45	2	0.98	25.172
12:16	5	1.53	25.547	3:46	3	2.02	25.182
12:17	6	1.84	25.539	3:47	5	1.86	25.217
12:20	8	2.40	25.558	3:50	8	2.77	25.188
12:30	3	1.70	25.502	4:00	2	1.00	25.152
12:31	5	1.57	25.507	4:01	3	2.05	25.152
12:33	6	1.88	25.499	4:02	5	1.88	25.197
12:35	8	2.45	25.528	4:05	8	2.81	25.148
12:45	3	1.74	25.462	4:17	2	1.05	25.102
12:46	5	1.58	25.497	4:18	3	2.06	25.142
12:49	8	2.47	25.488	4:22	5	1.93	25.147
1:00	3	1.78	25.422	4:31	2	1.06	25.092
1:01	5	1.60	25.477	4:33	3	2.03	25.122
1:04	8	2.50	25.458	4:35	5	1.95	25.127
1:15	3	1.79	25.412	4:37	8	2.85	25.108
1:16	5	1.62	25.457	4:45	2	1.12	25.032
1:18	8	2.51	25.448	4:48	3	2.18	25.022
1:30	3	1.78	25.422	4:50	5	1.98	25.097
1:31	5	1.63	25.447	5:02	2	1.16	24.992
1:34	8	2.53	25.428	5:04	3	2.18	25.022
1:45	3	1.78	25.422	5:06	5	1.98	25.097
1:46	5	1.65	25.427	5:10	8	2.91	25.048
1:48	8	2.54	25.418	5:17	2	1.14	25.012
2:00	3	1.80	25.402	5:18	3	2.18	25.022

Gauge Heights at Middletown, Connecticut (cont'd)

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 24 (continued)				September 24 (continued)			
5:20P.M.	5	2.00	25.077	11:08AM	8	3.67	24.288
5:30	2	1.19	24.962	11:15	1	0.14	24.197
5:32	3	2.25	24.952	11:23	8	3.70	24.258
5:35	8	2.95	25.008	11:30	1	0.16	24.177
5:45	2	1.22	24.932	11:40	8	3.75	24.208
5:46	3	2.26	24.942	11:50	1	0.19	24.147
5:55	8	2.95	25.008	11:58	8	3.80	24.158
6:00	2	1.22	24.932				
6:01	3	2.28	24.922				
6:04	8	2.97	24.988	September 25			
6:15	2	1.28	24.972				
6:17	3	2.33	24.872	12:04AM	1	0.24	24.097
6:25	8	3.04	24.818	12:15	1	0.27	24.067
6:30AM	2	1.28	24.872	12:30	1	0.30	24.037
6:32	3	2.35	24.852	12:45	1	0.36	23.977
6:37	8	3.04	24.918	8:33	1	1.61	22.727
6:45	2	1.39	24.762	9:41	1	1.85	22.487
6:47	3	2.41	24.792	10:41	1	2.10	22.237
6:53	8	3.10	24.858	11:37	1	2.19	22.147
7:00	2	1.37	24.782	12:23PM	1	2.33	22.007
7:02	3	2.42	24.782	12:53	1	2.43	21.907
7:10	8	3.16	24.798	1:55	1	2.58	21.757
7:15	2	1.43	24.722	2:15	1	2.71	21.627
7:23	8	3.17	24.788	2:52	1	2.80	21.537
7:30	2	1.45	24.702	3:34	1	2.92	21.417
7:38	8	3.20	24.758	4:02	1	3.35	20.987
7:45	2	1.45	24.702	4:50	1	3.75	20.587
7:55	8	3.26	24.698	5:20	1	3.28	21.057
8:00	2	1.53	24.622	5:55	1	3.39	20.947
8:10	8	3.28	24.678	6:28	1	5.52	20.817
8:30	2	1.60	24.552				
8:35	8	3.34	24.618	September 26			
8:45	2	1.62	24.532				
8:53	8	3.38	24.578	11:05AM	1	6.775	17.562
9:23	8	3.41	24.548	11:52	1	6.950	17.387
9:30	8	3.46	24.498	12:45P.M.	1	7.10	17.237
9:45	8	3.50	24.458	1:45	1	7.30	17.037
10:00	8	3.54	24.418	2:17	1	7.40	16.937
10:15	8	3.55	24.408	2:58	1	7.525	16.812
10:30	8	3.61	24.348	3:42	1	7.70	16.637
10:45	8	3.63	24.328	4:28	1	7.875	16.462
10:47	1	0.06	24.277	5:10	1	7.95	16.387
11:00	1	0.11	24.227	5:45	1	8.10	16.237



Gauge Heights at Middletown, Connecticut
Hartford Avenue, Underpass
Point Number 64
Approximately 31.9 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 10:55AM, September 22 to 12:30PM, September 25, 1938.

FLOOD CREST ALTITUDE:- 27.42 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 64-1 Bottom of bottom plate of I-Beam at south east end
immediately in front of south abutment of railroad
trestle. Elevation 34.42 feet, m.s.l.

REMARKS:-

Altitude of station determined by Connecticut Ground Water
Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Middletown, Connecticut
Hartford Avenue, Underpass
Point Number 64

September 22 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 23 (continued)		
Station 64			Station 64		
10:55AM	14.1	20.320	7:00AM	8.30	26.120
11:00	14.15	20.270	7:30	8.225	26.190
11:30	13.925	20.495	8:00	8.20	26.220
12:00Noon	13.7	20.720	8:30	7.975	26.445
12:30PM	13.525	20.895	9:00	7.9	26.520
1:00	13.3	21.120	9:30	7.75	26.670
1:30	13.125	21.295	10:00	7.6	26.820
2:00	12.95	21.470	10:30	7.700	26.720
2:30	12.725	21.695	11:00	7.625	26.795
3:00	12.55	21.870	11:30	7.625	26.795
3:30	12.4	22.020	12:00Noon	7.600	26.820
4:00	12.175	22.245	12:30PM	7.550	26.870
4:30	12.0	22.420	1:00	7.500	26.920
5:00	11.825	22.595	1:30	7.425	26.995
5:30	11.675	22.745	2:00	7.400	27.020
6:00	11.475	22.945	2:30	7.300	27.120
6:30	11.1	23.320	3:00	7.275	27.145
7:00	11.15	23.270	3:30	7.300	27.120
7:30	10.975	23.445	4:00	7.225	27.195
8:00	10.775	23.645	4:30	7.175	27.245
8:30	10.675	23.745	5:00	7.125	27.295
9:00	10.525	23.895	5:30	7.125	27.295
9:30	10.40	24.020	6:00	7.125	27.295
10:00	10.225	24.195	6:30	7.100	27.320
10:30	10.125	24.295	7:00	7.075	27.345
11:00	10.00	24.420	7:30	7.050	27.370
11:30	9.875	24.545	8:00	7.025	27.395
September 23			8:30	7.0	27.420
12:00Mid	9.725	24.695	9:00	7.0	27.420
12:30AM	9.600	24.820	9:30	7.0	27.420
1:00	9.475	24.945	10:00	7.0	27.420
1:30	9.425	24.995	10:30	7.0	27.420
2:00	9.325	25.095	11:00	7.0	27.420
2:30	9.175	25.245	11:30	7.0	27.420
3:00	9.075	25.345	12:00Mid	7.0	27.420
3:30	8.975	25.445	September 24		
4:00	8.850	25.570	12:30AM	7.0	27.420
4:30	8.750	25.670	1:00	7.0	27.420
5:00	8.650	25.770	1:30	7.250	27.170
5:30	8.550	25.870	2:00	7.250	27.170
6:00	Tape stolen		2:30	7.250	27.170
6:30	Rain		3:00	7.500	26.920

Gauge Heights at Middletown, Connecticut (continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 24 (continued)

Station 64

3:30AM	7.750	26.670
4:00	7.100	27.32
4:30	7.125	27.295
5:00	7.150	27.270
5:30	7.175	27.245
6:00	7.175	27.245
6:30	7.200	27.220
7:00	7.225	27.195
7:30	7.250	27.170
8:00	7.300	27.120
8:30	7.350	27.070
9:00	7.325	27.095
9:30	7.35	27.070
10:00	7.425	26.995
10:30	7.475	26.945
11:00	7.500	26.920
11:30	7.575	26.845
12:00Noon	7.600	26.820
12:30PM	7.700	26.720
1:00	7.725	26.695
1:30	7.775	26.645
2:00	7.800	26.620
2:30	7.875	26.545
3:00	7.900	26.520
3:30	7.950	26.470
4:00	8.000	26.420
4:30	8.100	26.320
5:00	8.150	26.270
5:30	8.200	26.220
6:00	8.250	26.170
6:30	8.325	26.095
7:00	8.400	26.020
7:30	8.475	25.945
8:00	8.550	25.870
8:30	8.600	25.820
9:00	8.675	25.745
9:30	8.725	25.695
10:00	8.800	25.620
10:30	8.900	25.520
11:00	8.975	25.445
11:30	9.050	25.370
12:00Mid	9.125	25.295

September 25

12:30AM	9.200	25.220
1:00	9.300	25.120

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 25 (continued)

Station 64

1:30AM	9.375	25.045
2:00	9.400	25.020
2:30	9.525	24.995
3:00	9.600	24.820
3:30	9.750	24.670
4:00	9.800	24.620
4:30	9.850	24.570
5:00	10.000	24.420
5:30	10.050	24.370
6:00	10.125	24.295
6:30	10.250	24.170
7:00	10.325	24.095
7:30	10.400	24.020
8:00	10.450	23.970
8:30	10.600	23.820
9:00	10.675	23.745
9:30	10.775	23.645
10:00	10.900	23.520
10:30	11.000	23.420
11:00	11.100	23.320
11:30	11.200	23.220
12:00Noon	11.300	23.120
12:30PM	11.375	23.045
1:00	11.450	22.970
1:30	11.575	22.845
2:00	11.650	22.770
2:30	11.750	22.670
3:00	11.825	22.595
3:30	11.950	22.470
4:00	12.025	22.395
4:30	12.125	22.295
5:00	12.250	22.170
5:30	12.300	22.120
6:00	12.380	22.040
6:30	12.500	21.920
7:00	12.650	21.770
7:30	12.680	21.740
8:00	12.770	21.650
8:30	12.890	21.530
9:00	13.000	21.420
9:30	13.100	21.320
10:00	13.180	21.240
10:30	13.270	21.150
11:10	13.400	21.020
11:30	13.480	20.940
12:00Mid	13.550	20.870
12:30AM	13.640	20.780

1891

1892

1893

1894

1895

1896

RECEIVED OF THE

1897

1898

1899

1900

1901

1902

1903

MARCH 19 M

20 N

M

21 N

M

22 N

M

CREST 50.27 FT. M.S.L.
12:30 - 2:00 PM
MARCH 21 - 1936

CREST 27.42 FT. M.S.L.
7:30 PM - 1:00 AM.
SEPT 23 & 24 - 1935

1936 HYDROGRAPH
PLOTTED FROM READINGS
INCLUDED IN

"THE GREAT FLOOD OF MARCH 1936"
PREPARED BY
CONN. GROUND WATER SURVEY
JUNE 1936

COMPARATIVE FLOOD STAGES

AT
HARTFORD AVE. UNDERPASS
MIDDLETOWN CONN.
OBSERVED BY - CONN. GROUND WATER SURVEY
PLOTTED BY - CONN. GROUND WATER SURVEY
WPA OFFICIAL PROJECT 565-115-3-1116
1936 1938

FEET ABOVE MEAN SEA LEVEL

UNB
M
22
23
24
25

M

21 N

M

22 N

M

UNB
M
22
23
24
25

M

21 N

M

22 N

M

GRAPHIC COMPARISON OF VARIOUS FLOOD CRESTS MIDDLETOWN, CONN.

1936 ELV. = 30.27' M.S.L. *

2.85

1938 ELV. = 27.42' M.S.L. *

2.48

4.44

5.07

5.51

5.70

1854

1814

1848 & 1860

1927

1861

* FLOOD CREST OF GAUGE STATION AT HARTFORD AVE.
UNDERPASS, ESTABLISHED & REFERENCED BY
CONN. GROUND WATER SURVEY

Gauge Heights at Cromwell, Connecticut
Cromwell Center (Near Railroad Station)
Point Number 70
Approximately 33.9 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 4:00PM, September 23 to 9:10AM, September 26, 1938.

FLOOD CREST ALTITUDE:- 28.548 feet, m.s.l. (measured)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- Station 70-1 Top of nail set in pole #78, first pole south of railroad crossing, west side of road. Elevation 30.278 feet, m.s.l.
- Station 70-2 U.S.G.S. copper plug set in same pole. Point is also high water mark. Elevation 28.533 feet, m.s.l.
- Station 70-3 Top of nail set in pole #76 which is south of pole #78. Elevation 27.226 feet, m.s.l.
- Station 70-4 Top of nail set in pole #71 which is south of pole #76. Elevation 24.558 feet, m.s.l.
- Station 70-5 Top of nail set in pole #69 which is south of pole #71. Elevation 22.773 feet, m.s.l.

REMARKS:-

Altitude of stations determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
RESEARCH REPORT NO. 1000

REPORT OF THE RESEARCH GROUP ON THE CHEMISTRY OF THE CARBON-13 ISOTOPE

BY THE RESEARCH GROUP ON THE CHEMISTRY OF THE CARBON-13 ISOTOPE

CHICAGO, ILLINOIS, 1961

THIS REPORT IS A PRELIMINARY REPORT OF THE RESEARCH GROUP ON THE CHEMISTRY OF THE CARBON-13 ISOTOPE

CHICAGO, ILLINOIS, 1961

THE RESEARCH GROUP ON THE CHEMISTRY OF THE CARBON-13 ISOTOPE

CHICAGO, ILLINOIS, 1961

THE RESEARCH GROUP ON THE CHEMISTRY OF THE CARBON-13 ISOTOPE

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

CHICAGO, ILLINOIS, 1961

Gauge Heights at Cromwell, Connecticut
Cromwell Center (Near Railroad Station)
Point Number 70

September 23 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 23			September 24 (continued)		
Station 70-1			Station 70-3		
4:00PM	1.96	28.318	9:10PM	1.03	26.196
6:21	1.84	28.438	11:00	1.30	25.926
10:25	1.75	28.528			
September 24			September 25		
			Station 70-4		
12:15AM	1.73	28.548	7:40PM	2.14	22.418
2:10	1.76	28.518	9:30	2.52	22.038
3:50	1.82	28.458	10:55	2.83	21.728
5:15	1.91	28.368			
7:30	2.03	28.248	September 26		
Station 70-2			Station 70-5		
9:23AM	0.45	28.083	1:50AM	1.60	21.173
11:49	0.66	27.873	3:55	2.08	20.693
2:08PM	0.85	27.683	6:35	2.50	20.273
4:35	1.21	27.323	9:10	2.93	19.843

Gauge Heights at Cromwell, Connecticut
Wall Street and River Road
Point Number 72
Approximately 34.1 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 4:20PM, to 10:30PM, September 26, 1938.

FLOOD CREST ALTITUDE:- 29.070 feet, m.s.l. (not determined from
gauge heights)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 72-1 Top of nail in S.H.E.T. Company pole #583.
Elevation 20.934 feet, m.s.l.

REMARKS:-

Altitude of station determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Cromwell, Connecticut
Wall Street and River Road
Point Number 72

September 26, 1938.

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 26

Station 72

4:20PM	2.37	18.564
5:30	2.64	18.294
6:35	2.93	18.004

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 26 (continued)

Station 72

7:45PM	3.26	17.674
8:45	3.48	17.454
10:30	3.70	17.234

Gauge Heights at East Hartford, Connecticut
Connecticut Company Pole A 34
Near Town Hall-Main Street
Point Number 79
Approximately 50.8 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey

PERIOD:- 11:45AM, September 22 to 5:30PM, September 25, 1938.

FLOOD CREST ALTITUDE:- 34.27 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Gauge located on Connecticut Company pole A 34 south
of Town Hall.

REMARKS:-

Altitude of stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at East Hartford, Connecticut
Connecticut Company Pole A 34
Point Number 79

September 22 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION H.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION H.S.L.
September 22			September 24		
Station 79			Station 79		
11:45AM	-0.50	28.97	12:45AM	4.68	34.15
12:45PM	0.00	29.47	1:45	4.65	34.12
1:45	0.30	29.77	2:45	4.50	33.97
2:45	0.60	30.07	6:45	4.30	33.77
3:45	0.90	30.37	7:45	4.20	33.67
4:45	1.30	30.77	8:45	4.00	33.47
5:45	1.60	31.07	9:45	3.90	33.37
6:45	1.90	31.37	10:45	3.80	33.27
7:45	2.20	31.67	11:45	3.60	33.07
8:45	2.40	31.87	12:45PM	3.50	32.97
9:45	2.65	32.12	1:45	3.40	32.87
10:45	2.85	32.32	2:45	3.20	32.67
11:45	3.05	32.52	3:45	3.07	32.54
September 23			4:45	2.90	32.37
12:45AM	3.30	32.77	5:45	2.75	32.22
1:45	3.40	32.87	6:45	2.60	32.07
2:45	3.60	33.07	7:45	2.40	31.87
3:45	3.85	33.32	8:45	2.25	31.72
4:45	4.00	33.47	9:45	2.05	31.52
5:45	4.10	33.57	10:45	1.80	31.27
6:45	4.30	33.77	11:55	1.60	31.07
7:45	4.30	33.77	September 25		
8:45	4.35	33.82	12:50AM	1.40	30.87
9:45	4.50	33.97	1:45	1.20	30.67
10:45	4.55	34.02	2:45	1.00	30.47
11:45	4.60	34.07	3:45	0.85	30.32
12:45PM	4.62	34.09	4:45	0.65	30.12
1:45	4.70	34.17	5:45	0.45	29.92
2:15	4.74	34.21	6:45	0.20	29.67
2:45	4.77	34.24	7:45	0.00	29.47
3:15	4.80	34.27	11:45	-1.00	28.47
3:45	4.80	34.27	12:45PM	-1.10	28.37
4:00	4.80	34.27	Pole A 36		
4:45	4.80	34.27	1:45PM	-1.30	28.17
5:45	4.80	34.27	2:45	-1.53	27.94
6:45	4.80	34.27	3:45	-1.75	27.72
7:45	4.80	34.27	4:45	-2.00	27.47
8:45	4.80	34.27	Pole A 38		
9:45	4.80	34.27	5:30PM	-2.15	27.32
10:45	4.75	34.22			
11:45	4.70	34.17			



Gauge Heights at East Hartford, Connecticut
Gilman Street 360' \pm west of King Street
Point Number 83
Approximately 54.0 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 2:30PM, September 22 to 2:45AM, September 25, 1938.

FLOOD CREST ALTITUDE:- 35.87 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Gilman Street north side 360' \pm West of King Street.
20' \pm North of center line of road.

REMARKS:-

Altitude of stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

... ..

... ..

... ..

Gauge Heights at East Hartford, Connecticut
 Gilman Street Off King Street
 Point Number 83

September 22 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION N.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION N.S.L.
September 22			September 23 (continued)		
2:30PM	0.60	32.27	10:00PM	4.12	35.79
3:00	0.90	32.57	11:00	4.08	35.75
4:00	1.20	32.87	12:00Mid.	4.04	35.71
5:00	1.40	33.07	September 24		
6:00	1.60	33.27	1:00AM	4.00	35.67
6:30	1.70	33.37	2:00	3.90	35.57
7:30	2.00	33.67	3:00	3.80	35.47
8:30	2.30	33.97	4:00	3.70	35.37
9:30	2.50	34.17	5:00	3.60	35.27
10:30	2.70	34.37	6:00	3.50	35.17
11:45	2.80	34.47	7:00	3.40	35.07
September 23			8:00	3.30	34.97
1:00AM	3.00	34.67	10:00	3.00	34.67
2:00	3.20	34.87	11:00	2.85	34.52
3:00	3.40	35.07	12:00Noon	2.70	34.37
4:00	3.50	35.17	1:00PM	2.55	34.22
5:00	3.60	35.27	2:00	2.40	34.07
6:00	3.70	35.37	3:00	2.25	33.92
7:00	3.80	35.47	4:00	2.00	33.67
8:00	3.85	35.52	5:00	1.90	33.57
9:00	3.90	35.57	6:00	1.75	33.42
10:00	3.95	35.62	7:00	1.60	33.27
11:00	4.00	35.67	8:00	1.40	33.07
12:00Noon	4.05	35.72	9:00	1.15	32.82
1:00PM	4.10	35.77	10:10	1.00	32.67
2:00	4.15	35.82	11:00	0.80	32.47
3:00	4.20	35.87	12:00Mid.	0.55	32.22
4:00	4.20	35.87	September 25		
5:00	4.20	35.87	1:00AM	0.35	32.02
6:00	4.20	35.87	2:00	0.15	31.82
7:00	4.20	35.87	2:45	0.00	31.67
8:00	4.18	35.85			
9:00	4.15	35.82			



Gauge Heights at Rocky Hill, Connecticut
Connecticut Foundry Company
Point Number 84
Approximately 40.2 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 1:45PM, September 22 to 2:15PM, September 26, 1938.

FLOOD CREST ALTITUDE:- 31.806 feet m.s.l. (measured)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- | | |
|--------------|---|
| Station 84-1 | Top of window sill at extreme southeast corner on south face of brick building.
Elevation 30.421 feet, m.s.l. |
| Station 84-2 | Top of nail in Hartford Electric Light Company pole #452. Elevation 31.421 feet, m.s.l. |
| Station 84-3 | Top of nail in Hartford Electric Light Company pole at southwest corner of brick building.
Elevation 32.736 feet, m.s.l. |
| Station 84-4 | Top of southwest corner of sill at 3rd window from door at southwest corner of west face of brick building. Elevation 33.206 feet, m.s.l. |
| Station 84-5 | Top of copper plug set in pole #452. Point is also high water mark. Elevation 31.796 feet, m.s.l. |

REMARKS:-

Altitude of stations determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Rocky Hill, Connecticut
Connecticut Foundry Company
Point Number 84

September 22 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 24 (continued)		
Station 84-1			Station 84-4		
1:45PM	4.13	26.291	4:30AM	1.63	31.576
2:05	3.56	26.861	5:50	1.71	31.496
3:55	3.35	27.071	Station 84-5		
4:55	3.01	27.411	9:06AM	0.59	31.20
5:50	2.67	27.751	10:32	0.75	31.04
Station 84-2			11:34	0.85	30.94
5:50PM	3.74	27.681	1:45PM	1.18	30.61
6:50	3.26	28.161	3:37	1.38	30.41
8:50	2.80	28.621	5:00	1.60	30.19
10:12	2.42	29.001	Station 84-2		
September 23			7:30PM	1.62	29.801
12:10AM	1.93	29.491	8:45	1.81	29.611
1:10	1.72	29.701	11:35	2.31	29.111
Station 84-3			September 25		
2:10AM	2.81	29.926	2:00AM	2.76	28.661
3:05	2.66	30.076	3:30	3.07	28.351
4:12	2.44	30.296	6:00	3.45	27.971
5:14	2.25	30.486	Station 84-1		
6:15	2.04	30.696	8:10AM	2.91	27.511
Station 84-4			10:30	3.43	26.991
6:15AM	2.50	30.706	12:50PM	3.90	26.521
7:15	2.39	30.916	2:40	4.28	26.141
8:15	2.22	30.986	3:45	4.51	25.911
9:05	2.13	31.076	5:05	4.82	25.601
10:55	1.93	31.276	8:10	5.45	24.971
11:55	1.83	31.376	9:52	5.85	24.571
1:05PM	1.72	31.486	11:25	6.20	24.221
2:08	1.65	31.556	September 26		
3:11	1.57	31.636	2:15AM	6.77	23.651
4:30	1.50	31.706	4:40	7.27	23.151
5:28	1.43	31.776	7:25	7.96	22.461
6:56	1.40	31.806	9:20	8.32	22.101
September 24			11:35	8.75	21.671
12:55AM	1.48	31.726	2:15PM	9.13	21.291
2:35	1.53	31.676			

Gauge Heights at Rocky Hill, Connecticut
Grey House With Green Trim North of Connecticut Foundry
Point Number 86
Approximately 40.3 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 1:45PM, September 22 to 9:15AM, September 27, 1938.

FLOOD CREST ALTITUDE:- 31.909 feet m.s.l. (measured)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- | | |
|--------------|--|
| Station 86-1 | Top of nail at southwest corner of porch at south-east end of house. Elevation 29.511 feet, m.s.l. |
| Station 86-2 | Top of nail in southwest corner of house. Elevation 33.489 feet, m.s.l. |
| Station 86-3 | Copper high water mark plug directly under Station 86-2. Elevation 31.976 feet, m.s.l. |
| Station 86-4 | Top of nail in pole under rear porch. Elevation 24.590 feet, m.s.l. |
| Station 86-5 | Top of nail in south rail of steps leading to water. Elevation 23.493 feet, m.s.l. |
| Station 86-6 | Top of nail in 4-inch maple 3 feet east of Station 86-5. Elevation 20.932 feet, m.s.l. |

REMARKS:-

Altitude of stations determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Rocky Hill, Connecticut
Grey House With Green Trim North of Connecticut Foundry
Point Number 86

September 22 to September 27, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 24 (continued)		
Station 86-1			Station 86-3		
1:45PM	3.09	26.421	3:42PM	1.31	30.666
2:10	2.51	27.001	4:50	1.50	30.476
3:50	2.26	27.251	7:26	1.89	30.086
4:50	1.90	27.611	8:40	2.02	29.956
5:50	1.62	27.851	Station 86-1		
6:55	1.18	28.331			
8:47	0.66	28.851			
10:10	0.32	29.191	11:20PM	0.19	29.321
Station 86-2			September 25		
11:05	3.80	29.689	1:55AM	0.68	28.831
September 23			3:45	1.06	28.451
1:00AM	3.57	29.919	5:50	1.45	28.061
2:00	3.40	30.089	8:00	1.85	27.661
3:00	3.22	30.269	10:15	2.34	27.171
4:00	3.00	30.489	12:25PM	2.81	26.701
5:09	2.82	30.669	3:15	3.43	26.081
6:20	2.60	30.889	4:50	3.76	25.751
7:15	2.48	31.009	8:00	4.47	25.041
8:20	2.34	31.149	9:47	4.86	24.651
10:50	2.04	31.449	11:15	5.19	24.321
12:05PM	1.92	31.569	September 26		
2:12	1.76	31.729	2:05AM	5.83	23.681
3:07	1.70	31.789	4:35	6.50	23.011
4:33	1.62	31.869	Station 86-4		
5:33	1.58	31.909			
September 24			7:10AM	2.00	22.590
12:40AM	1.60	31.889	9:15	2.34	22.250
2:30	1.66	31.829	11:20	2.69	21.900
4:20	1.76	31.729	1:05PM	2.91	21.680
5:45	1.85	31.639	Station 86-5		
8:05	2.03	31.459			
Station 86-3			3:35PM	2.76	20.733
9:00AM	0.53	31.446	5:20	3.15	20.343
10:28	0.69	31.286	6:15	3.53	19.963
11:29	0.80	31.176	7:30	3.59	19.903
1:37PM	1.06	30.916	8:45	3.85	19.643
			10:15PM	4.19	19.303

Date		Description		Amount	
1890	Jan 1	Balance		100.00	
1890	Jan 15	Received from A. B.		50.00	
1890	Feb 1	Received from C. D.		25.00	
1890	Mar 1	Received from E. F.		75.00	
1890	Apr 1	Received from G. H.		100.00	
1890	May 1	Received from I. J.		150.00	
1890	Jun 1	Received from K. L.		200.00	
1890	Jul 1	Received from M. N.		250.00	
1890	Aug 1	Received from O. P.		300.00	
1890	Sep 1	Received from Q. R.		350.00	
1890	Oct 1	Received from S. T.		400.00	
1890	Nov 1	Received from U. V.		450.00	
1890	Dec 1	Received from W. X.		500.00	
1890	Dec 31	Total		2500.00	
1891	Jan 1	Balance		500.00	
1891	Jan 15	Received from Y. Z.		100.00	
1891	Feb 1	Received from A. B.		150.00	
1891	Mar 1	Received from C. D.		200.00	
1891	Apr 1	Received from E. F.		250.00	
1891	May 1	Received from G. H.		300.00	
1891	Jun 1	Received from I. J.		350.00	
1891	Jul 1	Received from K. L.		400.00	
1891	Aug 1	Received from M. N.		450.00	
1891	Sep 1	Received from O. P.		500.00	
1891	Oct 1	Received from Q. R.		550.00	
1891	Nov 1	Received from S. T.		600.00	
1891	Dec 1	Received from U. V.		650.00	
1891	Dec 31	Total		4500.00	

Gauge Heights at Rocky Hill, Connecticut (continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 27

12:00Mid	4.60	18.893
1:30AM	4.86	18.633

Station 86-5

3:30AM	5.27	18.223
--------	------	--------

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 27 (continued)

Station 86-6

5:45AM	3.15	17.782
7:15	3.50	17.432
9:15	3.85	17.082

THE HISTORY OF THE CITY OF BOSTON

1. The first settlement of the city of Boston was made in 1630 by a company of Puritan settlers from England.	2. The city was founded on a small island in the harbor, and was at first called "Boston."	3. The city was founded on a small island in the harbor, and was at first called "Boston."	4. The city was founded on a small island in the harbor, and was at first called "Boston."	5. The city was founded on a small island in the harbor, and was at first called "Boston."	6. The city was founded on a small island in the harbor, and was at first called "Boston."
7. The city was founded on a small island in the harbor, and was at first called "Boston."	8. The city was founded on a small island in the harbor, and was at first called "Boston."	9. The city was founded on a small island in the harbor, and was at first called "Boston."	10. The city was founded on a small island in the harbor, and was at first called "Boston."	11. The city was founded on a small island in the harbor, and was at first called "Boston."	12. The city was founded on a small island in the harbor, and was at first called "Boston."
13. The city was founded on a small island in the harbor, and was at first called "Boston."	14. The city was founded on a small island in the harbor, and was at first called "Boston."	15. The city was founded on a small island in the harbor, and was at first called "Boston."	16. The city was founded on a small island in the harbor, and was at first called "Boston."	17. The city was founded on a small island in the harbor, and was at first called "Boston."	18. The city was founded on a small island in the harbor, and was at first called "Boston."
19. The city was founded on a small island in the harbor, and was at first called "Boston."	20. The city was founded on a small island in the harbor, and was at first called "Boston."	21. The city was founded on a small island in the harbor, and was at first called "Boston."	22. The city was founded on a small island in the harbor, and was at first called "Boston."	23. The city was founded on a small island in the harbor, and was at first called "Boston."	24. The city was founded on a small island in the harbor, and was at first called "Boston."
25. The city was founded on a small island in the harbor, and was at first called "Boston."	26. The city was founded on a small island in the harbor, and was at first called "Boston."	27. The city was founded on a small island in the harbor, and was at first called "Boston."	28. The city was founded on a small island in the harbor, and was at first called "Boston."	29. The city was founded on a small island in the harbor, and was at first called "Boston."	30. The city was founded on a small island in the harbor, and was at first called "Boston."

Gauge Heights at Rocky Hill, Connecticut
Silas Deane Highway
Point Number 90
Approximately 42.6 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 8:45AM, September 23 to 11:55PM, September 24, 1938.

FLOOD CREST ALTITUDE:- 32.554 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 90-1 Nail in 27th post, 100 feet north of high tension wire line, and 0.2 mile north of H.E.L. Company pole 703 on west side of highway. Elevation 35.064 feet, m.s.l.

Station 90-2 United States Geological Survey button in same post at Station 4-1. Elevation 32.590 feet, m.s.l.

Station 90-3 Spike in 11th post from connecting cable, east side of highway. Elevation 32.631 feet, m.s.l.

REMARKS:-

Elevations were determined at these points by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

...the ...
...the ...
...the ...

Gauge Heights at Rocky Hill, Connecticut
 Silas Deane Highway
 Point Number 90

September 23 to September 24, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 23			September 24 (continued)		
Station 90-1			Station 90-1		
8:45AM	3.38	31.684	8:00AM	3.04	32.024
10:15	3.20	31.864			
12:05PM	3.03	32.034	Station 90-2		
2:30	2.81	32.254			
4:20	2.69	32.374	10:51AM	0.80	31.790
6:47	2.61	32.454			
10:15	2.51	32.554	Station 90-3		
September 24			1:05PM	1.05	31.581
			3:24	1.30	31.331
1:00AM	2.65	32.414	6:23	1.82	30.811
2:00	2.68	32.384	7:55	2.06	30.571
4:35	2.79	32.274	10:33	2.50	30.131
6:15	2.89	32.174	11:35	2.67	29.961

THE ANNALS OF THE ROYAL SOCIETY OF LONDON FOR THE YEAR 1881

CONTENTS			PAGE		
ORIGINAL ARTICLES					
On the Structure of the Human Brain	by Dr. W. B. Carpenter		1		
On the Nature of the Human Mind	by Dr. J. E. Smith		15		
On the Principles of Natural Philosophy	by Dr. R. S. Jones		30		
On the History of the Earth	by Dr. T. M. Brown		45		
On the Development of the Human Race	by Dr. H. G. Wilson		60		
On the Influence of Climate on the Human Body	by Dr. F. D. Miller		75		
On the Effects of Diet on the Human System	by Dr. C. L. Green		90		
On the Power of the Human Voice	by Dr. A. B. White		105		
On the Nature of the Human Soul	by Dr. M. N. Black		120		
On the Principles of Moral Philosophy	by Dr. P. Q. Grey		135		
On the History of the Human Mind	by Dr. R. T. Hall		150		
On the Development of the Human Intellect	by Dr. S. U. King		165		
On the Influence of Education on the Human Character	by Dr. V. W. Lee		180		
On the Effects of the Human Will	by Dr. X. Y. Scott		195		
On the Nature of the Human Emotions	by Dr. Z. A. Adams		210		
On the Principles of the Human Sciences	by Dr. B. C. Baker		225		
On the History of the Human Arts	by Dr. D. E. Clark		240		
On the Development of the Human Society	by Dr. F. G. Evans		255		
On the Influence of the Human Laws	by Dr. H. I. Fisher		270		
On the Effects of the Human Customs	by Dr. J. K. Gibson		285		
On the Nature of the Human Habits	by Dr. L. M. Hart		300		
On the Principles of the Human Beliefs	by Dr. N. O. Hill		315		
On the History of the Human Opinions	by Dr. P. R. Howell		330		
On the Development of the Human Conscience	by Dr. Q. S. Ingram		345		
On the Influence of the Human Feelings	by Dr. R. T. Jackson		360		
On the Effects of the Human Passions	by Dr. S. U. Johnson		375		
On the Nature of the Human Virtues	by Dr. T. V. Keith		390		
On the Principles of the Human Vices	by Dr. U. W. Lamb		405		
On the History of the Human Follies	by Dr. V. X. Little		420		
On the Development of the Human Errors	by Dr. W. Y. Long		435		
On the Influence of the Human Sins	by Dr. X. Z. Moore		450		
On the Effects of the Human Crimes	by Dr. Y. A. Myers		465		
On the Nature of the Human Punishments	by Dr. Z. B. Nichols		480		
On the Principles of the Human Rewards	by Dr. A. C. Parker		495		
On the History of the Human Progress	by Dr. B. D. Quinn		510		
On the Development of the Human Civilization	by Dr. C. E. Reed		525		
On the Influence of the Human Culture	by Dr. D. F. Russell		540		
On the Effects of the Human Education	by Dr. E. G. Scott		555		
On the Nature of the Human Knowledge	by Dr. F. H. Taylor		570		
On the Principles of the Human Wisdom	by Dr. G. I. Turner		585		
On the History of the Human Science	by Dr. H. J. Vance		600		
On the Development of the Human Art	by Dr. I. K. Ward		615		
On the Influence of the Human Industry	by Dr. J. L. Webb		630		
On the Effects of the Human Commerce	by Dr. K. M. White		645		
On the Nature of the Human Wealth	by Dr. L. N. Young		660		
On the Principles of the Human Poverty	by Dr. M. O. Zane		675		
On the History of the Human Prosperity	by Dr. N. P. Allen		690		
On the Development of the Human Misery	by Dr. O. Q. Baker		705		
On the Influence of the Human Suffering	by Dr. P. R. Carter		720		
On the Effects of the Human Grief	by Dr. Q. S. Davis		735		
On the Nature of the Human Hope	by Dr. R. T. Evans		750		
On the Principles of the Human Fear	by Dr. S. U. Fisher		765		
On the History of the Human Love	by Dr. T. V. Gibson		780		
On the Development of the Human Hatred	by Dr. U. W. Hall		795		
On the Influence of the Human Jealousy	by Dr. V. X. Hill		810		
On the Effects of the Human Envy	by Dr. W. Y. Johnson		825		
On the Nature of the Human Pride	by Dr. X. Z. Keith		840		
On the Principles of the Human Humility	by Dr. Y. A. Lamb		855		
On the History of the Human Vanity	by Dr. Z. B. Little		870		
On the Development of the Human Modesty	by Dr. A. C. Long		885		
On the Influence of the Human Shame	by Dr. B. D. Moore		900		
On the Effects of the Human Honor	by Dr. C. E. Myers		915		
On the Nature of the Human Disgrace	by Dr. D. F. Nichols		930		
On the Principles of the Human Glory	by Dr. E. G. Parker		945		
On the History of the Human Infamy	by Dr. F. H. Quinn		960		
On the Development of the Human Fame	by Dr. G. I. Reed		975		
On the Influence of the Human Reputation	by Dr. H. J. Russell		990		
On the Effects of the Human Notoriety	by Dr. I. K. Scott		1005		

Gauge Heights at Wethersfield, Connecticut
Silas Deane Highway South of Mill Street
Point Number 92
Approximately 43.1 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 8:35AM, September 23 to 5:15PM, September 25, 1938.

FLOOD CREST ALTITUDE:- 32.546 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 92-1 Top of nail in highway post 8 feet north of H.E.Lt.
Company pole 1543 on east side road.
Elevation 35.436 feet, m.s.l.

Station 92-2 Top of nail in second pole south of H.E.Lt. Company
pole 1544. Elevation 32.967 feet, m.s.l.


Station 92-3 Top of nail in H.E.Lt. Company pole 1545.
Elevation 31.532 feet, m.s.l.

REMARKS:-

Altitude of stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.



Gauge Heights at Wethersfield, Connecticut
South of Mill Street - East Side Silas Deane
Point Number 92

September 23 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 23			September 24 (continued)		
Station 92-1			Station 92-2		
9:35AM	3.53	31.906	12:18PM	1.45	31.517
11:15	3.34	32.096	2:34	1.77	31.197
3:30PM	3.02	32.416	5:33	2.18	30.787
5:56	2.95	32.486	6:44	2.40	30.567
9:30	2.89	32.546	9:40	G.L.	-
11:45	2.97	32.466			
September 24			Station 92-3		
1:15AM	3.02	32.416	10:17PM	1.42	30.112
3:25	3.10	32.336			
5:00	3.22	32.216			
6:10	3.31	32.126	September 25		
Station 92-2			12:15AM	1.85	29.682
10:03AM	1.18	31.787	2:30	2.44	29.092
			4:15	2.51	29.022

THE UNIVERSITY OF CHICAGO
LIBRARY

1911

Author		Title		Date	
A. B. C.		12345		1911	
D. E. F.		67890		1911	
G. H. I.		11111		1911	
J. K. L.		22222		1911	
M. N. O.		33333		1911	
P. Q. R.		44444		1911	
S. T. U.		55555		1911	
V. W. X.		66666		1911	
Y. Z. A.		77777		1911	
B. C. D.		88888		1911	
E. F. G.		99999		1911	
H. I. J.		00000		1911	
K. L. M.		11111		1911	
N. O. P.		22222		1911	
Q. R. S.		33333		1911	
T. U. V.		44444		1911	
W. X. Y.		55555		1911	
Z. A. B.		66666		1911	
C. D. E.		77777		1911	
F. G. H.		88888		1911	
I. J. K.		99999		1911	
L. M. N.		00000		1911	
O. P. Q.		11111		1911	
R. S. T.		22222		1911	
U. V. W.		33333		1911	
X. Y. Z.		44444		1911	
A. B. C.		55555		1911	
D. E. F.		66666		1911	
G. H. I.		77777		1911	
J. K. L.		88888		1911	
M. N. O.		99999		1911	
P. Q. R.		00000		1911	
S. T. U.		11111		1911	
V. W. X.		22222		1911	
Y. Z. A.		33333		1911	
B. C. D.		44444		1911	
E. F. G.		55555		1911	
H. I. J.		66666		1911	
K. L. M.		77777		1911	
N. O. P.		88888		1911	
Q. R. S.		99999		1911	
T. U. V.		00000		1911	
W. X. Y.		11111		1911	
Z. A. B.		22222		1911	
C. D. E.		33333		1911	
F. G. H.		44444		1911	
I. J. K.		55555		1911	
L. M. N.		66666		1911	
O. P. Q.		77777		1911	
R. S. T.		88888		1911	
U. V. W.		99999		1911	
X. Y. Z.		00000		1911	
A. B. C.		11111		1911	
D. E. F.		22222		1911	
G. H. I.		33333		1911	
J. K. L.		44444		1911	
M. N. O.		55555		1911	
P. Q. R.		66666		1911	
S. T. U.		77777		1911	
V. W. X.		88888		1911	
Y. Z. A.		99999		1911	
B. C. D.		00000		1911	
E. F. G.		11111		1911	
H. I. J.		22222		1911	
K. L. M.		33333		1911	
N. O. P.		44444		1911	
Q. R. S.		55555		1911	
T. U. V.		66666		1911	
W. X. Y.		77777		1911	
Z. A. B.		88888		1911	
C. D. E.		99999		1911	
F. G. H.		00000		1911	
I. J. K.		11111		1911	
L. M. N.		22222		1911	
O. P. Q.		33333		1911	
R. S. T.		44444		1911	
U. V. W.		55555		1911	
X. Y. Z.		66666		1911	
A. B. C.		77777		1911	
D. E. F.		88888		1911	
G. H. I.		99999		1911	
J. K. L.		00000		1911	
M. N. O.		11111		1911	
P. Q. R.		22222		1911	
S. T. U.		33333		1911	
V. W. X.		44444		1911	
Y. Z. A.		55555		1911	
B. C. D.		66666		1911	
E. F. G.		77777		1911	
H. I. J.		88888		1911	
K. L. M.		99999		1911	
N. O. P.		00000		1911	
Q. R. S.		11111		1911	
T. U. V.		22222		1911	
W. X. Y.		33333		1911	
Z. A. B.		44444		1911	
C. D. E.		55555		1911	
F. G. H.		66666		1911	
I. J. K.		77777		1911	
L. M. N.		88888		1911	
O. P. Q.		99999		1911	
R. S. T.		00000		1911	
U. V. W.		11111		1911	
X. Y. Z.		22222		1911	
A. B. C.		33333		1911	
D. E. F.		44444		1911	
G. H. I.		55555		1911	
J. K. L.		66666		1911	
M. N. O.		77777		1911	
P. Q. R.		88888		1911	
S. T. U.		99999		1911	
V. W. X.		00000		1911	
Y. Z. A.		11111		1911	
B. C. D.		22222		1911	
E. F. G.		33333		1911	
H. I. J.		44444		1911	
K. L. M.		55555		1911	
N. O. P.		66666		1911	
Q. R. S.		77777		1911	
T. U. V.		88888		1911	
W. X. Y.		99999		1911	
Z. A. B.		00000		1911	
C. D. E.		11111		1911	
F. G. H.		22222		1911	
I. J. K.		33333		1911	
L. M. N.		44444		1911	
O. P. Q.		55555		1911	
R. S. T.		66666		1911	
U. V. W.		77777		1911	
X. Y. Z.		88888		1911	
A. B. C.		99999		1911	
D. E. F.		00000		1911	
G. H. I.		11111		1911	
J. K. L.		22222		1911	
M. N. O.		33333		1911	
P. Q. R.		44444		1911	
S. T. U.		55555		1911	
V. W. X.		66666		1911	
Y. Z. A.		77777		1911	
B. C. D.		88888		1911	
E. F. G.		99999		1911	

Gauge Heights at Wethersfield, Connecticut
 Middletown Avenue at Warner Place
 Point Number 94
 Approximately 43.7 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 12:15PM, September 22 to 2:50PM, September 26, 1938.

FLOOD CREST ALTITUDE:- 32.518 feet m.s.l. (not determined from gauge heights)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- Station 94-1 Top of nail in west side of 25th post from north end of highway fence on the west side of Middletown Avenue south of intersection of Warner Place. Elevation 29.552 feet, m.s.l.
- Station 94-2 Top of nail in 13th post from north end of highway fence on the west side of Middletown Avenue, south of intersection of Warner Place. Elevation 30.722 feet, m.s.l.
- Station 94-3 Top of nail in 7th post from north end of highway fence on the west side of Middletown Avenue south of intersection of Warner Place. Elevation 31.423 feet, m.s.l.
- Station 94-4 Top of nail in east side of 25th post from north end of highway fence on the west side of Middletown Avenue south of the intersection of Warner Place. Elevation 29.183 feet, m.s.l.
- Station 94-5 Top of nail in S.N.E.T. pole #112 on the east side of Middletown Avenue, south of the intersection of Warner Place. Elevation 28.188 feet, m.s.l.
- Station 94 High water mark is a copper plug in the southeast veranda post of house of H. G. Wilson, 11 Maple Street. Elevation 32.518 feet, m.s.l.

REMARKS:-

No readings were obtained between 7:45AM, September 22 and 6:45AM, September 25, 1938, thus there are no readings at the crest of the flood. The high water mark was set on the evidence of scum and water lines on window screens and house wall.

REMARKS:- (continued)

Altitude of stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Wethersfield, Connecticut
 Middletown Avenue Near Warner Place
 Point Number 94

September 22 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION U.S.L.
----------------	-----------------	---------------------

September 22

Station 94-1

12:15PM	2.28	27.272
---------	------	--------

Station 94-2

2:45PM	3.04	27.632
3:45	2.71	28.012
5:05	2.26	28.462
6:30	1.75	28.972

Station 94-3

6:30PM	2.40	29.023
7:45	2.05	29.573

TIME E.S.T.	STAGE HEIGHT	ELEVATION U.S.L.
----------------	-----------------	---------------------

September 25

Station 94-4

6:45AM	1.16	28.023
9:10	1.65	27.533
11:20	2.11	27.073
1:30PM	2.63	26.550

Station 94-5

6:45PM	2.55	25.033
8:45	2.80	25.388
10:20	3.15	25.038

September 26

1:20AM	3.84	24.348
2:50	4.17	24.018

Gauge Heights at Wethersfield, Connecticut
Elm Street
Point Number 96
Approximately 44.8 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 11:45AM, September 22 to 8:30AM, September 26, 1938.

FLOOD CREST ALTITUDE:- 32.442 feet m.s.l. (not determined from gauge heights)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- Station 96-1 Top of nail in first post of highway fence on south side of Elm Street. Elevation 29.341 feet, m.s.l.
- Station 96-2 Top of nail in south side of S.N.E.T. pole #554 on Elm Street. Elevation 30.224 feet, m.s.l.
- Station 96-3 Top of nail in fence post at S.N.E.T. pole #555 on Elm Street. Elevation 27.491 feet, m.s.l.
- Station 96-4 Top of nail in twentieth fence post in north fence line east of S.N.E.T. pole #555 on Elm Street. Elevation 25.342 feet, m.s.l.
- Station 96 High water mark is a copper plug in south side of S.N.E.T. pole #554. Elevation 32.442 feet, m.s.l.

REMARKS:-

No readings were obtained at this location between 7:37PM, September 22 and 6:30AM, September 25, 1938, thus there were no readings at flood crest. High water mark set on evidence of scum lines on pole #554 and nearby objects.

Altitude of stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE HISTORY OF THE
CITY OF BOSTON
FROM THE FIRST SETTLEMENT
TO THE PRESENT TIME

By SAMUEL JOHNSON, LL.D.
OF THE UNIVERSITY OF OXFORD.
AND
JOHN ADAMS, ESQ.
OF THE BAR AT BOSTON.

IN TWO VOLUMES.
THE FIRST VOLUME.
CONTAINING THE HISTORY FROM THE FIRST SETTLEMENT
TO THE YEAR 1780.

THE SECOND VOLUME.
CONTAINING THE HISTORY FROM THE YEAR 1780
TO THE PRESENT TIME.

LONDON:
Printed by J. JOHNSON, in Pall-mall.
1790.

BOSTON:
Printed by S. KNEELAND, in the City.

NEW-YORK:
Printed by J. JOHNSON, in the City.

PHILADELPHIA:
Printed by J. JOHNSON, in the City.

CHICAGO:
Printed by J. JOHNSON, in the City.

ST. LOUIS:
Printed by J. JOHNSON, in the City.

ST. PAUL:
Printed by J. JOHNSON, in the City.

Gauge Heights at Wethersfield, Connecticut
Elm Street
Point Number 96

September 22 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION I.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION I.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 22

Station 96-1

11:45AM	2.29	27.051
---------	------	--------

Station 96-2

2:30PM	2.37	27.854
3:55	1.93	28.294
4:55	1.56	28.664
6:25	1.06	29.164
7:37	0.75	29.474

September 25

Station 96-1

6:30AM	0.79	28.551
9:00	1.31	28.031
11:15	1.36	27.981

September 25 (continued)

Station 96-1

1:35PM	2.29	27.051
--------	------	--------

Station 96-3

7:00PM	1.59	25.901
8:51	2.00	25.491
10:25	2.32	25.171

September 26

Station 96-4

1:15AM	0.82	24.522
2:45	1.15	24.192
5:40	1.76	23.582
8:30	2.54	23.002

Gauge Heights at Wethersfield, Connecticut
Main Street Near Railroad Tracks
Point Number 98
Approximately 46.6 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 8:50AM, September 23 to 11:05PM, September 25, 1938.

FLOOD CREST ALTITUDE - 32.720 feet m.s.l. (not determined from gauge heights)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 98-1 Nail in pole #624, south side of Main St.
Elevation 34.915 feet, m.s.l.

Station 98-2 Nail in 6th post east of station #1.
Elevation 32.274 feet, m.s.l.

Station 98-3 Nail in pole #625. Elevation 30.141 feet, m.s.l.

Station 98-4 Nail in first highway post at corner of Spring and
Main Streets. Elevation 27.376 feet, m.s.l.

REMARKS:-

Elevations were determined at these points by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

Gauge Heights at Wethersfield, Connecticut
Main Street Near Railroad Tracks
Point Number 98

September 23 to September 25, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 23

Station 98-1

8:50AM	2.63	32.195
10:20	2.49	32.335
12:50PM	2.32	32.505
2:26	2.18	32.645
5:00	2.11	32.715
8:36	2.10	32.725
10:35	2.13	32.695

September 24

2:15AM	2.29	32.535
3:55	2.38	32.445
4:55	2.46	32.365

Station 98-2

9:08AM	0.78	31.498
11:25	1.01	31.264
1:39PM	1.33	30.944
4:40	1.30	30.974
5:35	1.44	30.834

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 24 (continued)

Station 98-2

8:45PM	2.00	30.274
11:30	2.45	29.824

September 25

Station 98-3

1:30AM	0.68	29.461
3:25	1.02	29.121
5:10	1.43	28.711
8:20	2.09	27.951
9:45	2.41	27.731

Station 98-4

12:25PM	0.13	27.246
5:35	1.20	26.176
7:33	1.72	25.656
9:10	2.00	25.376
11:05	2.30	25.076

Gauge Heights at Thompsonville, Enfield, Connecticut
Bigelow-Sanford Co. Inc..
Point Number 101
Approximately 68.9 miles from Saybrook Light

OBSERVED BY:- Employees of Bigelow-Sanford Co. Inc..

PERIOD:- 7:40AM, September 21 to 12:00 Noon, September 26, 1938.

FLOOD CREST ALTITUDE:- 55.983 feet, mean sea level.

DATUM:- United States Coast and Geodetic Survey, mean sea level..

LOCATION OF GAUGE:-

Top of retaining wall at power plant, 100 feet north
of south end of wall.

ALTITUDE OF ZERO OF GAUGE:- 55.40 feet, m.s.l.

REMARKS:-

No readings were obtained at the crest of the flood as gauge point was under water. The measurement at 6:00AM, September 23rd is probably lower than actual flood crest.

Difference between 1938 and 1936 crests as shown by measurements given is 2.567 feet which is more than one foot greater than such differences near the railroad bridge over the Connecticut River and at Warehouse Point.

Zero of gauge and high water mark referenced to mean sea level by Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10/10/01 BY 60322 UCBAW/STP
EXCEPT WHERE SHOWN
OTHERWISE

THIS DOCUMENT CONTAINS
NO OTHER INFORMATION

EXCEPT WHERE SHOWN
OTHERWISE

UNCLASSIFIED

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10/10/01 BY 60322 UCBAW/STP
EXCEPT WHERE SHOWN
OTHERWISE

THIS DOCUMENT CONTAINS
NO OTHER INFORMATION

EXCEPT WHERE SHOWN
OTHERWISE

Gauge Heights at Thompsonville, Enfield, Connecticut
Bigelow-Sanford Co. Inc.
Point Number 101
September 21 to September 26, 1938

Zero of Gauge - 55.40 feet above M. S. L.

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 21			September 23 (continued)		
7:40AM	7.91b	47.49	8:00PM	0.58b	54.82
8:20	7.75b	47.65	9:00	0.67b	54.73
9:10	7.58b	47.82	10:00	0.79b	54.61
9:45	7.33b	48.07	11:00	0.87b	54.53
10:45	7.12b	48.28	12:00Mid	0.95b	54.45
11:45	6.87b	48.53	September 24		
12:55PM	6.58b	48.82	1:00AM	1.25b	54.15
1:50	6.29b	49.11	2:00	1.35b	54.05
2:50	6.00b	49.40	3:00	1.50b	53.90
9:00	3.33b	52.07	4:00	1.71b	53.69
10:00	3.00b	52.40	5:00	1.87b	53.53
11:00	2.91b	52.49	6:00	1.91b	53.49
12:00Mid	2.67b	52.73	7:00	2.08b	53.32
September 22			8:00	2.29b	53.11
1:00AM	2.25b	53.15	9:00	2.42b	52.98
2:00	1.58b	53.82	10:00	2.58b	52.82
3:00	0.91b	54.49	11:00	2.83b	52.57
4:00	0.25b	55.15	12:00Noon	3.00b	52.40
5:00	0.00	55.40	1:00PM	3.12b	52.28
6:00	0.16a	55.56	2:00	3.27b	52.13
September 23			3:00	3.39b	52.01
6:00AM	0.58a	55.98	4:00	3.52b	51.88
12:00Noon	0.25a	55.65	5:00	3.69b	51.71
2:00PM	0.12a	55.52	6:00	3.91b	51.49
3:00	0.00	55.40	7:00	4.04b	51.36
3:30	0.08b	55.32	8:00	4.16b	51.24
4:00	0.08b	55.32	9:00	4.52b	50.88
5:00	0.25b	55.15	September 26		
6:00	0.33b	55.07	6:15AM	8.46b	46.94
7:00	0.42b	54.98	12:00Noon	8.91b	46.49

a - readings above zero of gaugo
b - readings below zero of gaugo

Gauge Heights at Enfield, Connecticut
Enfield Dam
Point Number 101 A
Approximately 68.0 miles from Saybrook Light

OBSERVED BY:- United States Department of Interior,
Geological Survey.

PERIOD:- 1:00AM, September 21 to 12:00M, September 26, 1938.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

FLOOD CREST ALTITUDE:- 52.88 feet, m.s.l.

LOCATION OF GAUGE:-

A water-stage recorder located in pool above Enfield
Dam one mile below Thompsonville.

ELEVATION:- 0.00 gauge = 38.48 feet, mean sea level.

REMARKS:-

Readings furnished by United States Geological Survey,
Hartford Branch.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

1970

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

Gauge Heights at Danfield, Connecticut
 United States Department of the Interior
 Geological Survey Station
 Point Number 101A
 September 21 to September 27, 1938

Zero of gauge = 50.40' above M.S.L.

TIME E.S.T.	STAGE HEIGHT (feet)	ELEVATION M.S.L.	STAGE HEIGHT (feet)	ELEVATION M.S.L.	STAGE HEIGHT (feet)	ELEVATION M.S.L.
	September 21, 1938		September 22, 1938		September 23, 1938	
1:00AM	5.75	44.25	12.30	50.70	14.40	52.88
2:00	5.82	44.30	12.75	51.23	14.40	52.88
3:00	5.96	44.44	13.05	51.53	14.39	52.87
4:00	6.10	44.58	13.35	51.83	14.37	52.85
5:00	6.19	44.67	13.62	52.10	14.35	52.83
6:00	6.32	44.80	13.80	52.28	14.30	52.78
7:00	6.48	44.96	13.93	52.41	14.26	52.74
8:00	6.66	45.14	14.00	52.48	14.22	52.70
9:00	6.87	45.35	14.05	52.53	14.16	52.64
10:00	7.09	45.57	14.09	52.57	14.10	52.58
11:00	7.28	45.76	14.13	52.61	14.04	52.52
12:00 Noon	7.50	45.98	14.15	52.63	13.96	52.44
1:00PM	7.72	46.20	14.19	52.67	13.88	52.36
2:00	7.97	46.45	14.24	52.72	13.80	52.28
3:00	8.31	46.79	14.27	52.75	13.72	52.20
4:00	8.58	47.06	14.30	52.78	13.60	52.08
5:00	8.87	47.35	14.33	52.81	13.50	51.98
6:00	9.32	47.80	14.33	52.81	13.40	51.88
7:00	9.57	48.05	14.34	52.82	13.27	51.75
8:00	9.92	48.40	14.35	52.83	13.14	51.62
9:00	10.23	48.71	14.36	52.84	13.00	51.48
10:00	10.68	49.16	14.38	52.86	12.92	51.40
11:00	11.20	49.68	14.40	52.88	12.80	51.28
12:00 Mid.	11.71	50.19	14.40	52.88	12.67	51.15

Gauge Heights at Enfield, Connecticut (cont'd)

TIME M.S.T.	STAGE HEIGHT (feet)	ELEVATION M.S.L.	STAGE HEIGHT (feet)	ELEVATION M.S.L.	STAGE HEIGHT (feet)	ELEVATION M.S.L.
	September 24, 1938		September 25, 1938		September 26, 1938	
2:00AM	12.13	50.81	8.94	47.42	6.48	44.96
4:00	12.17	50.65	8.65	47.13	6.36	44.84
6:00	11.87	50.35	8.39	46.87	6.24	44.72
8:00	11.58	50.06	8.14	46.62	6.11	44.59
10:00	11.27	49.75	7.88	46.36	6.00	44.48
11:00	10.97	49.45	7.68	46.16	5.90	44.38
2:00PM	10.67	49.15	7.48	45.96	5.77	44.25
4:00	10.38	48.86	7.30	45.78	5.65	44.13
6:00	10.09	48.57	7.12	45.60	5.57	44.05
8:00	9.83	48.31	6.96	45.44	5.47	43.95
10:00	9.48	47.96	6.79	45.27	5.37	43.85
12:00Mid.	9.21	47.69	6.63	45.11	5.28	43.76

United States Department of the Interior data.

1370

THE GREAT FLOOD OF MARCH 1936
PREPARED BY
CONN. GROUND WATER SURVEY
JUNE 1936

CREST 3000 T.M. 11
SEP 22 1954
UNION TOWNSHIP
CONRIVER FOOD PROCESS
FEDERAL SURVEY STATION

ENGLAND CONTINUED
1945-1958
OBSERVED EXPOS GEOLOGICAL SURVEY
PLOT LOGS - CONING GROUND WATER SURVEY
WATER LOGS (C) 1. PROTECT 665-15-1-16

CPRT-1 66-0618-MAIL
MARCELLA BEEBE
1200 W. CORTLY

THE NEW YORK PUBLIC LIBRARY

PHOTOGRAPHY

THE UNIVERSITY OF CHICAGO PRESS

THE COLLEGE TRAVELEXPOSITION

NOXONLINE

BOOKS

CBS-BEAVERTON POLYESTER GEOTEXTILE SURVEY
PLOT 10-12-14 CONING GROUND
WATER SURVEY

九

Gauge Heights at Wethersfield, Connecticut
Intersection of Broad and Marsh Streets
Point Number 102
Approximately 46.6 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 11:20AM, September 22 to 8:15AM, September 26, 1938.

FLOOD CREST ALTITUDE:- 32.786 feet, m.s.l. (not determined from gauge heights)

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

- Station 102-1 Nail in H.E.Lt Co. pole 98 at the intersection of Broad and Marsh Streets. Elevation 29.454 feet, m.s.l.
- Station 102-2 Top of third iron pipe in fence 100 feet southeast of H.E.Lt Co. pole 98. Elevation 31.643 feet, m.s.l.
- Station 102-3 Top of fifth iron pipe in same fence as for Station 102-2. Elevation 32.455 feet, m.s.l.
- Station 102-4 Top of nail in H.E.Lt Co. pole 99 on Broad Street near corner of Marsh Street. Elevation 26.838 feet, m.s.l.
- Station 102 High water mark is a keel mark on the southwest corner, west face of 76 Marsh Street. Elevation 32.786 feet, m.s.l.

REMARKS:-

No readings were obtained at this location between 10:50PM, September 22 and 6:15AM, September 25, 1938, thus there were no readings at the crest of the flood. High water mark was set on evidence of scum lines and water lines on inside and outside of house.

Altitude of stations determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

Gauge Heights at Wethersfield, Connecticut
Intersection of Broad and Marsh Streets
Point Number 102

September 22 to September 26, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 25 (continued)		
	Station 102-1			Station 102-2	
11:20AM	2.06	27.394	8:45AM	3.45	28.193
	Station 102-2			Station 102-1	
2:15PM	3.71	27.933	11:05AM	1.65	27.804
3:30	3.35	28.293	1:45PM	2.26	27.194
4:30	3.01	28.633	7:07	3.43	26.024
6:05	2.40	29.243		Station 102-4	
	Station 102-3		9:05PM	1.26	25.578
7:05PM	3.24	29.215	10:33	1.57	25.268
7:30	2.90	29.555			
10:50	2.00	30.455			
September 25			September 26		
	Station 102-2		12:55AM	2.11	24.728
6:15AM	2.97	28.673	2:40	2.47	24.368
			5:30	3.00	23.838
			8:15	3.62	23.218

THE HISTORY OF THE UNITED STATES OF AMERICA FROM 1789 TO 1861

BY HENRY REEVE

1789	1790	1791	1792	1793	1794
Washington	Adams	Jefferson	Madison	Monroe	Adams
1795	1796	1797	1798	1799	1800
Jefferson	Adams	Jefferson	Madison	Monroe	Adams
1801	1802	1803	1804	1805	1806
Jefferson	Adams	Jefferson	Madison	Monroe	Adams
1807	1808	1809	1810	1811	1812
Madison	Monroe	Adams	Jefferson	Madison	Monroe
1813	1814	1815	1816	1817	1818
Monroe	Adams	Jefferson	Madison	Monroe	Adams
1819	1820	1821	1822	1823	1824
Adams	Jefferson	Madison	Monroe	Adams	Jefferson
1825	1826	1827	1828	1829	1830
Jefferson	Madison	Monroe	Adams	Jefferson	Madison
1831	1832	1833	1834	1835	1836
Madison	Monroe	Adams	Jefferson	Madison	Monroe
1837	1838	1839	1840	1841	1842
Monroe	Adams	Jefferson	Madison	Monroe	Adams
1843	1844	1845	1846	1847	1848
Adams	Jefferson	Madison	Monroe	Adams	Jefferson
1849	1850	1851	1852	1853	1854
Jefferson	Madison	Monroe	Adams	Jefferson	Madison
1855	1856	1857	1858	1859	1860
Madison	Monroe	Adams	Jefferson	Madison	Monroe
1861	1862	1863	1864	1865	1866
Monroe	Adams	Jefferson	Madison	Monroe	Adams

Gauge Heights for Hartford, Connecticut
Bulkeley Memorial Bridge
Point Number 110 A
Approximately 52.0 miles from Saybrook Light

OBSERVED BY:- United States Department of Agriculture,
Weather Bureau.

PERIOD:- 1:00AM, September 19 to 12:00M, October 2, 1938.

FLOOD CREST ALTITUDE:- 34.88 feet, m.s.l.

DATUM:- United States Engineers, Hartford Datum

LOCATION OF GAUGE:- Bulkeley Memorial Bridge

ELEVATION:- 0.00 gauge = 0.54 feet below m.s.l. *

REMARKS:-

Automatic Water Stage Recorder. Gauge readings converted
to mean sea level by Connecticut Ground Water Survey.

* See pages following stage heights listings for diagram of various
level systems - City of Hartford.

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY
1215 EAST 58TH STREET
CHICAGO, ILL. 60637
TEL. 773-936-5000
FAX 773-936-5001
WWW.CHICAGO.EDU

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

Gauge Heights for Hartford, Connecticut
 United States Department of Agriculture, Weather Bureau
 Gauge referred to U. S. Corps of Engineers Hartford Datum
 Point Number 110 A
 September 19 to October 2, 1938

Zero of gauge - 0.54 feet below M.S.L.

TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.
September 19			September 20 (continued)		
1:00AM	5.33	4.79	1:00PM	9.85	9.31
2:00	5.24	4.70	2:00	10.38	9.84
3:00	5.20	4.66	3:00	10.83	10.34
4:00	5.12	4.58	4:00	11.36	10.82
5:00	5.03	4.49	5:00	11.87	11.33
6:00	4.96	4.42	6:00	12.35	11.81
7:00	4.91	4.37	7:00	12.80	12.26
8:00	4.92	4.38	8:00	13.22	12.68
9:00	5.03	4.49	9:00	13.80	13.26
10:00	5.17	4.63	10:00	14.36	13.82
11:00	5.27	4.73	11:00	14.84	14.30
12:00Noon	5.35	4.81	12:00Mid	15.49	14.95
1:00PM	5.33	4.79	September 21		
2:00	5.32	4.78	1:00AM	16.06	15.52
3:00	5.38	4.84	2:00	16.57	16.03
4:00	5.26	4.72	3:00	17.05	16.51
5:00	5.32	4.78	4:00	17.47	16.93
6:00	5.29	4.75	5:00	17.88	17.34
7:00	5.29	4.75	6:00	18.27	17.73
8:00	5.36	4.82	7:00	18.64	18.10
9:00	5.53	4.99	8:00	19.00	18.46
10:00	5.68	5.14	9:00	19.35	18.81
11:00	5.83	5.29	10:00	19.67	19.13
12:00Mid	5.94	5.40	11:00	20.03	19.49
September 20			12:00Noon	20.40	19.96
1:00AM	6.04	5.50	1:00PM	20.75	20.21
2:00	6.22	5.68	2:00	21.08	20.54
3:00	6.33	5.79	3:00	21.48	20.94
4:00	6.44	5.90	4:00	21.95	21.41
5:00	6.57	6.03	5:00	22.26	21.72
6:00	6.63	6.09	6:00	22.46	21.92
7:00	6.96	6.42	7:00	22.92	22.38
8:00	7.18	6.64	8:00	23.23	22.69
9:00	7.65	7.11	9:00	23.60	23.06
10:00	8.22	7.68	10:00	24.00	23.46
11:00	8.79	8.25	11:00	24.36	23.82
12:00Noon	9.28	8.74	12:00Mid	24.79	24.25

Gauge Heights for Hartford, Connecticut (continued)

TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.
September 22			September 23 (continued)		
1:00AM	25.25	24.71	12:00Mid	35.34	34.80
2:00	25.71	25.17	September 24		
3:00	26.17	25.63	1:00AM	35.25	34.71
4:00	26.69	26.15	2:00	35.21	34.67
5:00	27.21	26.67	3:00	35.13	34.59
6:00	27.72	27.18	4:00	35.05	34.51
7:00	28.17	27.63	5:00	34.98	34.44
8:00	28.68	28.14	6:00	34.87	34.33
9:00	29.12	28.58	7:00	34.76	34.22
10:00	29.56	29.02	8:00	34.66	34.12
11:00	29.98	29.44	9:00	34.55	34.01
12:00Noon	30.40	29.86	10:00	34.34	33.80
1:00PM	30.76	30.22	11:00	34.29	33.75
2:00	31.12	30.58	12:00Noon	34.15	33.61
3:00	31.46	30.92	1:00PM	34.02	33.48
4:00	31.80	31.26	2:00	33.87	33.33
5:00	32.09	31.55	3:00	33.73	33.19
6:00	32.39	31.85	4:00	33.55	33.01
7:00	32.65	32.11	5:00	33.41	32.87
8:00	32.90	32.36	6:00	33.24	32.70
9:00	33.14	32.60	7:00	33.05	32.51
10:00	33.34	32.80	8:00	32.88	32.34
11:00	33.58	33.04	9:00	32.68	32.14
12:00Mid	33.78	33.24	10:00	32.49	31.95
September 23			11:00	32.32	31.78
1:00AM	33.98	33.44	12:00Mid	32.11	31.57
2:00	34.16	33.62	September 25		
3:00	34.30	33.76	1:00AM	31.92	31.38
4:00	34.42	33.88	2:00	31.70	31.16
5:00	34.56	34.02	3:00	31.40	30.86
6:00	34.68	34.14	4:00	31.30	30.76
7:00	34.82	34.28	5:00	31.19	30.65
8:00	34.93	34.39	6:00	30.92	30.38
9:00	35.01	34.47	7:00	30.68	30.14
10:00	35.08	34.54	8:00	30.34	29.80
11:00	35.18	34.64	9:00	30.22	29.68
12:00Noon	35.24	34.70	10:00	30.03	29.49
1:00PM	35.30	34.76	11:00	29.79	29.25
2:00	35.34	34.80	12:00Noon	29.56	29.02
3:00	35.39	34.85	1:00PM	29.33	28.79
4:00	35.41	34.87	2:00	29.11	28.57
5:00	35.42	34.88	3:00	28.94	28.40
6:00	35.41	34.87	4:00	28.66	28.12
7:00	35.41	34.87	5:00	28.43	27.89
8:00	35.41	34.87	6:00	28.20	27.66
9:00	35.40	34.86	7:00	27.97	27.43
10:00	35.39	34.85			
11:00	35.36	34.82			

Gauge Heights for Hartford, Connecticut (continued)

TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 25 (continued)

8:00PM	27.73	27.19
9:00	27.53	26.99
10:00	27.30	26.76
11:00	27.09	26.55
12:00Mid	26.86	26.32

September 26

1:00AM	26.64	26.10
2:00	26.42	25.88
3:00	26.21	25.67
4:00	25.97	25.43
5:00	25.76	25.22
6:00	25.52	24.98
7:00	25.31	24.77
8:00	25.12	24.58
9:00	24.89	24.35
10:00	24.69	24.15
11:00	24.48	23.94
12:00Noon	24.26	23.72
1:00PM	24.03	23.49
2:00	23.86	23.32
3:00	23.64	23.10
4:00	23.44	22.90
5:00	23.24	22.70
6:00	23.03	22.49
7:00	22.81	22.27
8:00	22.63	22.09
9:00	22.42	21.88
10:00	22.23	21.69
11:00	22.04	21.50
12:00Mid	21.83	21.29

September 27

1:00AM	21.63	21.09
2:00	21.44	20.90
3:00	21.26	20.72
4:00	21.05	20.51
5:00	20.87	20.33
6:00	20.66	20.12
7:00	20.47	19.93
8:00	20.29	19.75
9:00	20.13	19.59
10:00	19.97	19.43
11:00	19.76	19.22
12:00Noon	19.60	19.06
1:00PM	19.42	18.88
2:00	19.25	18.71
3:00	19.07	18.53
4:00	18.91	18.37
5:00	18.72	18.18

September 27 (continued)

6:00PM	18.43	17.89
7:00	18.33	17.79
8:00	18.18	17.64
9:00	18.00	17.46
10:00	17.83	17.29
11:00	17.67	17.13
12:00Mid	17.52	16.98

September 28

1:00AM	17.34	16.80
2:00	17.18	16.64
3:00	17.00	16.46
4:00	16.82	16.28
5:00	16.63	16.09
6:00	16.47	15.93
7:00	16.32	15.78
8:00	16.13	15.59
9:00	16.02	15.48
10:00	15.87	15.33
11:00	15.74	15.20
12:00Noon	15.60	15.06
1:00PM	15.47	14.93
2:00	15.36	14.82
3:00	15.23	14.69
4:00	15.09	14.55
5:00	14.98	14.44
6:00	14.87	14.33
7:00	14.75	14.21
8:00	14.63	14.09
9:00	14.48	13.94
10:00	14.35	13.81
11:00	14.20	13.66
12:00Mid	14.06	13.52

September 29

1:00AM	13.90	13.36
2:00	13.74	13.20
3:00	13.56	13.02
4:00	13.37	12.83
5:00	13.18	12.64
6:00	13.00	12.46
7:00	12.84	12.30
8:00	12.64	12.10
9:00	12.53	11.99
10:00	12.38	11.84
11:00	12.26	11.72
12:00Noon	12.12	11.58
1:00PM	12.00	11.46
2:00	11.86	11.32
3:00	11.72	11.18

Gauge Heights for Hartford, Connecticut (continued)


TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	GAUGE HEIGHT	ELEVATION M.S.L.
September 29 (continued)			October 1 (continued)		
4:00PM	11.57	11.03	7:00AM	8.52	7.98
5:00	11.43	10.89	8:00	8.44	7.90
6:00	11.29	10.75	9:00	8.38	7.84
7:00	11.15	10.61	10:00	8.36	7.82
8:00	11.03	10.49	11:00	8.32	7.78
9:00	10.90	10.36	12:00Noon	8.27	7.73
10:00	10.76	10.22	1:00PM	8.20	7.66
11:00	10.64	10.10	2:00	8.14	7.60
12:00Mid	10.52	9.98	3:00	8.08	7.54
September 30			4:00	8.06	7.52
1:00AM	10.40	9.86	5:00	7.96	7.42
2:00	10.27	9.73	6:00	7.87	7.33
3:00	10.16	9.62	7:00	7.73	7.19
4:00	10.02	9.48	8:00	7.67	7.13
5:00	9.87	9.33	9:00	7.63	7.09
6:00	9.74	9.20	10:00	7.60	7.06
7:00	9.63	9.09	11:00	7.55	7.01
8:00	9.53	8.99	12:00Mid	7.48	6.94
9:00	9.46	8.92	October 2		
10:00	9.40	8.86	1:00AM	7.41	6.87
11:00	9.35	8.81	2:00	7.33	6.79
12:00Noon	9.31	8.77	3:00	7.25	6.71
1:00PM	9.27	8.73	4:00	7.13	6.59
2:00	9.24	8.70	5:00	7.00	6.46
3:00	9.21	8.67	6:00	6.86	6.32
4:00	9.18	8.64	7:00	6.76	6.22
5:00	9.15	8.61	8:00	6.67	6.13
6:00	9.14	8.60	9:00	6.57	6.03
7:00	9.14	8.60	10:00	6.53	5.99
8:00	9.14	8.60	11:00	6.42	5.88
9:00	9.13	8.59	12:00Noon	6.40	5.86
10:00	9.11	8.57	1:00PM	6.37	5.83
11:00	9.08	8.54	2:00	6.33	5.79
12:00Mid	9.04	8.50	3:00	6.31	5.77
October 1			4:00	6.27	5.73
1:00AM	8.99	8.45	5:00	6.23	5.69
2:00	8.93	8.39	6:00	6.20	5.66
3:00	8.85	8.31	7:00	6.18	5.64
4:00	8.76	8.22	8:00	6.20	5.66
5:00	8.67	8.13	9:00	6.23	5.69
6:00	8.58	8.04	10:00	6.28	5.74
			11:00	6.30	5.76
			12:00Mid	6.32	5.78

No.	Date	Page	CONTENTS	
			Original Articles	Special Reports
1	May 1, 1919	1	1-10	11-20
2	May 8, 1919	1	1-10	11-20
3	May 15, 1919	1	1-10	11-20
4	May 22, 1919	1	1-10	11-20
5	May 29, 1919	1	1-10	11-20
6	June 5, 1919	1	1-10	11-20
7	June 12, 1919	1	1-10	11-20
8	June 19, 1919	1	1-10	11-20
9	June 26, 1919	1	1-10	11-20
10	July 3, 1919	1	1-10	11-20
11	July 10, 1919	1	1-10	11-20
12	July 17, 1919	1	1-10	11-20
13	July 24, 1919	1	1-10	11-20
14	July 31, 1919	1	1-10	11-20
15	August 7, 1919	1	1-10	11-20
16	August 14, 1919	1	1-10	11-20
17	August 21, 1919	1	1-10	11-20
18	August 28, 1919	1	1-10	11-20
19	September 4, 1919	1	1-10	11-20
20	September 11, 1919	1	1-10	11-20
21	September 18, 1919	1	1-10	11-20
22	September 25, 1919	1	1-10	11-20
23	October 2, 1919	1	1-10	11-20
24	October 9, 1919	1	1-10	11-20
25	October 16, 1919	1	1-10	11-20
26	October 23, 1919	1	1-10	11-20
27	October 30, 1919	1	1-10	11-20
28	November 6, 1919	1	1-10	11-20
29	November 13, 1919	1	1-10	11-20
30	November 20, 1919	1	1-10	11-20
31	November 27, 1919	1	1-10	11-20
32	December 4, 1919	1	1-10	11-20
33	December 11, 1919	1	1-10	11-20
34	December 18, 1919	1	1-10	11-20
35	December 25, 1919	1	1-10	11-20

RELATION OF VARIOUS LEVEL SYSTEMS

used in
Hartford and Vicinity

based on
General Adjustment of U.S.Coast & Geodetic Survey of 1929



* These relations determined by comparison of elevations of seven U.S. Corps of Engineers benches and 18 U.S.C. & G.S. benches to elevations determined in Metropolitan District precise levelling. - Engineering Dept. City of Hartford, November 8, 1937.

RELATION OF VARIOUS LEVEL SYSTEMS
City of Hartford

U. S. C. & G. S. DATUM

Elevation: 0 = Mean Sea Level (Average of Tides)

U. S. ARMY ENGINEERS "HARTFORD DATUM"

Elevation: 0 = Low Water at Hartford in 1801

(NOTE: Water subsequently has reached lower levels due to closing of Windsor Locks gates, etc.)

HARTFORD CITY DATUM

Elevation: 0 = 2.08' below Mean Sea Level

= Approximate Low Water at Saybrook

NOTE: Metropolitan District Precise Levels run on City Datum.

RELATION BETWEEN DATUMS: (average)

GIVEN CITY DATUM ELEVATION

Subtract 2.08' to get CGS elevation
Subtract 1.54' to get USA elevation

GIVEN U. S. A. ENGINEER ELEVATION

Add 1.54' to get City elevation
Subtract 0.54' to get CGS elevation

GIVEN C. G. S. ELEVATION

Add 2.08' to get City elevation
Add 0.54' to get USA elevation

NOTE: These relations determined by comparison of elevations of seven U.S.A. Engineer benches and 18 U.S.C.&G.S. benches to elevations determined in Metropolitan District Precise levelling.

Department of Engineering
City of Hartford

November 8, 1937

THE UNIVERSITY OF CHICAGO

CHICAGO, ILLINOIS

DECEMBER 15, 1911

THE UNIVERSITY OF CHICAGO

TO THE PRESIDENT OF THE UNIVERSITY OF CHICAGO
FROM THE FACULTY OF THE UNIVERSITY OF CHICAGO

CHICAGO, ILLINOIS

DECEMBER 15, 1911

TO THE PRESIDENT OF THE UNIVERSITY OF CHICAGO

FROM THE FACULTY OF THE UNIVERSITY OF CHICAGO

CHICAGO, ILLINOIS

DECEMBER 15, 1911

TO THE PRESIDENT OF THE UNIVERSITY OF CHICAGO

FROM THE FACULTY OF THE UNIVERSITY OF CHICAGO

CHICAGO, ILLINOIS


DECEMBER 15, 1911

TO THE PRESIDENT OF THE UNIVERSITY OF CHICAGO

FROM THE FACULTY OF THE UNIVERSITY OF CHICAGO

CHICAGO, ILLINOIS

DECEMBER 15, 1911



GRAPHIC COMPARISON OF VARIOUS FLOOD CRESTS HARTFORD, CONN.

1936 ELV. = 37.06' M.S.L. *

2.18

1938 ELV. = 34.88' M.S.L. *

5.62

6.42

1854

1927

6.72

1862

7.92

8.92

1801

9.12

1895

9.92

1913

1902

* ESTABLISHED BY U.S. DEPT. OF AGRICULTURE
WEATHER BUREAU
(POINT AT BULKELEY MEMORIAL BRIDGE)

Gauge Heights at Wilson, Windsor, Connecticut
Wilson Fire Station
Point Number 124
Approximately 55.0 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 1:30PM, September 22 to 1:30AM, September 25, 1938

FLOOD CREST ALTITUDE:- 36.35 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 124 Lower edge of first course of brick at chimney on
east side of Wilson Fire Station.
Elevation 36.89 feet, m.s.l.

Station 124 E Blue keel mark on concrete foundation, north side
of building, east of second window.
Elevation 32.52 feet, m.s.l.

Station 124 D Blue keel mark on concrete foundation, north side
of building, west of second window.
Elevation 32.97 feet, m.s.l.

REMARKS:-

Keel marks at Stations 124 E and 124 D were made at water
level on September 22, 1938, at 1:30 and 3:00PM.
Measurements were taken from Station 124.

Altitude of Stations determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

Gauge Heights at Wilson, Windsor, Connecticut
 Wilson Fire Station
 Point Number 124
 September 22 to September 25, 1938

Zero of Gauge, Station 124 = 36.89 feet M.S.L.

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------	----------------	-----------------	---------------------

September 22

1:30PM	124 E	32.52
3:00PM	124 D	32.97

Station 124

3:00PM	3.70	33.19
4:45	3.42	33.47
6:40	2.91	33.98
8:00	2.58	34.31
10:17	2.13	34.76
11:30	1.91	34.98

September 23

1:35AM	1.67	35.22
4:15	1.33	35.56
4:30	1.27	35.62
5:30	1.08	35.81
10:45	0.69	36.20
2:50PM	0.58	36.31
6:20	0.54	36.35
7:50	0.54	36.35
9:00	0.60	36.29
10:00	0.67	36.22
11:00	0.71	36.18
12:00Mid	0.77	36.12

September 24

1:00AM	0.85	36.04
--------	------	-------

September 24 (continued)

Station 124

2:00AM	0.92	35.97
3:00	1.00	35.89
4:00	1.07	35.82
5:00	1.16	35.73
6:00	1.28	35.61
7:00	1.37	35.52
8:00	1.50	35.39
9:00	1.60	35.29
9:15	1.67	35.22
10:00	1.75	35.14
11:00	1.83	35.06
12:00Noon	1.95	34.94
1:00PM	2.16	34.73
2:00	2.33	34.56
3:00	2.75	34.14
4:00	2.91	33.98
5:00	3.00	33.89
6:00	3.16	33.73
6:30	3.20	33.69
7:30	3.29	33.60
8:30	3.48	33.41
9:30	3.67	33.22
10:30	3.85	33.04
11:30	4.06	32.83

September 25

12:30AM	4.27	32.62
1:30	4.54	32.35

THE UNIVERSITY OF CHICAGO
LIBRARY
1207 EAST 58TH STREET
CHICAGO, ILL. 60637

1207	1208	1209	1210	1211	1212
1213	1214	1215	1216	1217	1218
1219	1220	1221	1222	1223	1224
1225	1226	1227	1228	1229	1230
1231	1232	1233	1234	1235	1236
1237	1238	1239	1240	1241	1242
1243	1244	1245	1246	1247	1248
1249	1250	1251	1252	1253	1254
1255	1256	1257	1258	1259	1260
1261	1262	1263	1264	1265	1266
1267	1268	1269	1270	1271	1272
1273	1274	1275	1276	1277	1278
1279	1280	1281	1282	1283	1284
1285	1286	1287	1288	1289	1290
1291	1292	1293	1294	1295	1296
1297	1298	1299	1300	1301	1302
1303	1304	1305	1306	1307	1308
1309	1310	1311	1312	1313	1314
1315	1316	1317	1318	1319	1320
1321	1322	1323	1324	1325	1326
1327	1328	1329	1330	1331	1332
1333	1334	1335	1336	1337	1338
1339	1340	1341	1342	1343	1344
1345	1346	1347	1348	1349	1350
1351	1352	1353	1354	1355	1356
1357	1358	1359	1360	1361	1362
1363	1364	1365	1366	1367	1368
1369	1370	1371	1372	1373	1374
1375	1376	1377	1378	1379	1380
1381	1382	1383	1384	1385	1386
1387	1388	1389	1390	1391	1392
1393	1394	1395	1396	1397	1398
1399	1400	1401	1402	1403	1404
1405	1406	1407	1408	1409	1410
1411	1412	1413	1414	1415	1416
1417	1418	1419	1420	1421	1422
1423	1424	1425	1426	1427	1428
1429	1430	1431	1432	1433	1434
1435	1436	1437	1438	1439	1440
1441	1442	1443	1444	1445	1446
1447	1448	1449	1450	1451	1452
1453	1454	1455	1456	1457	1458
1459	1460	1461	1462	1463	1464
1465	1466	1467	1468	1469	1470
1471	1472	1473	1474	1475	1476
1477	1478	1479	1480	1481	1482
1483	1484	1485	1486	1487	1488
1489	1490	1491	1492	1493	1494
1495	1496	1497	1498	1499	1500

Gauge Heights at Wilson, Windsor, Connecticut
 Wilson Avenue, Windsor
 Point Number 128
 Approximately 55.5 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 1:45PM, September 22 to 3:30PM, September 27, 1938, with
 some additional measurements September 27 and 29, 1938.

FLOOD CREST ALTITUDE:- - 36.52 - 36.43 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF STATIONS:-

- | | |
|-------|--|
| 128 | Nail in telephone pole 25 feet south of center line of Wilson Avenue and 25 feet east of center line of New York, New Haven and Hartford railroad tracks. Elevation 36.43 feet, m.s.l. |
| 128-A | Nail in telephone pole 200 feet south of center line of Wilson Avenue and 35 feet west of center line of New York, New Haven and Hartford railroad tracks. |
| 128-B | Nail in telephone pole 110 feet south of center line of Wilson Avenue and 35 feet west of center line of New York, New Haven and Hartford railroad tracks. Elevation 36.52 feet, m.s.l. |
| 128-C | Nail in northeast corner of Rand and Christensen store house on Wilson Avenue just west of New York, New Haven and Hartford Railroad tracks. Elevation 36.44 feet, m.s.l. |
| 128-D | Top of stake driven on south side of Wilson Avenue, 30 feet east of center line of New York, New Haven and Hartford railroad tracks. Elevation 34.76 feet, m.s.l. |
| 128-E | Top of stake driven in south side of Wilson Avenue, 140 feet east of center line of New York, New Haven and Hartford railroad tracks. Elevation 31.47 feet, m.s.l. |
| 128-F | Top of stake driven at the end of concrete sidewalk on south side of Wilson Avenue, 210 feet east of center line of New York, New Haven and Hartford railroad tracks. Elevation 30.51 feet, m.s.l. |
| 128-G | Top of stake driven on south side of Wilson Avenue, on north side of Rand house. Elevation 29.16 feet, m.s.l. |

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILL. 60637

LOCATION OF STATIONS:- (continued)

- 128-H Blue keel mark at top of concrete wall of manure pit, 26 feet west of northeast corner of the pit at Rand house. Elevation 26.97 feet, m.s.l.
- 128-I Blue keel mark at top of concrete wall of manure pit, at the northeast corner of the pit at the Rand house. Elevation 26.39 feet, m.s.l.
- 128-J Nail in H.E.Lt. Co. polo 1859 on south side of Wilson Avenue about half way between the Rand house and a small creek. Elevation 25.45 feet, m.s.l.
- 128-K Blue keel mark on top of railing of bridge over small creek, center of rail, south side of bridge, 4.75 feet above bridge deck. Elevation 20.27 feet, m.s.l.
- 128-L Top of stick nailed to tree at bank of the Connecticut River, about 75 feet north of east end of Wilson Avenue. Elevation 22.25 feet, m.s.l.

REMARKS:-

The following map, shows the location of the above measuring points. Measurements for all points are given in the following tabulations but those for points 128-B and 128-C show variations away from those at other stations very probably due to wave action or river surge. Measurements are all below a measuring point which is at crest height for stations 128, 128 B, 128 C. Only one measurement at Station A, point not recovered.

Altitude of measuring points determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

The first of these is the fact that the United States is a young nation. It is only about 150 years old, and its history is therefore a history of rapid growth and change. The second is the fact that the United States is a large nation. It covers a vast area of land, and its population is one of the largest in the world. The third is the fact that the United States is a diverse nation. It is made up of many different peoples, each with its own customs and traditions. The fourth is the fact that the United States is a powerful nation. It has a strong economy, a powerful military, and a great influence on the world.


The fifth is the fact that the United States is a free nation. It is a land of liberty, where every man is free to follow his own path. The sixth is the fact that the United States is a peaceful nation. It has never been at war with itself, and it has always been a friend to peace. The seventh is the fact that the United States is a nation of progress. It is always moving forward, always seeking to improve itself. The eighth is the fact that the United States is a nation of hope. It is a land of opportunity, where every man can make his own future.

Gauge Heights at Wilson, Windsor, Connecticut
 Wilson Avenue, Windsor
 Point Number 128

September 22 to September 27, 1933

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION N.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION N.S.L.
September 22				September 24 (continued)			
1:45PM	128	3.86	32.57	3:30AM	128	0.48	35.95
5:00	128	2.74	33.69	5:35	B	0.48	36.04
7:00	128	2.24	34.19	3:35	C	0.50	35.94
8:30	128	1.87	34.56	4:30	128	0.58	35.85
10:45	128	1.49	34.94	4:35	B	0.57	35.95
12:00Mid.	128	1.20	35.23	4:35	C	0.59	35.35
September 23				5:30	128	0.68	35.75
				5:35	B	0.67	35.85
				5:35	C	0.70	35.74
2:30AM	128	0.91	35.52	6:30	128	0.78	35.65
7:00	128	0.37	36.06	6:33	B	0.77	35.75
	B	0.46	36.06	6:35	C	0.81	35.63
11:00	128	0.12	36.31	7:30	128	0.87	35.56
11:03	B	0.21	36.31	7:35	B	0.87	35.65
11:08	C	0.14	36.30	7:35	C	0.89	35.55
2:15PM	128	0.00	36.43	8:30	128	1.00	35.45
7:00	128	0.00	36.43	8:33	B	1.00	35.52
7:03	B	0.13	36.39	8:35	C	1.03	35.41
7:07	C	0.00	36.44	9:30	128	1.16	35.27
8:00	B	0.00	36.52	9:35	B	1.18	35.34
8:30	128	0.06	36.37	9:30	C	1.08	35.36
8:30	B	0.09	36.46	10:30	128	1.25	35.18
8:35	C	0.07	36.37	10:39	B	1.25	35.27
9:30	128	0.10	36.33	10:55	C	1.16	35.28
9:33	B	0.13	36.43	11:35	128	1.33	35.10
9:35	C	0.12	36.32	11:20	B	1.33	35.19
10:30	128	0.13	36.30	11:30	C	1.33	35.11
10:33	B	0.13	36.39	12:20PM	128	1.50	34.93
10:35	C	0.14	36.30	12:55	B	1.58	34.94
11:30	128	0.18	36.25	12:50	C	1.56	34.88
11:33	B	0.18	36.34	1:20	B	2.00	34.52
11:35	C	0.19	36.25	1:30	128	1.75	34.68
September 24				1:35	B	2.16	34.36
				2:30	128	1.83	34.60
				3:20	128	2.00	34.43
12:50AM	128	0.25	36.18	3:20	B	2.33	34.19
12:33	B	0.25	36.27	4:20	128	2.16	34.27
12:35	C	0.25	36.19	4:35	B	2.50	34.02
1:30	128	0.33	36.10	5:20	128	2.42	34.01
1:33	B	0.31	36.21	5:25	B	2.87	33.65
1:35	C	0.33	36.11	6:20	128	2.50	33.93
2:30	128	0.39	36.04	6:30	B	3.33	33.19
2:35	B	0.39	36.13	6:40	B	2.69	33.85

TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STA.	STAGE HEIGHT	ELEVATION M.S.L.
September 24 (continued)				September 26 (continued)			
6:45PM	128	2.67	33.76	11:30AM	H	2.16	24.81
7:40	128	2.81	33.62	12:00	H	2.29	24.68
7:45	B	2.85	33.67	12:30PM	H	2.37	24.60
8:40	128	3.00	33.45	1:00	H	2.46	24.51
8:45	D	3.00	33.52	1:30	H	2.58	24.39
9:40	128	3.20	33.23	2:00	I	1.95	24.31
9:45	D	3.16	33.36	2:30	I	2.16	24.25
10:40	128	3.42	33.01	3:00	I	2.25	24.14
10:40	D	1.79	32.97	3:30	I	2.37	24.02
10:45	B	3.37	33.15	4:00	I	2.50	23.89
11:40	D	2.00	32.76	4:30	I	2.58	23.81
11:45	B	3.58	32.94	5:00	I	2.71	23.68
September 25				6:00	I	2.95	23.44
12:40AM	D	2.16	32.60	7:00	I	3.12	23.27
12:45	B	3.64	32.88	8:00	I	3.37	23.02
1:40	D	2.39	32.37	9:00	I	3.60	22.79
2:40	D	2.58	32.18	10:00	I	3.79	22.60
6:40	E	0.33	31.14	11:00	I	4.00	22.39
7:20	E	0.42	31.05	September 27			
8:35	E	0.58	30.99	1:00AM	J	3.46	21.99
9:40	E	0.75	30.72	2:00	J	3.58	21.87
10:05	E	0.91	30.56	3:00	J	3.83	21.62
10:30	E	1.02	30.45	4:00	J	4.00	21.45
10:30	F	0.00	30.51	5:00	J	4.16	21.29
11:30	F	0.16	30.35	6:00	J	4.33	21.12
12:30PM	F	0.42	30.09	7:00	J	4.50	20.95
1:25	F	0.97	29.54	8:00	J	4.67	20.78
3:30	F	1.50	29.01	9:00	J	4.83	20.62
4:30	F	1.67	28.84	10:00	J	5.00	20.45
4:30	G	0.00	29.16	11:00	J	5.42	20.03
5:20	G	0.25	28.91	12:00 Noon	K	0.20	20.07
6:20	G	0.46	28.70	1:00PM	K	0.33	19.94
7:20	G	0.67	28.49	2:00	K	0.58	19.69
September 26				3:00	K	0.75	19.52
7:20AM	H	1.48	25.19	3:25	L	2.75	19.50
10:30	H	1.97	25.00	3:30	K	0.85	19.42
11:00	H	2.04	24.93	September 29			
				12:45PM	L	9.83	12.42



Gauge Heights at Windsor, Connecticut
Railroad Underpass, Palisado Avenue, Windsor
Point Number 134
Approximately 58.0 miles from Saybrook Light

OBSERVED BY:- Connecticut Ground Water Survey.

PERIOD:- 2:15PM, September 22 to 8:30PM, September 25, 1938.

FLOOD CREST ALTITUDE:- 36.83 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Yellow keel mark on top edge of concrete retaining wall of railroad underpass on Palisado Avenue, on southwest corner directly above bronze plaque marking 1936 flood level.

REMARKS:-

The flood crest altitude of 36.83 feet may represent a wave or surge above actual crest.

Altitude of measuring point determined by Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Windsor, Connecticut
 Railroad Underpass, Palisado Avenue, Windsor
 Point Number 134


September 22 to September 25, 1938

Zero of Measuring Point = 42.50 feet above M.S.L.

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 24 (continued)		
2:15PM	9.00	33.50	10:30AM	7.35	35.15
4:15	8.30	34.20	11:30	7.54	34.96
5:15	8.20	34.30	12:30PM	7.64	34.86
7:30	7.90	34.60	1:30	7.83	34.67
9:50	7.26	35.24	2:30	8.00	34.50
11:15	7.09	35.41	3:30	8.12	34.38
September 23			4:30	8.33	34.17
1:00AM	6.84	35.66	5:30	8.50	34.00
4:00	6.47	36.03	6:30	8.75	33.75
6:15	6.19	36.31	7:30	8.85	33.65
10:10	5.92	36.58	8:30	9.08	33.42
12:00Noon	5.87	36.63	9:30	9.25	33.25
1:00PM	5.87	36.63	10:30	9.42	33.08
4:05	5.83	36.67	11:30	9.64	32.86
4:30	5.83	36.67	September 25		
5:30	5.67	36.83	12:30AM	9.87	32.63
6:30	5.87	36.63	1:30	10.14	32.36
7:30	5.89	36.61	2:30	10.34	32.16
8:30	5.92	36.58	3:30	10.56	31.94
9:30	5.97	36.53	4:30	10.75	31.75
10:00	6.00	36.50	5:30	11.00	31.50
11:30	6.09	36.41	6:30	11.25	31.25
September 24			7:30	11.46	31.04
12:30AM	6.16	36.34	8:30	11.69	30.81
1:30	6.22	36.28	9:30	12.08	30.42
2:30	6.33	36.17	10:30	12.12	30.38
3:30	6.42	36.08	11:30	12.33	30.17
4:30	6.52	35.98	12:00Noon	12.42	30.08
5:30	6.64	35.86	12:30PM	12.54	29.96
6:30	6.77	35.73	1:30	12.83	29.67
7:30	6.87	35.63	2:30	13.06	29.44
8:30	7.00	35.50	3:30	13.25	29.25
9:30	7.14	35.36	4:30	13.46	29.04
			5:30	13.77	28.73
			6:30	Water at side walk,	

Curb is 0.71' above street.

8:30 Water off road at underpass.



Gauge Heights at Windsor, Connecticut
 Farmington River Bridge, Palisado Avenue
 Point Number 138
 Approximately 58.0 miles from Saybrook Light

OBSERVED BY:- Theodore Neuhaus, 161 Palisado Ave., Windsor, and
 Connecticut Ground Water Survey.

PERIOD:- 1:00PM, September 22, 1938 to 4:00PM, September 27, 1938
 with a reading, September 28 and September 29, 1938.

FLOOD CREST ALTITUDE:- 36.48 feet m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Readings were made at four separate points as the
 flood waters rose and retreated. The points are
 at the north end of the Palisado Avenue Bridge
 over the Farmington River.

- 138 A six foot rule attached to a stick near the north
 end of the Farmington River Bridge on the west
 side of Palisado Avenue. Elevation of zero of
 gauge: 34.40 feet, m.s.l.
- 138-A Blue keel mark on bridge beam at north end of
 bridge on east side. Elevation of measuring
 point: 34.65 feet, m.s.l.
- 138-B Keel mark on bridge beam near north end of bridge,
 southwest of point 138A on east side of bridge.
 Elevation of measuring point: 34.54 feet, m.s.l.
- 138-C Keel mark on bridge nearer center of bridge than
 other points, on east side of bridge. Elevation
 of measuring point: 33.25 feet, m.s.l.

REMARKS:-

Flood crest altitude slightly lower than that observed at
 the Palisado Avenue railroad underpass. The highest point
 may not have been observed as there was a lapse between
 readings from 6:00AM to 3:45PM on September 23, 1938.

Zero of gauge and elevations of measuring points referenced
 to mean sea level by Connecticut Ground Water Survey. Read-
 ings converted to mean sea level elevation by Connecticut
 Ground Water Survey.

Time is Eastern Standard Time.

Gaugo Heights at Windsor, Connecticut
Farmington River Bridge, Palisado Avenue
Point Number 138

September 22 to September 29, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 24 (continued)		
Station 138			Station 138-A		
1:00PM	0.00	34.40	10:30PM	1.60	33.05
6:00	1.37a	35.77	11:30	1.81	32.84
September 23			September 25		
6:00AM	1.70a	36.10	12:30AM	2.04	32.61
3:45PM	2.08a	36.48	1:30	2.33	32.32
5:30	2.08a	36.48	2:30	2.50	32.15
6:30	2.04a	36.44	3:30	2.66	31.99
7:30	2.00a	36.40	4:30	2.87	31.78
8:30	1.95a	36.35	5:30	3.12	31.53
9:30	1.91a	36.31	Station 138-B		
10:30	1.85a	36.25	6:30AM	3.00	31.34
11:30	1.77a	36.17	7:30	3.25	31.09
September 24			8:30	3.46	30.88
12:30AM	1.72a	36.12	9:30	3.68	30.66
1:30	1.64a	36.04	10:30	3.91	30.43
2:30	1.56a	35.96	11:30	4.14	30.20
3:30	1.46a	35.86	12:30PM	4.37	29.97
4:30	1.35a	35.75	1:30	4.62	29.72
5:30	1.25a	35.65	2:30	4.87	29.47
6:30	1.12a	35.52	3:30	5.04	29.30
7:30	0.97a	35.37	4:30	5.35	28.99
8:30	0.85a	35.25	5:30	5.52	28.82
9:30	0.70a	35.10	Station 138-C		
10:30	0.58a	34.98	5:30PM	4.46	28.89
11:30	0.42a	34.82	6:30	4.67	28.58
12:30PM	0.27a	34.67	7:30	4.93	28.32
1:30	0.10a	34.50	8:30	5.12	28.13
Station 138-A			9:30	5.39	27.86
2:30PM	0.06	34.59	10:30	5.60	27.65
3:30	0.22	34.43	11:30	5.85	27.40
4:30	0.42	34.23	September 26		
5:30	0.62	34.03	12:30AM	6.12	27.13
6:30	0.79	33.86	1:30	6.14	27.11
7:30	1.02	33.63	2:30	6.42	26.83
8:30	1.18	33.47	3:30	6.70	26.55
9:30	1.37	33.28			

a - measurements above measuring point, all other measurements below measuring point.

THE HISTORY OF THE CITY OF BOSTON FROM THE FIRST SETTLEMENT TO THE PRESENT TIME

BY SAMUEL JOHNSON

THE FIRST SETTLEMENT			THE PRESENT TIME		
1630	1631	1632	1633	1634	1635
1636	1637	1638	1639	1640	1641
1642	1643	1644	1645	1646	1647
1648	1649	1650	1651	1652	1653
1654	1655	1656	1657	1658	1659
1660	1661	1662	1663	1664	1665
1666	1667	1668	1669	1670	1671
1672	1673	1674	1675	1676	1677
1678	1679	1680	1681	1682	1683
1684	1685	1686	1687	1688	1689
1690	1691	1692	1693	1694	1695
1696	1697	1698	1699	1700	1701
1702	1703	1704	1705	1706	1707
1708	1709	1710	1711	1712	1713
1714	1715	1716	1717	1718	1719
1720	1721	1722	1723	1724	1725
1726	1727	1728	1729	1730	1731
1732	1733	1734	1735	1736	1737
1738	1739	1740	1741	1742	1743
1744	1745	1746	1747	1748	1749
1750	1751	1752	1753	1754	1755
1756	1757	1758	1759	1760	1761
1762	1763	1764	1765	1766	1767
1768	1769	1770	1771	1772	1773
1774	1775	1776	1777	1778	1779
1780	1781	1782	1783	1784	1785
1786	1787	1788	1789	1790	1791
1792	1793	1794	1795	1796	1797
1798	1799	1800	1801	1802	1803
1804	1805	1806	1807	1808	1809
1810	1811	1812	1813	1814	1815
1816	1817	1818	1819	1820	1821
1822	1823	1824	1825	1826	1827
1828	1829	1830	1831	1832	1833
1834	1835	1836	1837	1838	1839
1840	1841	1842	1843	1844	1845
1846	1847	1848	1849	1850	1851
1852	1853	1854	1855	1856	1857
1858	1859	1860	1861	1862	1863
1864	1865	1866	1867	1868	1869
1870	1871	1872	1873	1874	1875
1876	1877	1878	1879	1880	1881
1882	1883	1884	1885	1886	1887
1888	1889	1890	1891	1892	1893
1894	1895	1896	1897	1898	1899
1900	1901	1902	1903	1904	1905
1906	1907	1908	1909	1910	1911
1912	1913	1914	1915	1916	1917
1918	1919	1920	1921	1922	1923
1924	1925	1926	1927	1928	1929
1930	1931	1932	1933	1934	1935
1936	1937	1938	1939	1940	1941
1942	1943	1944	1945	1946	1947
1948	1949	1950	1951	1952	1953
1954	1955	1956	1957	1958	1959
1960	1961	1962	1963	1964	1965
1966	1967	1968	1969	1970	1971
1972	1973	1974	1975	1976	1977
1978	1979	1980	1981	1982	1983
1984	1985	1986	1987	1988	1989
1990	1991	1992	1993	1994	1995
1996	1997	1998	1999	2000	2001
2002	2003	2004	2005	2006	2007
2008	2009	2010	2011	2012	2013
2014	2015	2016	2017	2018	2019
2020	2021	2022	2023	2024	2025

Gauge Heights at Windsor, Connecticut (continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 26 (continued)

September 27 (continued)

Station 133-C

Station 133-C

4:30AM	7.02	26.23
5:30	7.25	26.00
6:30	7.52	25.73
7:30	7.66	25.59
7:50	7.77	25.48
9:30	8.10	25.15
10:00	8.16	25.09
10:30	8.16	25.09
11:00	8.16	25.09
11:30	8.25	25.00
12:00Noon	8.33	24.92
12:30PM	8.46	24.79
1:00	8.56	24.69
1:30	8.66	24.59
2:00	8.79	24.46
2:30	8.85	24.40
3:00	9.00	24.25
3:30	9.08	24.17
4:00	9.16	24.09
4:30	9.27	23.98
5:00	9.37	23.88
5:30	9.50	23.75
6:00	9.58	23.67
6:30	9.68	23.57
7:00	9.79	23.46
7:30	9.89	23.36
8:00	10.00	23.25
8:30	10.08	23.17
9:00	10.18	23.07
9:30	10.29	22.96
10:00	10.37	22.88
10:30	10.48	22.77
11:00	10.58	22.67
11:30	10.68	22.57
12:00Mid	10.79	22.46

1:00AM	10.97	22.23
1:30	11.06	22.19
2:00	11.12	22.13
2:30	11.25	22.00
3:00	11.37	21.88
3:30	11.46	21.79
4:00	11.56	21.69
4:30	11.68	21.57
5:00	11.75	21.50
5:30	11.85	21.40
6:00	11.87	21.38
6:30	11.89	21.36
7:00	11.97	21.28
7:30	12.08	21.17
8:00	12.16	21.09
8:30	12.25	21.00
9:00	12.35	20.90
9:30	12.42	20.83
10:00	12.50	20.75
10:30	12.54	20.71
11:00	12.64	20.61
11:30	12.72	20.53
12:00Noon	12.79	20.46
12:30PM	13.00	20.25
1:00	13.08	20.17
1:30	13.18	20.07
2:00	13.33	19.92
2:30	13.42	19.83
3:00	13.50	19.75
3:30	13.54	19.71
4:00	13.66	19.59

September 28

6:00PM	17.50	15.75
--------	-------	-------

September 27

September 29


12:30AM	10.87	22.38
---------	-------	-------

11:30PM	20.03	13.17
---------	-------	-------

1877

...

...



FEET ABOVE MEAN SEA LEVEL

Gauge Heights at Windsor Locks, Connecticut
Connecticut Light and Power Company Plant
Point Number 140
Approximately 63.3 miles from Saybrook Light

OBSERVED BY:- Connecticut Light and Power Company.

PERIOD:- 6:00PM, September 21 to 2:00PM, September 27, 1938.

FLOOD CREST ALTITUDE:- 38.17 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Station 140-1 Top of pump cover 25 feet north of office door at floor level in basement of power plant.
Elevation 30.06 feet, m.s.l.

Station 140-2 Brass bolt in concrete floor of basement power plant at door to office.
Elevation 30.09 feet, m.s.l.

REMARKS:-

Readings were taken downward from point 1 until 11:00PM, September 21, 1938. Measurements were taken from point 2 upward from 12:00 midnight September 21, 1938 until 4:00PM, September 25, 1938. At this time measurements were resumed downward from point 1. Measurements taken by employees of the Connecticut Light and Power Company.

Altitude of zero points determined by the Connecticut Ground Water Survey.

Readings converted to mean sea level by Connecticut Ground Water Survey.

Time is Eastern Standard Time.

... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

— 251 —

... ..
... ..
... ..
... ..

... ..
... ..

... ..
... ..

... ..

Gauge Heights at Windsor Locks, Connecticut
Connecticut Light & Power Company Plant
Point Number 140

September 21 to September 27, 1938

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 21			September 22 (continued)		
Station 140-1			Station 140-2		
6:00PM	2.58b	27.48	7:00PM	6.66a	36.75
6:15	2.42b	27.64	8:00	6.83a	36.92
6:45	2.25b	27.81	9:00	6.95a	37.04
7:00	2.04b	28.02	10:00	7.08a	37.17
7:30	1.83b	28.23	11:00	6.95a	37.04
8:00	1.67b	28.39	12:00Mid	7.42a	37.51
8:30	1.42b	28.64	September 23		
9:00	1.16b	28.90	1:00AM	7.50a	37.59
9:30	1.00b	29.06	2:00	7.58a	37.67
10:00	0.75b	29.31	3:00	7.70a	37.79
10:30	0.50b	29.56	4:00	7.79a	37.88
11:00	0.29b	29.77	5:00	7.87a	37.96
Station 140-2			6:00	7.95a	38.04
12:00Mid	0.25a	30.34	7:00	8.04a	38.13
September 22			8:00	8.04a	38.13
12:30AM	0.54a	30.53	9:00	8.04a	38.13
1:00	0.81a	30.90	10:00	8.04a	38.13
1:30	1.12a	31.21	11:00	8.08a	38.17
2:00	1.33a	31.42	12:00Noon	8.08a	38.17
2:30	1.67a	31.76	1:00PM	8.08a	38.17
3:00	1.85a	31.94	2:00	8.08a	38.17
3:30	2.12a	32.21	3:00	8.08a	38.17
4:00	2.35a	32.44	4:00	8.04a	38.13
4:30	2.58a	32.67	5:00	8.08a	38.17
5:00	2.89a	32.98	5:30	8.00a	38.09
5:30	3.08a	33.17	6:00	8.00a	38.09
6:00	3.33a	33.42	6:30	8.00a	38.09
6:30	3.50a	33.59	7:00	8.00a	38.09
7:00	3.71a	33.80	8:00	7.95a	38.04
8:00	4.08a	34.17	9:00	7.91a	38.00
9:00	4.42a	34.51	10:00	7.83a	37.92
10:00	4.66a	34.75	11:00	7.70a	37.79
11:00	5.00a	35.09	12:00Mid	7.62a	37.71
12:00Noon	5.29a	35.38	September 24		
1:00PM	5.46a	35.55	1:00AM	7.54a	37.63
2:00	5.62a	35.71	2:00	7.42a	37.51
3:00	5.95a	36.04	3:00	7.33a	37.42
4:00	6.12a	36.21	4:00	7.25a	37.34
5:00	6.16a	36.25	5:00	7.12a	37.21
6:00	6.50a	36.59	6:00	7.00a	37.09

a - measurements above measuring point.

b - measurements below measuring point.

Gauge Heights for Windsor Locks, Connecticut (continued)

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
----------------	-----------------	---------------------

September 24 (continued)

September 25 (continued)

Station 140-2

Station 140-1

7:00AM	6.83a	36.92
8:00	6.66a	36.75
9:00	6.50a	36.59
10:00	6.42a	36.51
11:00	6.25a	36.34
12:00Noon	6.00a	36.09
1:00PM	5.91a	36.00
2:00	5.79a	35.88
3:00	5.50a	35.59
4:00	5.33a	35.42
5:00	5.16a	35.25
6:00	4.91a	35.00
7:00	4.75a	34.84
8:00	4.58a	34.67
9:00	4.33a	34.42
10:00	4.12a	34.21
11:00	3.87a	33.96
12:00Mid	3.66a	33.75

10:00PM	1.66b	28.40
11:00	1.79b	28.27
12:00Mid	1.91b	28.15

September 26

1:00AM	2.08b	27.98
2:00	2.33b	27.73
3:00	2.46b	27.60
4:00	2.66b	27.40
5:00	2.87b	27.19
6:00	3.08b	26.98
7:00	3.62b	26.44
8:00	3.83b	26.23
9:00	4.00b	26.06
10:00	4.20b	25.86
11:00	4.42b	25.64
12:00Noon	4.66b	25.40
1:00PM	4.87b	25.21
2:00	5.08b	24.98
3:00	5.25b	24.81
4:00	5.50b	24.56
5:00	5.66b	24.40
8:00	6.33b	23.73
9:00	6.58b	23.48
10:00	6.75b	23.31
11:00	6.83b	23.23
12:00	6.91b	23.15

September 25

1:00AM	3.37a	33.46
2:00	3.08a	33.17
3:00	2.87a	32.96
4:00	2.70a	32.79
5:00	2.50a	32.59
6:00	2.29a	32.38
7:00	2.08a	32.17
8:00	1.83a	31.92
9:00	1.83a	31.92
10:00	1.33a	31.42
11:00	1.12a	31.21
12:00Noon	0.91a	31.00
1:00PM	0.66a	30.75
2:00	0.37a	30.46
3:00	0.12a	30.21
4:00	0.00	30.09

September 27

1:00AM	7.00b	23.06
2:00	7.08b	22.98
3:00	7.29b	22.77
4:00	7.50b	22.56
5:00	7.75b	22.31
6:00	8.00b	22.06
7:00	8.25b	21.81
8:00	8.42b	21.64
9:00	8.58b	21.48
10:00	8.75b	21.31
11:00	9.00b	21.06
12:00Noon	9.16b	20.90
1:00PM	9.33b	20.73
2:00	9.50b	20.56

Station 140-1

5:00PM	0.33b	29.73
6:00	0.66b	29.40
7:00	0.87b	29.19
8:00	1.16b	28.90
9:00	1.46b	28.60

a - measurements above measuring point.

b - measurements below measuring point.

Gauge Heights at Windsor Locks, Connecticut
The Montgomery Company
Point Number 150
Approximately 63.7 miles from Saybrook Light

OBSERVED BY:- Employees of the Montgomery Company.

PERIOD:- 3:00PM, September 22 to 3:00PM, September 25, 1938.

FLOOD CREST ALTITUDE:- 38.40 feet, m.s.l.

DATUM:- United States Coast and Geodetic Survey, mean sea level.

LOCATION OF GAUGE:-

Top of 9th tread from bottom of stairway of main
building leading to basement of building.

ALTITUDE OF ZERO OF GAUGE:- 35.73 feet, m.s.l.

REMARKS:-

Zero of gauge referenced to mean sea level by
Connecticut Ground Water Survey. Readings converted
to mean sea level elevations by
Connecticut Ground Water Survey.

Zero of gauge was below water from 3:00PM, September 22
to 1:00PM, September 24, 1938.

Time is Eastern Standard Time.

The first part of the paper is devoted to a general discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The second part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The third part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The fourth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The fifth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The sixth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The seventh part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The eighth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The ninth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The tenth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

Gauge Heights at Windsor Locks, Connecticut
The Montgomery Company
(Main building)
Point Number 150
September 22 to September 25, 1938

Zero of gauge - 35.73 feet above M.S.L.


TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.	TIME E.S.T.	STAGE HEIGHT	ELEVATION M.S.L.
September 22			September 24 (continued)		
3:00PM	0.50a	36.23	2:00AM	1.56a	37.29
4:00	0.67a	36.40	3:00	1.45a	37.18
5:00	0.91a	36.64	4:00	1.33a	37.06
6:00	1.04a	36.77	5:00	1.18a	36.91
7:00	1.16a	36.89	6:00	1.12a	36.85
8:00	1.35a	37.08	7:00	1.00a	36.73
9:00	1.50a	37.23	8:00	1.00a	36.73
10:00	1.64a	37.37	9:00	1.00a	36.73
11:00	1.77a	37.50	10:00	0.83a	36.56
12:00Mid	1.91a	37.64	11:00	0.67a	36.40
September 23			12:00Noon	0.62a	36.35
1:00AM	2.04a	37.77	1:00PM	0.33a	36.06
2:00	2.16a	37.89	2:00	0.13a	35.89
3:00	2.25a	37.98	3:00	0.03b	35.65
4:00	2.33a	38.06	4:00	0.25b	35.48
5:00	2.42a	38.15	5:00	0.42b	35.31
6:00	2.46a	38.19	6:00	0.58b	35.15
7:00	2.50a	38.23	7:00	0.79b	34.94
8:00	2.54a	38.27	8:00	1.00b	34.73
9:00	2.59a	38.32	9:00	1.25b	34.48
10:00	2.64a	38.27	10:00	1.46b	34.27
11:00	2.67a	38.40	11:00	1.71b	34.02
12:00Noon	2.67a	38.40	12:00Mid	1.87b	33.86
1:00PM	2.67a	38.40	September 25		
2:00	2.62a	38.35	1:00AM	2.12b	33.61
3:00	2.62a	38.35	2:00	2.33b	33.40
4:00	2.58a	38.31	3:00	2.58b	33.15
5:00	2.56a	38.29	4:00	2.83b	32.90
6:00	2.53a	38.26	5:00	3.04b	32.69
7:00	2.42a	38.15	6:00	3.33b	32.40
8:00	2.42a	38.15	7:00	3.50b	32.23
9:00	2.33a	38.06	8:00	3.67b	32.06
10:00	2.27a	38.00	9:00	3.91b	31.82
11:00	2.18a	37.91	10:00	4.12b	31.61
12:00Mid	2.12a	37.85	11:00	4.37b	31.36
September 24			12:00Noon	4.58b	31.15
1:00AM	1.67a	37.40	1:00PM	5.00b	30.73
			2:00	5.20b	30.53
			3:00	5.75b	29.98

a - water above zero of gauge.
b - water below zero of gauge.

V. COMPARATIVE FLOOD CRESTS
CONNECTICUT RIVER
1936 and 1938

GRAPHIC COMPARISON OF VARIOUS
FLOOD CRESTS - WINDSOR LOCKS, CONN.

1936
ELV. 40.15 M.S.L. **



* FLOOD CREST ELEVATION BY MONTGOMERY CO.
DATA OBTAINED BY CONN. GROUND WATER SURVEY & MONTGOMERY CO.

XX POINT ESTABLISHED BY MONTGOMERY CO. AND REFERENCED BY
CONN. GROUND WATER SURVEY

GRAPHIC COMPARISON OF VARIOUS FLOOD CRESTS — SPRINGFIELD, MASS.

1936 FLEV = 68.36 M.S.L. *

1.03

1938

FLEV = 65.33 M.S.L. **

5.17

5.27

5.37

5.87

1927

1854

1862

1801

COMPARATIVE FLOOD CRESTS
CONNECTICUT RIVER
1936 - 1938 *
in
Feet above Mean Sea Level
U.S. Coast & Geodetic Datum

<u>Locations</u>	<u>1936</u>	<u>1938</u>	<u>Difference</u>
<u>Thompsonville</u>			
Enfield Dam	55.08	52.88	2.20 ^d
<u>Windsor Locks</u>			
Connecticut Light & Power Co.	39.74	38.18	1.57 ^b
Montgomery Company	40.15	38.40	1.75 ^c
<u>Windsor</u>			
Farmington River Highway Bridge	38.92	36.48	2.44
<u>Hartford</u>			
Valley Railroad Depot	36.73	34.65	2.08 ^a
New England Transportation Co.	37.28	35.21	2.07 ^a
Bulkeley Memorial Bridge	37.06	34.88	2.18
U. S. Weather Bureau			
<u>Wethersfield</u>			
Connecticut State Prison	35.66	33.10	2.56 ^a
#17 Broad Street	35.30	32.48	2.82 ^a
<u>Rocky Hill</u>			
Connecticut Foundry Company	34.8	31.8	3.0
Meadow Street (Grey House)	34.6	31.9	2.7
<u>Cromwell</u>	31.7	28.5	3.2 ^e

* - For a description of high-water marks during the flood of 1936 see
"The Great Flood of March, 1936": Connecticut Ground Water Survey.

a - Hartford City Engineers Data

b - Connecticut Light & Power Company readings

c - Montgomery Company readings

d - U. S. Geological Survey gauge

e - 1936 point on Route #72; 1938 point at Cromwell Center

Comparative Flood Crests - Connecticut River - 1936 - 1938 - (Continued)

<u>Locations</u>	<u>1936</u>	<u>1938</u>	<u>Difference</u>
<u>Middletown</u>			
Hartford Avenue	30.3	27.4	2.9
Sewage Disposal Plant	30.4	27.3	3.1
<u>Higganum</u>			
Railroad Station	23.5	21.3	2.2
<u>Haddam</u>			
East Haddam Bridge west shore	18.1	16.6	1.5
East Haddam Bridge east shore	17.9	16.6	1.3
<u>Chester</u>	14.5	13.2	1.3 ^f
<u>Deep River</u>			
Railroad	14.2	12.5	1.7 ^e
<u>Essex</u>			
Essex Paint & Marine Company	10.1	8.82	1.3

e - 1936 point on Route #72; 1938 point at Cromwell Center

f - 1936 point on Ferry Road; 1938 point on Route #9 & 148

g - Both elevations established in 1938. The 1936 mark from information furnished by the Smith Lace Company

NOTE: All 1936 flood elevations taken from a report, "The Great Flood of March 1936 in Connecticut" etc., prepared by The Connecticut Ground Water Survey.

Date	No.	Name	Address
May 1, 1914	1	John A. Smith	1234 Main St., Chicago, Ill.
May 2, 1914	2	Mary E. Jones	5678 Oak St., Chicago, Ill.
May 3, 1914	3	Robert L. Brown	9012 Elm St., Chicago, Ill.
May 4, 1914	4	Elizabeth C. White	3456 Maple St., Chicago, Ill.
May 5, 1914	5	William H. Black	7890 Pine St., Chicago, Ill.
May 6, 1914	6	Sarah M. Green	2101 Cedar St., Chicago, Ill.
May 7, 1914	7	James D. Hall	4567 Birch St., Chicago, Ill.

Received of the above named persons the sum of \$100.00 for the purpose of the American Medical Association, Chicago, Ill., May 1, 1914.

Witness my hand and seal of office this 1st day of May, 1914.

Secretary of the American Medical Association

VI. HIGH-WATER MARKS, CONNECTICUT RIVER
FLOOD OF SEPTEMBER, 1938



High Water Marks
Connecticut River (West Shore)
Flood of September 1938

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by (a)
2	Old Saybrook	1.5	3.601	C.G.W.S.
4	Old Saybrook	4.3	5.79	C.G.W.S.
6	Essex	7.1	8.824	C.G.W.S.
8	Essex	7.1	8.839	C.G.W.S.
10	Saybrook (Deep River)	11.4	12.677	C.G.W.S.
12	Saybrook (Deep River)	11.85	12.454	C.G.W.S.
14	Saybrook (Deep River)	11.9	12.529	C.G.W.S.
16	Chester	Trib.	13.186	C.G.W.S.
18	Chester	Trib.	13.245	C.G.W.S.
20	Chester	13.4	13.284	C.G.W.S.
22	Chester	13.6	12.969	C.G.W.S.
24	Haddam	16.65	16.230	C.G.W.S.
26	Haddam	16.65	16.595	C.G.W.S.
28	Haddam	20.7	19.483	C.G.W.S.
30	Haddam	20.75	19.175	C.G.W.S.
32	Haddam (Higganum)	22.55	20.985	C.G.W.S.
34	Haddam (Higganum)	22.6	21.088	C.G.W.S.
36	Haddam (Higganum)	22.8	21.303	C.G.W.S.
38	Haddam (Higganum)	22.8	21.275	C.G.W.S.
40	Haddam (Higganum)	22.8	21.273	C.G.W.S.

(a) - Connecticut Ground Water Survey.

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by (a)
42	Middletown (Maromas)	26.2	23.247	C.G.W.S.
44	Middletown (Laurel)	28.25	24.420	C.G.W.S.
46	Middletown (Laurel)	28.25	24.82	Copeland
48A	Middletown (Narrows)	29.0	25.34	Copeland
50	Middletown (Narrows)	29.25	25.51	Copeland
52	Middletown (Narrows)	29.52	25.75 (b)	C.G.W.S.
52A	Middletown (Narrows) above	29.52	25.671	C.G.W.S.
54	Middletown (Narrows) above	29.57	25.636	C.G.W.S.
56	Middletown (Narrows)	30.0	26.366 (b)	C.G.W.S.
58	Middletown	30.45	26.214	C.G.W.S.
60	Middletown	30.5	26.174	C.G.W.S.
62	Middletown	31.4	27.33 (c)	M.P.W.
64	Middletown	31.94	27.42 (b)	C.G.W.S.
66	Middletown	32.3	27.246	C.G.W.S.
68	Cromwell	33.88	28.539	C.G.W.S.
70	Cromwell	33.88	28.533	C.G.W.S.
72	Cromwell	34.1	29.070	C.G.W.S.
74	Cromwell	36.7	29.721	C.G.W.S.
76	Rocky Hill	39.0	30.574	C.G.W.S.
78	Rocky Hill	39.0	30.58 (d)	H.C.E.
80	Rocky Hill	40.15	31.45	H.C.E.
82	Rocky Hill	40.22	31.790	C.G.W.S.

(a) - Connecticut Ground Water Survey

(b) - gauge height

(c) - Middletown Department of Public Works

(d) - Hartford City Engineering Department

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by (a)
84	Rocky Hill	40.22	31.796	C.G.W.S.
86	Rocky Hill	40.3	31.976	C.G.W.S.
88	Rocky Hill	40.3	31.909	C.G.W.S.
90	Rocky Hill	42.6	32.59	C.G.W.S.
92	Wethersfield	43.1	32.411	C.G.W.S.
94	Wethersfield	43.7	32.518	C.G.W.S.
96	Wethersfield	44.8	32.442	C.G.W.S.
98	Wethersfield	46.58	32.720	C.G.W.S.
100	Wethersfield	46.58	32.48	H.C.E.
102	Wethersfield	46.58	32.786	C.G.W.S.
104	Wethersfield	47.65	33.10	H.C.E.
106	Hartford	50.7	34.53	H.C.E.
108	Hartford	51.4	34.65	H.C.E.
110	Hartford	51.7	35.21	H.C.E.
112	Hartford	51.85	35.20	H.C.E.
114	Hartford	52.10	35.43	H.C.E.
116	Hartford	52.3	35.56	H.C.E.
118	Hartford	52.4	35.60	H.C.E.
120	Hartford	52.45	35.72	H.C.E.
122	Hartford	53.0	35.68	H.C.E.

(a) - Connecticut Ground Water Survey

(b) - gauge height

(d) - Hartford City Engineering Department

Number	Location	Miles from Saybrook Jetty	Elevation	Set by
			m.s.l. (b)	
124	Windsor (Wilson)	54.94	36.15	C.G.W.S. (d)
126	Windsor (Wilson)	54.94	35.85 (b)	H.C.E.
128	Windsor (Wilson)	(55.5 (55.5	(36.52 (36.43	C.G.W.S.
130	Windsor	57.3	36.63	C.G.W.S. (d)
132	Windsor	57.3	36.77 (b)	H.C.E.
134	Windsor	57.9	36.83	C.G.W.S. (d)
136	Windsor	57.9	36.86 (b)	H.C.E.
138	Windsor	58.05	36.48 (b)	C.G.W.S. (e)
140	Windsor Locks	63.27	38.14	C.L.P. (d)
142	Windsor Locks	63.55	38.76	H.C.E.
144	Windsor Locks	63.7	38.75	H.C.E. (f)
146	Windsor Locks	63.71	38.33	M.C.
148	Windsor Locks	63.71	38.68 (b)	M.C.
150	Windsor Locks	63.71	38.40	M.C. (g)
152	Windsor Locks	63.74	38.791	H.C.

- (a) - Connecticut Ground Water Survey
 (b) - Gauge height
 (d) - Hartford City Engineering Department
 (e) - Connecticut Light & Power Company
 (f) - Montgomery Company
 (g) - Horton Company

1	1	1	1	1
2	2	2	2	2
3	3	3	3	3
4	4	4	4	4
5	5	5	5	5
6	6	6	6	6
7	7	7	7	7
8	8	8	8	8
9	9	9	9	9
10	10	10	10	10
11	11	11	11	11
12	12	12	12	12
13	13	13	13	13
14	14	14	14	14
15	15	15	15	15
16	16	16	16	16
17	17	17	17	17
18	18	18	18	18
19	19	19	19	19
20	20	20	20	20
21	21	21	21	21
22	22	22	22	22
23	23	23	23	23
24	24	24	24	24
25	25	25	25	25
26	26	26	26	26
27	27	27	27	27
28	28	28	28	28
29	29	29	29	29
30	30	30	30	30
31	31	31	31	31
32	32	32	32	32
33	33	33	33	33
34	34	34	34	34
35	35	35	35	35
36	36	36	36	36
37	37	37	37	37
38	38	38	38	38
39	39	39	39	39
40	40	40	40	40
41	41	41	41	41
42	42	42	42	42
43	43	43	43	43
44	44	44	44	44
45	45	45	45	45
46	46	46	46	46
47	47	47	47	47
48	48	48	48	48
49	49	49	49	49
50	50	50	50	50
51	51	51	51	51
52	52	52	52	52
53	53	53	53	53
54	54	54	54	54
55	55	55	55	55
56	56	56	56	56
57	57	57	57	57
58	58	58	58	58
59	59	59	59	59
60	60	60	60	60
61	61	61	61	61
62	62	62	62	62
63	63	63	63	63
64	64	64	64	64
65	65	65	65	65
66	66	66	66	66
67	67	67	67	67
68	68	68	68	68
69	69	69	69	69
70	70	70	70	70
71	71	71	71	71
72	72	72	72	72
73	73	73	73	73
74	74	74	74	74
75	75	75	75	75
76	76	76	76	76
77	77	77	77	77
78	78	78	78	78
79	79	79	79	79
80	80	80	80	80
81	81	81	81	81
82	82	82	82	82
83	83	83	83	83
84	84	84	84	84
85	85	85	85	85
86	86	86	86	86
87	87	87	87	87
88	88	88	88	88
89	89	89	89	89
90	90	90	90	90
91	91	91	91	91
92	92	92	92	92
93	93	93	93	93
94	94	94	94	94
95	95	95	95	95
96	96	96	96	96
97	97	97	97	97
98	98	98	98	98
99	99	99	99	99
100	100	100	100	100

The following table shows the results of the experiments conducted on the 100 samples of the material under investigation. The data is presented in a tabular format, with the first column representing the sample number, the second column representing the measured value, and the third column representing the calculated value. The results are as follows:

Sample Number	Measured Value	Calculated Value
1	1.2	1.1
2	1.5	1.4
3	1.8	1.7
4	2.1	2.0
5	2.4	2.3
6	2.7	2.6
7	3.0	2.9
8	3.3	3.2
9	3.6	3.5
10	3.9	3.8
11	4.2	4.1
12	4.5	4.4
13	4.8	4.7
14	5.1	5.0
15	5.4	5.3
16	5.7	5.6
17	6.0	5.9
18	6.3	6.2
19	6.6	6.5
20	6.9	6.8
21	7.2	7.1
22	7.5	7.4
23	7.8	7.7
24	8.1	8.0
25	8.4	8.3
26	8.7	8.6
27	9.0	8.9
28	9.3	9.2
29	9.6	9.5
30	9.9	9.8
31	10.2	10.1
32	10.5	10.4
33	10.8	10.7
34	11.1	11.0
35	11.4	11.3
36	11.7	11.6
37	12.0	11.9
38	12.3	12.2
39	12.6	12.5
40	12.9	12.8
41	13.2	13.1
42	13.5	13.4
43	13.8	13.7
44	14.1	14.0
45	14.4	14.3
46	14.7	14.6
47	15.0	14.9
48	15.3	15.2
49	15.6	15.5
50	15.9	15.8
51	16.2	16.1
52	16.5	16.4
53	16.8	16.7
54	17.1	17.0
55	17.4	17.3
56	17.7	17.6
57	18.0	17.9
58	18.3	18.2
59	18.6	18.5
60	18.9	18.8
61	19.2	19.1
62	19.5	19.4
63	19.8	19.7
64	20.1	20.0
65	20.4	20.3
66	20.7	20.6
67	21.0	20.9
68	21.3	21.2
69	21.6	21.5
70	21.9	21.8
71	22.2	22.1
72	22.5	22.4
73	22.8	22.7
74	23.1	23.0
75	23.4	23.3
76	23.7	23.6
77	24.0	23.9
78	24.3	24.2
79	24.6	24.5
80	24.9	24.8
81	25.2	25.1
82	25.5	25.4
83	25.8	25.7
84	26.1	26.0
85	26.4	26.3
86	26.7	26.6
87	27.0	26.9
88	27.3	27.2
89	27.6	27.5
90	27.9	27.8
91	28.2	28.1
92	28.5	28.4
93	28.8	28.7
94	29.1	29.0
95	29.4	29.3
96	29.7	29.6
97	30.0	29.9
98	30.3	30.2
99	30.6	30.5
100	30.9	30.8

High Water Marks
Connecticut River (East Shore)
Flood of September 1938

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by (a)
3	Lyme (Ely's Landing)	7.9	8.858	C.G.W.S.
5	Lyme (Brockways)	9.0	10.752	C.G.W.S.
7	Lyme (Hamburg Cove)	Trib.	9.867	C.G.W.S.
9	Lyme (Hamburg Cove)	Trib.	10.113	C.G.W.S.
11	Lyme (Hadlyme)	13.6	13.391*	C.G.W.S.
13	Lyme (Hadlyme)	13.6	13.603*	C.G.W.S.
15	Lyme (Hadlyme)	13.6	13.494*	C.G.W.S.
17	Lyme (Hadlyme)	13.6	13.593*	C.G.W.S.
19	Lyme (Hadlyme)	13.5	13.246*	C.G.W.S.
21	East Haddam	16.61	16.165	C.G.W.S.
23	East Haddam	16.61	15.857	C.G.W.S.
25	East Haddam	16.65	16.511	C.G.W.S.
27	East Haddam	16.65	16.560	C.G.W.S.
29	East Haddam	17.4	17.695	C.G.W.S.
31	Haddam (Rock Landing)	21.7	20.293	C.G.W.S.
33	Haddam (Rock Landing)	21.7	19.601	C.G.W.S.
35	E. Hampton (Mid. Haddam)	26.4	22.755	C.G.W.S.
37	East Hampton (Cobalt)	27.1	24.075	C.G.W.S.
39	Portland	28.4	24.737	C.G.W.S.
41	Portland	29.95	26.623	C.G.W.S.

(a) - Connecticut Ground Water Survey

* - Elevations established from tidal B.M. serial #81 which was based on observation during June 28-30, 1917 at which time the river was very high - See "Tidal B.M.'s - State of Conn." Page 16.

THE HISTORY OF THE CITY OF BOSTON FROM 1630 TO 1800

Year	Event	Page
1630	First settlement of Boston	1
1634	First church organized	2
1635	First school established	3
1636	First public house opened	4
1637	First fire in Boston	5
1638	First public library	6
1639	First public market	7
1640	First public school	8
1641	First public hospital	9
1642	First public prison	10
1643	First public workhouse	11
1644	First public almshouse	12
1645	First public bathhouse	13
1646	First public theatre	14
1647	First public library	15
1648	First public market	16
1649	First public school	17
1650	First public hospital	18
1651	First public prison	19
1652	First public workhouse	20
1653	First public almshouse	21
1654	First public bathhouse	22
1655	First public theatre	23
1656	First public library	24
1657	First public market	25
1658	First public school	26
1659	First public hospital	27
1660	First public prison	28
1661	First public workhouse	29
1662	First public almshouse	30
1663	First public bathhouse	31
1664	First public theatre	32
1665	First public library	33
1666	First public market	34
1667	First public school	35
1668	First public hospital	36
1669	First public prison	37
1670	First public workhouse	38
1671	First public almshouse	39
1672	First public bathhouse	40
1673	First public theatre	41
1674	First public library	42
1675	First public market	43
1676	First public school	44
1677	First public hospital	45
1678	First public prison	46
1679	First public workhouse	47
1680	First public almshouse	48
1681	First public bathhouse	49
1682	First public theatre	50
1683	First public library	51
1684	First public market	52
1685	First public school	53
1686	First public hospital	54
1687	First public prison	55
1688	First public workhouse	56
1689	First public almshouse	57
1690	First public bathhouse	58
1691	First public theatre	59
1692	First public library	60
1693	First public market	61
1694	First public school	62
1695	First public hospital	63
1696	First public prison	64
1697	First public workhouse	65
1698	First public almshouse	66
1699	First public bathhouse	67
1700	First public theatre	68

THE HISTORY OF THE CITY OF BOSTON FROM 1630 TO 1800
 BY JAMES OSGOOD
 BOSTON: PUBLISHED BY J. B. LEECH, 1845.

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set By
43	Portland	29.95	26.523	C.G.W.S.(a)
45	Portland	32.5	27.109	C.G.W.S.
47	Portland (Gildersleeve)	35.2	30.149	C.G.W.S.
49	Portland (Gildersleeve)	36.5	30.599	C.G.W.S.
51	Glastonbury	39.6	31.324	C.G.W.S.
53	Glastonbury	40.4	31.797	C.G.W.S.
55	Glastonbury	40.4	31.697	C.G.W.S.
57	Glastonbury	40.8	32.515	C.G.W.S.
59	Glastonbury	45.2	32.564	C.G.W.S.
61	Glastonbury	45.5	33.013	C.G.W.S.
63	Glastonbury	45.5	33.051	C.G.W.S.
65	Glastonbury	45.5	33.024	C.G.W.S.
67	Glastonbury	45.6	33.062	C.G.W.S.
67A	Glastonbury	45.6	32.967	C.G.W.S.
69	Glastonbury	46.4	33.066	C.G.W.S.
71	East Hartford	48.0	33.054	C.G.W.S.
73	East Hartford	49.8	33.750	C.G.W.S.
75	East Hartford	49.8	33.606	C.G.W.S.
77	East Hartford	50.5	34.114 (b)	C.G.W.S. (c)
79	East Hartford	50.8	34.27	E.H.-WPA
81	East Hartford	51.5	34.53 (b)	E.H.-WPA
83	East Hartford	54.0	35.87	E.H.-WPA

(a) - Connecticut Ground Water Survey

(b) - gauge station

(c) - East Hartford WPA

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by
85	South Windsor	55.8	36.269	C.G.W.S. (a)
87	South Windsor	57.8	37.082	C.G.W.S. (d)
89	East Windsor	63.4	38.204	WPA - K
91	East Windsor	63.5	38.870	WPA - K
93	East Windsor	63.7	38.732	WPA - K
95	East Windsor	63.8	38.639	C.G.W.S.
97	East Windsor	65.85	38.648	WPA - K
99	Enfield	64.84	40.115	WPA - K (e)
101	Enfield (Thompsonville)	68.9	55.983	B.S. Co.

(a) - Connecticut Ground Water Survey

(d) - WPA Kehler

(e) - Bigelow-Sanford Carpet Co.

VII. HURRICANE WAVE-MARKS, CONNECTICUT RIVER

Hurricane Wave Marks
Connecticut River
East Shore

Number	Location	Miles from Saybrook Jetty	Elevation m.s.l.	Set by (a)
T 1	Old Lyme (Blackhall)	0.5 $\frac{1}{2}$	9.175	C.G.W.S.
T 3	Old Lyme (Blackhall)	0.5 $\frac{1}{2}$	9.094	C.G.W.S.
T 5	Old Lyme (Quarry Point)	5.8	9.688	C.G.W.S.
T 7	Lyme (Brockway Landing)	9.0	8.790	C.G.W.S.
T 9	Lyme (Hamburg Cove)	Trib.	10.175	C.G.W.S.
T 13	Lyme (Hadlyme)	13.6	11.53 *	C.G.W.S.

West Shore

T 2	Old Saybrook	0.95	9.418	C.G.W.S.
T 4	Old Saybrook	4.3	9.145	C.G.W.S.
T 6	Essex	7.1	9.961	C.G.W.S.
T 8	Saybrook (Deep River)	11.4	10.6 $\frac{1}{2}$	C.G.W.S.
T 10	Chester	Trib.	10.456	C.G.W.S.
T 12	Chester	Trib.	10.551	C.G.W.S.

(a) - Connecticut Ground Water Survey

- * - Elevations established from tidal B.M. serial #81 which was based on observation during June 28-30, 1917 at which time the river was very high - See "Tidal B.M.'s - State of Conn." Page 16,

VIII. HIGH-WATER MARKS, TRIBUTARY STREAMS
CONNECTICUT RIVER

LITTLE RIVER
COCHINCHAUG RIVER
SALMON RIVER

High Water Marks
Tributary Streams (Connecticut River)
Flood of September 1938

Number	Location	Miles from Connecticut River	Elevation m.s.l.	Set by
LITTLE RIVER				
L.R. 1	Newfield	1.7	28.217	C.G.W.S. (a)
L.R. 2	Newfield	1.7	28.279	C.G.W.S.
L.R. 3	Newfield	1.7	28.104	C.G.W.S.
L.R. 4	Newfield	1.7	28.251	C.G.W.S.
L.R. 5	Cromwell	3.4	28.231	C.G.W.S.
L.R. 6	East Berlin	4.8	29.074	C.G.W.S.
L.R. 7	East Berlin	5.3	28.275	C.G.W.S.
COCHINGLUG RIVER				
(Middletown)				
C 1	Arawana Bridge	1.6	28.330	C.G.W.S.
C 2	Washington Street	2.4	28.532	C.G.W.S.
C 3	" " Underpass	1.9	27.886	C.G.W.S.
SANTON RIVER				
S.R. 1	Leesville	3.7	18.875	C.G.W.S.
S.R. 2	Leesville	3.7	18.533	C.G.W.S.

(a) - Connecticut Ground Water Survey

IX. DESCRIPTION, GRADING, AND ELEVATION OF
HIGH-WATER MARKS, CONNECTICUT RIVER

OLD SAYBROOK

No. 2

Elev. 3.601 feet m.s.l.
Profile Point

Saybrook Point Dock Road

The High Water Mark is 2.1 feet above the top of the south-east corner of a concrete foundation to the east of a restaurant building with a mansard roof. Flood crest point based on measurement.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G., U 16: Elevation 29.508 feet m.s.l.

OLD SAYBROOK

No. 4

Elev. 5.79 feet m.s.l.
Profile Point

Perssons Boat Works

The High Water Mark is the top of a small brass angle set on the scum line at the northeast corner of the boat shed at Perssons Boat Works.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; lower point of a galvanized iron triangle, marking water gauge zero on the boat dock at Perssons Boat Works: Elevation 6.312 feet m.s.l.

ESSEX

No. 6

Elev. 8.324 feet m.s.l.

Novelty Lane

The High Water Mark is the lower sharp point of a galvanized iron triangle set on the scum line on the north face of the east end of the west garage at the end of Novelty Lane, east of the Standard Oil Company plant, southwest of the Essex Paint and Marine Company and west of the Essex Yacht Club.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.E. 23 A tidal: Elevation 5.310 feet m.t.l.

ESSEX

No. 8

Elev. 8.839 feet m.s.l.
Profile Point

Novelty Lane

The High Water Mark is the top of a small brass angle set on the scum line set at the west edge of the most westerly window on the south side of the Essex Paint and Marine Company building at the end of Novelty Lane.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.E. 23 A tidal: Elevation 5.310 feet m.t.l.

100

SAYBROOK

No. 10

Elev. 12.677 feet m.s.l.
Profile Point

Essex Street, Deep River

The High Water Mark is the top of a small brass angle set on the scum line at the northwest corner of a shed, east of Pratt Cove creek on the south side of Essex Street.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. Q 16;
Elevation 17.241 feet m.s.l.

SAYBROOK

No. 12

Elev. 12.454 feet m.s.l.
Profile Point

Deep River; at Smith Lace Company opposite
Deep River railroad station.

The High Water Mark is the top of a small brass angle set at the scum line on a white fence post about 15 feet south of the southeast corner of the brick building nearest the railroad.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. Q 16;
Elevation 17.241 feet m.s.l.

SAYBROOK

No. 14

Elev. 12.529 feet m.s.l.

Deep River; at freight station

The High Water Mark is the top of a small brass angle set at the scum line on a supporting post of the platform near the northeast corner, east face, of the Deep River freight station.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. Q 16;
Elevation 17.241 feet m.s.l.

CHESTER

No. 16

Elev. 13.186 feet m.s.l.

Chester Center; at Old Stone Tavern opposite
Post Office.

The High Water Mark is 2.95 feet below a yellow keel mark on the southwest corner of the cement porch floor.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; Top of bottom porch step at front entrance of tavern, C.G.W.S.
Elevation 13.666 feet m.s.l. Run from U.S.C.&G. B.M. P 16;
Elevation 21.775 feet m.s.l.

CHESTER

No. 18

Elev. 13.245 feet m.s.l.

Chester Center; at Esso Gas Station opposite
Old Stone Tavern

The High Water Mark is the top of a small brass angle set
at the scum line on the east side of northerly front en-
trance door frame.

Established and referenced by Connecticut Ground Water
Survey. Class A. Reference E.M. used; Top of bottom
porch step at front entrance of tavern. C.G.W.S.
Elevation 13.666 feet m.s.l. Run from U.S.C.&G. B.M. P 16:
Elevation 21.775 feet m.s.l.

CHESTER

No. 20

Elev. 15.284 feet m.s.l.

Profile Point

Gulf Gas Station; Ferry Road and Conn. Route 9

The High Water Mark is the top of a small brass angle set
at the scum line on the southwest corner of south face of
Gulf Gas station building.

Established and referenced by Connecticut Ground Water
Survey. Class A. B.M. used; U.S.C.&G. P 16:
Elevation 21.775 feet m.s.l.

CHESTER

No. 22

Elev. 12.969 feet m.s.l.

Ferry Road; east of New York, New Haven and
Hartford Railroad Valley Division.

The High Water Mark is the top of a small brass angle set
at the scum line on the first telegraph pole on the south
side of Ferry Road where the wires cross the road.

Established and referenced by Connecticut Ground Water
Survey. Class B. B.M. used; U.S.C.&G. P 16:
Elevation 21.775 feet m.s.l.

HADDAM

No. 24

Elev. 16.230 feet m.s.l.

Tylerville; on west side of East Haddam bridge.

The High Water Mark is a staging nail set on the scum line
in the base of C.L.&P. pole 5 on the south side of the high-
way approach to East Haddam bridge. The flood crest point
is also marked by a staging nail at the same elevation in a
square post beside C.L.&P. pole 5.

Established and referenced by Connecticut Ground Water
Survey. Class A. B.M. used; U.S.C.&G. N 16:
Elevation 27.953 feet m.s.l.

1. The first of the three main points of the report is that the medical profession is not doing enough to protect the public health.

2. The second point is that the medical profession is not doing enough to protect the public health.

3. The third point is that the medical profession is not doing enough to protect the public health.

4. The fourth point is that the medical profession is not doing enough to protect the public health.

5. The fifth point is that the medical profession is not doing enough to protect the public health.

6. The sixth point is that the medical profession is not doing enough to protect the public health.

7. The seventh point is that the medical profession is not doing enough to protect the public health.

8. The eighth point is that the medical profession is not doing enough to protect the public health.

9. The ninth point is that the medical profession is not doing enough to protect the public health.

10. The tenth point is that the medical profession is not doing enough to protect the public health.

11. The eleventh point is that the medical profession is not doing enough to protect the public health.

12. The twelfth point is that the medical profession is not doing enough to protect the public health.

13. The thirteenth point is that the medical profession is not doing enough to protect the public health.

HADDAM

No. 26

Elev. 16.595 feet m.s.l.

Profile Point

Tylerville; at west side of East Haddam bridge.

The High Water Mark is the top of a small brass plate set at the scum line on a poplar stake driven in north side of the approach fill to East Haddam bridge, down the slope at the ninth highway fence post.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. N 16: Elevation 27.953 feet m.s.l.

HADDAM

No. 28

Elev. 19.483 feet m.s.l.

Profile Point

W.U.T.pole 1621; 1.9 miles south of Higganum railroad station, about 35 feet east of center line of Conn. Route 9.

The High Water Mark is the top of a small brass angle set at a clear cut water line on W.U.T. pole 1621, 1.075 feet below Connecticut Ground Water Survey 1936 Flood Mark 20 D on the same pole.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; 1936 Flood Mark: Elevation 20.558 feet m.s.l. Run from U.S.C.&G. B.M. L 16: Elevation 16.368 feet m.s.l.

HADDAM

No. 30

Elev. 19.175 feet m.s.l.

Profile Point

W.U.T.Co. pole L 10: on the west side of New York, New Haven and Hartford Railroad Valley Division tracks:

The High Water Mark is the top edge of a small brass plate set at a faint water line on the west face of W.U.T.Co. pole L 10. This is next pole north of W.U.T.Co. pole 1621.

Established and referenced by Connecticut Ground Water Survey. Class C. Reference B.M. used. C.G.W.S. 1936 Flood Mark on W.U.T.Co. pole 1621: Elevation 20.558 feet m.s.l. Run from U.S.C.&G. B.M. L 16: Elevation 16.368 feet m.s.l.

HADDAM

No. 32

Elev. 20.985 feet m.s.l.

Profile Point

Higganum Landing

The High Water Mark is the top edge of a small brass plate set at the scum line on the second veranda post from south end of two and one half story house with two story veranda fronting river. The mark is 2.225 feet below a plaque marking crest of 1936 flood.

1. The first part of the paper is devoted to a general discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science. The author discusses the various theories of the origin of life, and shows that the most probable one is the theory of spontaneous generation. This theory states that life originated from non-living matter through a series of chemical reactions. The author also discusses the possibility of life originating from extraterrestrial sources, but concludes that this is highly improbable.

2. The second part of the paper is devoted to a detailed discussion of the theory of spontaneous generation. The author shows that this theory is based on a number of facts which are well established by experiment. These facts are: (1) that life can be generated from non-living matter; (2) that the generation of life is a continuous process; (3) that the generation of life is a process which can be controlled by the environment. The author also discusses the various objections to the theory of spontaneous generation, and shows that these objections are unfounded. He concludes that the theory of spontaneous generation is the most probable one.

3. The third part of the paper is devoted to a discussion of the various theories of the origin of life. The author discusses the theory of creation, the theory of evolution, and the theory of spontaneous generation. He shows that the theory of creation is based on religious beliefs, the theory of evolution is based on scientific facts, and the theory of spontaneous generation is based on both religious beliefs and scientific facts. He concludes that the theory of spontaneous generation is the most probable one, and that it is the only one which is based on scientific facts.

4. The fourth part of the paper is devoted to a discussion of the various theories of the origin of life. The author discusses the theory of creation, the theory of evolution, and the theory of spontaneous generation. He shows that the theory of creation is based on religious beliefs, the theory of evolution is based on scientific facts, and the theory of spontaneous generation is based on both religious beliefs and scientific facts. He concludes that the theory of spontaneous generation is the most probable one, and that it is the only one which is based on scientific facts.

HADDAM

No. 32 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. K 16: Elevation 26.047 feet m.s.l.

HADDAM

No. 34

Elev. 21.088 feet m.s.l.

Profile Point

Higganum Landing; Grout property.

The High Water Mark is the flat edge of a horizontal chisel mark cut at the scum line on a rock ledge 6 to 7 feet northwest of northwest corner of house on the river front immediately north of the entrance road to Higganum Landing at the point where this road turns south along river front.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. K 16: Elevation 26.047 feet m.s.l.

HADDAM

No. 36

Elev. 21.503 feet m.s.l.

Profile Point

Higganum railroad station.

The High Water Mark is the top of a small brass angle set at the scum line on the northeast corner, east face, of third post south of north end of freight loading platform, on the east side of the platform about 6 inches above ground level at Higganum railroad station.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. K 16: Elevation 26.047 feet m.s.l.

HADDAM

No. 38

Elev. 21.275 feet m.s.l.

Higganum railroad station.

The High Water Mark is shown by the top edges of two small brass plates set at the silt line on the upper edge of the second board of the ramp at the north end of the loading platform at Higganum Station.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. K 16: Elevation 26.047 feet m.s.l.

HADDAM

No. 40

Elev. 21.273 feet m.s.l.

Higganum railroad station.

The High Water Mark is a cross chipped at the silt line on the west rail of the spur track on the west side of the loading platform near the north end of the Higganum station freight shed.

Received of the Treasurer of the County of ...
the sum of ...

for ...

...
...
...
...
...

...
...

...
...

...
...

...
...

...
...

...
...

...
...

...
...

HADDAM

No. 40 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. K 16:
Elevation 26.047 feet m.s.l.

MIDDLETOWN

No. 42

Elev. 23.247 feet m.s.l.
Profile Point

Maromas railroad station.

The High Water Mark is the top of a small brass angle set at the scum line on the third W.U.T. Co. pole southeast of the road to Maromas station on the New York, New Haven and Hartford Railroad Valley Division.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G., City of Middletown bronze disc on railroad bridge 25/90:
Elevation 37.844 feet m.s.l.

MIDDLETOWN

No. 44

Elev. 24.420 feet m.s.l.
Profile Point

Laurel, about 200 feet southeast of railroad bridge 26/53 of New York, New Haven and Hartford Railroad Valley Division.

The High Water Mark is the top of a small brass angle set at the scum line on S.N.E.T. pole 540 on River Road about 200 feet southeast of railroad bridge 26/53.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G., City of Middletown bronze disc set on railroad bridge 25/90:
Elevation 37.844 feet m.s.l.

MIDDLETOWN

No. 46

Elev. 24.82 feet m.s.l.
Profile Point

Laurel, 5688 feet below Gauge Station Narrows "B" near railroad underpass, River Road.

The High Water Mark is the top of a large headed galvanized nail set in 2 foot diameter double elm tree near railroad underpass, River Road.

Established and referenced by State Water Commission. Class B. B.M. used; northwest corner signal tower base:
Elevation 37.281 feet. Run from U.S.C.&G. B.M. H 16:
Elevation 48.806 feet m.s.l.

MIDDLETOWN

No. 48 A

Elev. 25.34 feet m.s.l.

Narrows, tree near concrete wall, dock of International Feldspar Company.

MIDDLETOWN

No. 48 A (cont'd)

The High Water Mark is top of large headed galvanized nail set in tree near concrete wall, dock of International Feldspar Company.

Established and referenced by State Water Commission.
Class B. B.M. used; northwest corner signal tower base:
Elevation 37.281 feet run from U.S.C.&G. B.M. H 16:
Elevation 48,806 feet m.s.l.

MIDDLETOWN

No. 50

Elev. 25.51 feet m.s.l.

Profile Point

Narrows - 425 feet \pm south of railroad monument #3

The High Water Mark is top of large headed galvanized nail set in tree about 425 feet south of railroad monument #3.

Established and referenced by the State Water Commission.
Class B. B.M. used; northwest corner signal tower base:
Elevation 37.281 feet m.s.l. Run from U.S.C.&G. B.M. H 16:
Elevation 48,806 feet m.s.l.

MIDDLETOWN

No. 52 A

Elev. 25.671 feet m.s.l.

Profile Point

Narrows: southeast of Connecticut State Hospital;
Chicken Farm.

The High Water Mark is the top of a small brass angle set at the scum line on an 8 inch ash tree about 3 feet southwest of gauge station on river bank at station 1455 \pm 94.20. Gauge station is about 60 feet north of New York, New Haven and Hartford Valley Division Railroad tracks, and 65 feet west of old signal tower base, 18 feet east of railroad mere stone 1456 \pm 12.20. The highest gauge reading has an elevation of 25.716 feet m.s.l. Gauge designated as Point 52.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; northwest corner of old signal tower base, C.G.W.S. Elevation 37.281 feet m.s.l. Run from U.S.C.&G. B.M. H 16:
Elevation 48,806 feet m.s.l.

MIDDLETOWN

No. 54

Elev. 25.636 feet m.s.l.

Profile Point

Narrows; southeast of Connecticut State Hospital
Farm

The High Water Mark is the top edge of a small brass plate set at the scum line on the larger bole of a 14-inch twin oak tree, east of and in line with a foot path leading to the bank of the river at south end of a small cut on New York, New Haven and Hartford Valley Division railroad.

MIDDLETOWN

No. 54 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; northwest corner of old signal tower base, C.G.W.S.; Elevation 37.281 feet m.s.l. Run from U.S.C.&G. B.M. H 16; Elevation 48.806 feet m.s.l.

MIDDLETOWN

No. 56

Elev. 26.366 feet m.s.l.

Silver Mine brook at bridge 28/04

The High Water Mark is the top edge of a small brass plate set at the scum line on a railroad tie in line with the third W.U.T. Co. pole west of trestle 28/04 and second west of trestle marking sign.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; northwest corner of old signal tower base, C.G.W.S.; Elevation 37.281 feet m.s.l. Run from U.S.C.&G. B.M. H 16; Elevation 48.806 feet m.s.l.

MIDDLETOWN

No. 60

Elev. 26.174 feet m.s.l.

Profile Point

Town Farm; corner of Silver Street and River Road

The High Water Mark is the top of a small brass angle set at the scum line on the southeast corner of the east face of a large red barn at the Middletown Town Farm

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; southeast corner of concrete pier under Connecticut State Hospital coal elevator north of Town Farm; C.G.W.S. Elevation 26.263 feet m.s.l. Run from U.S.C.&G. B.M. H 16; Elevation 48.806 feet m.s.l.

MIDDLETOWN

No. 62

Elev. 27.330 feet m.s.l.

Profile Point

Sumner Creek; Sewage Disposal Plant

The High Water Mark is a point 3.05 feet below 1936 flood crest marker on the south face of the southwest corner of the treatment building at the Middletown Sewage Disposal Plant.

Established and referenced by Middletown Department of Public Works. Class A.

MIDDLETOWN

No. 66

Elev. 27.246 feet m.s.l.

Profile Point

Little River bridge on Route 9 at Middletown-Cromwell town line.

THE FIRST PART OF THE HISTORY OF THE REIGN OF
 THE SECOND PART OF THE HISTORY OF THE REIGN OF
 THE THIRD PART OF THE HISTORY OF THE REIGN OF
 THE FOURTH PART OF THE HISTORY OF THE REIGN OF

THE FIFTH PART OF THE HISTORY OF THE REIGN OF

THE SIXTH PART OF THE HISTORY OF THE REIGN OF

THE SEVENTH PART OF THE HISTORY OF THE REIGN OF

THE EIGHTH PART OF THE HISTORY OF THE REIGN OF

THE NINTH PART OF THE HISTORY OF THE REIGN OF
 THE TENTH PART OF THE HISTORY OF THE REIGN OF
 THE ELEVENTH PART OF THE HISTORY OF THE REIGN OF

THE TWELFTH PART OF THE HISTORY OF THE REIGN OF
 THE THIRTEENTH PART OF THE HISTORY OF THE REIGN OF
 THE FOURTEENTH PART OF THE HISTORY OF THE REIGN OF

THE FIFTEENTH PART OF THE HISTORY OF THE REIGN OF

THE SIXTEENTH PART OF THE HISTORY OF THE REIGN OF

THE SEVENTEENTH PART OF THE HISTORY OF THE REIGN OF

THE EIGHTEENTH PART OF THE HISTORY OF THE REIGN OF

THE NINETEENTH PART OF THE HISTORY OF THE REIGN OF
 THE TWENTIETH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-FIRST PART OF THE HISTORY OF THE REIGN OF
 THE TWENTY-SECOND PART OF THE HISTORY OF THE REIGN OF
 THE TWENTY-THIRD PART OF THE HISTORY OF THE REIGN OF
 THE TWENTY-FOURTH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-FIFTH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-SIXTH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-SEVENTH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-EIGHTH PART OF THE HISTORY OF THE REIGN OF

THE TWENTY-NINTH PART OF THE HISTORY OF THE REIGN OF
 THE THIRTIETH PART OF THE HISTORY OF THE REIGN OF

THE THIRTY-FIRST PART OF THE HISTORY OF THE REIGN OF
 THE THIRTY-SECOND PART OF THE HISTORY OF THE REIGN OF

THE THIRTY-THIRD PART OF THE HISTORY OF THE REIGN OF

THE THIRTY-FOURTH PART OF THE HISTORY OF THE REIGN OF

THE THIRTY-FIFTH PART OF THE HISTORY OF THE REIGN OF

THE THIRTY-SIXTH PART OF THE HISTORY OF THE REIGN OF

MIDDLETOWN

No. 66 (cont'd)

The High Water Mark is the top of a small brass angle set at the scum line on C.L.P. Co. pole 829. Pole is 11.69 feet south of west end of south abutment of bridge.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; Bronze disc in south end of west abutment of old Middletown - Portland highway bridge. U.S.C.&G. Tidal B.M: Elevation 30.368 feet m.s.l.

CROMWELL

No. 68

Elev. 28.539 feet m.s.l.

Profile Point

Main Street; immediately east of railroad station:

The High Water Mark is a copper nail set at the scum line on the west face at the northwest corner of the City Service Gas Station. This is at the same location and immediately below C.G.W.S. 1936 high water mark 47.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 High Water Mark no. 47: Elevation 31.449 feet m.s.l. Run from U.S.C.&G. B.M., 300 feet northeast of railroad station and 7 feet west of granite monument on green: Elevation 29.370 feet m.s.l.

CROMWELL

No. 70 A

Elev. 28.533 feet m.s.l.

Cromwell Center: just south of railroad crossing on Conn. Route 9.

The High Water Mark is a small copper plug set at the scum line on C.L.&P. Co. pole 78.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 High Water Mark plug no. 47: Elevation 31.449 feet m.s.l. Run from U.S.C.&G. B.M., 300 feet northeast of railroad station and 7 feet west of granite monument on green: Elevation 29.370 feet m.s.l.

CROMWELL

No. 72 A

Elev. 29.070 feet m.s.l.

Profile Point

Wall Street; at east end.

The High Water Mark is a small brass nail set at the scum line in the sill of the first window east of front door of the fourth house from the east end of Wall Street on the north side of the street.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. south entrance platform of house at east end of Wall Street:

My dear Mr. Lloyd,
I have just received your letter of the 7th inst. and am
glad to hear that you are still in London.

I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

Yours faithfully,
John Maynard Keynes

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

Yours faithfully,
John Maynard Keynes

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

Yours faithfully,
John Maynard Keynes

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

I have just received your letter of the 7th inst. and
am glad to hear that you are still in London.
I am sorry to hear that you are not well, but
I hope you will soon be able to return to your
work.

CROMWELL

No. 72 A (cont'd)

Elevation 19.972 feet m.s.l. Run from U.S.C.&G. B.M., 300 feet northeast of railroad station and 7 feet west of granite monument on green: Elevation 29.370 feet m.s.l.

CROMWELL

No. 74

Elev. 29.721 feet m.s.l.

Profile Point

Nook's Hill Road; at east end of road.

The High Water Mark is a distinct scum line 3.755 feet below a nail in a 10-inch black oak tree on the north side of the road and about 30 feet northeast of a sign reading "End of Road."

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G., 300 feet northeast of railroad station and 7 feet west of granite monument on green: Elevation 29.370 feet m.s.l.

ROCKY HILL

No. 76

Elev. 30.574 feet m.s.l.

Profile Point

Dividend; Hartford Rayon Corporation

The High Water Mark is a scum line on the Fire House next to large brick boiler room.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; City of Hartford Engineering Department 1936 flood crest plug: Elevation 33.39 feet m.s.l.

ROCKY HILL

No. 78

Elev. 30.58 feet m.s.l.

Dividend; Hartford Rayon Corporation

The High Water Mark is 2.81 feet below bronze marker in concrete on west face of power house 1.5 feet south of northwest corner.

Established and referenced by Hartford City Engineering Department. Class A.

ROCKY HILL

No. 80

Elev. 31.45 feet m.s.l.

American Oil Company

The High Water Mark is 3.15 feet below a bronze marker set in the southeast corner of the concrete fire wall surrounding the horizontal loading tanks at the American Oil Company bulk plant.

Established and referenced by Hartford City Engineering Department. Class A.

1875

ROCKY HILL

No. 82

Elev. 31.790 feet m.s.l.
Profile Point

Connecticut Foundry Company

The High Water Mark is a scum line at the southeast corner on the south face of brick building.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest mark no. 50: Elevation 34.898 feet m.s.l. Run from U.S.G.S. B.M. 107-96 W. 1923: Elevation 106.895 feet m.s.l.

ROCKY HILL

No. 84 A

Elev. 31.796 feet m.s.l.
Profile Point

Connecticut Foundry Company

The High Water Mark is the top of a copper nail set at the scum line on H.E.L.Co. pole at the southwest corner, west face near door to building.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest mark no. 50: Elevation 34.898 feet m.s.l. Run from U.S.G.S. B.M. 107-96 W 1923: Elevation 106.895 feet m.s.l.

ROCKY HILL

No. 86 A.

Elev. 31.976 feet m.s.l.
Profile Point

Meadow Street

The High Water Mark is a copper nail set on the scum line at the southwest corner, south face, the main part of a grey house north of the Connecticut Foundry.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest mark no. 50: Elevation 34.898 feet m.s.l. Run from U.S.G.S. B.M. 107-96 W 1923: Elevation 106.895 feet m.s.l.

ROCKY HILL

No. 90 A

Elev. 32.590 feet m.s.l.
Profile Point

Silas Deane Highway; $\frac{1}{4}$ mile south of
Wethersfield Town Line

The High Water Mark is a copper nail set at the scum line on the twenty-seventh highway post from the south end of a line of posts on the west side of Conn. Route 9 about 100 feet north of the high tension line tower and about 0.2 miles north of H.E.L. Co. pole 703.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. top of northwest corner of culvert, west side of Conn. Route 9 about 100 feet north of high tension wire tower:

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

ROCKY HILL

No. 90 A (cont'd)

Elevation 27.366 feet m.s.l. Run from Metropolitan
District B.M. 133: Elevation 38.981 feet m.s.l.

WETHERSFIELD

No. 92 A

Elev. 32.411 feet m.s.l.

Profile Point

Silas Deane Highway near Rocky Hill Town Line

The High Water Mark is a copper nail set at the scum line on
a highway post on the east side of Conn. Route 9 and 8 feet
north of H.E.L. Co. pole 1543.

Established and referenced by Connecticut Ground Water
Survey. Class A. B.M. used; Metropolitan District
B.M. 133: Elevation 38.981 feet m.s.l.

WETHERSFIELD

No. 94 A

Elev. 32.518 feet m.s.l.

Profile Point

11 Maple Street

The High Water Mark is a copper nail set at the scum line on
the southeast post of a veranda on the south side of house
at 11 Maple Street.

Established and referenced by Connecticut Ground Water
Survey. Class A. B.M. used; Metropolitan District
B.M. 140: Elevation 61.273 feet m.s.l.

WETHERSFIELD

No. 96 A

Elev. 32.442 feet m.s.l.

Profile Point

Elm Street

The High Water Mark is a copper nail set at the scum line in
S.N.E.T. Co. pole 554 on north side of Elm Street near the
beginning of a highway fence.

Established and referenced by Connecticut Ground Water
Survey. Class A. B.M. used; Metropolitan District
B.M. 140 d; Elevation 38.036 feet m.s.l.

WETHERSFIELD

No. 98 A

Elev. 32.720 feet m.s.l.

Main Street (near Silas Deane Highway)

The High Water Mark is a copper nail set at the scum line on
S.N.E.T. Co. pole 624 about 35 feet east of New York,
New Haven and Hartford Valley Division Railroad tracks on
the south side of Main Street.

Established and referenced by Connecticut Ground Water
Survey. Class A. Reference B.M. used; C.G.W.S. 1936
flood crest mark no. 58 on S.N.E.T. Co. pole 652;
Elevation 35.120 feet m.s.l. Run from U.S.G.S. B.M. 45-97
W-1923: Elevation 44.640 feet m.s.l.

CHARLES THE FIRST

IN THE YEAR 1649

BY JOHN BURNET

THE HISTORY OF THE REIGN OF CHARLES THE FIRST

IN THE YEAR 1649

BY JOHN BURNET

IN TWO VOLUMES

THE HISTORY OF THE REIGN OF CHARLES THE FIRST

IN THE YEAR 1649

BY JOHN BURNET

IN TWO VOLUMES

THE HISTORY OF THE REIGN OF CHARLES THE FIRST

IN THE YEAR 1649

BY JOHN BURNET

IN TWO VOLUMES

THE HISTORY OF THE REIGN OF CHARLES THE FIRST

IN THE YEAR 1649

WETHERSFIELD

No. 100

Elev. 32.48 feet m.s.l.

17 Broad Street

The High Water Mark is 2.82 feet below bronze marker in north face of brownstone foundation, 1.6 feet west of north-west corner.

Established and referenced by Hartford City Engineering Department. Class A.

WETHERSFIELD

No. 102 A

Elev. 32.786 feet m.s.l.

Profile Point

Marsh Street at Broad Street

The High Water Mark is a keel mark at the scum line on the southwest corner of west face of house at 17 Marsh Street.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S., top of boulder at northeast corner of the green:
Elevation 29.310 feet m.s.l. Run from U.S.G.S. B.M. 45-97 W-1923: Elevation 44.787 feet m.s.l.

WETHERSFIELD

No. 104

Elev. 33.10 feet m.s.l.

Profile Point

State Prison

The High Water Mark is 2.56 feet below a bronze marker in the north face of the concrete tower house at the northwest corner of prison wall facing Wethersfield Cove.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 106

Elev. 34.53 feet m.s.l.

Profile Point

Van Dyke Avenue at Colt's Office

No definite description:

The High Water Mark established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 108

Elev. 34.65 feet m.s.l.

Profile Point

State Street

The High Water Mark is 2.08 feet below a bronze marker at the northwest corner of the old Valley Division, New York, New Haven and Hartford Railroad depot.

Established and referenced by Hartford City Engineering Department. Class A.

RECEIVED

TO THE UNIVERSITY OF CHICAGO
FROM THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILL.

HARTFORD

No. 110

Elev. 35.21 feet m.s.l.
Profile Point

190 Morgan Street

The High Water Mark is 2.07 feet below a bronze marker in brick work at east side of entrance to the New England Transportation Company at 190 Morgan Street.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 112

Elev. 35.20 feet m.s.l.
Profile Point

166 Village Street

The High Water Mark is 2.24 feet below a bronze marker in the north face of brown stone arch south of the side entrance to the City Missionary Society at 166 Village Street.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 114

Elev. 35.43 feet m.s.l.
Profile Point

503 Windsor Street

The High Water Mark is 2.16 feet below a bronze marker in the east face, south side of the entrance to the New England Brewery boiler room at 503 Windsor Street.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 116

Elev. 35.56 feet m.s.l.
Profile Point

95 Sanford Street

The High Water Mark is 2.23 feet below a bronze marker in the northwest corner of Rogers Sash and Door Company building at 95 Sanford Street.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD

No. 118

Elev. 35.60 feet m.s.l.
Profile Point

Windsor Street at Main Street

The High Water Mark is 2.26 feet below a bronze marker in the Terry Steam Turbine Company Office at the corner of Windsor and Main Streets.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD No. 120 Elev. 35.72 feet m.s.l.
 Profile Point
 2688 Main Street, opposite Earle Street

The High Water Mark is 2.14 feet below a bronze marker in the north face of building, 4.5 feet east of the northwest corner at 2688 Main Street.

Established and referenced by Hartford City Engineering Department. Class A.

HARTFORD No. 122 Elev. 35.68 feet m.s.l.
 Profile Point
 3340 Main Street

The High Water Mark is 2.25 feet below a bronze marker in the south face of brick pilaster at southwest corner of the Rolland Motor Company building at 3340 Main Street.

Established and referenced by Hartford City Engineering Department. Class A.

WINDSOR No. 126 Elev. 35.85 feet m.s.l.
 Wilson; Wilson Fire Station

The High Water Mark is 1.91 feet below bronze marker in the Wilson Avenue Fire House artificial stone foundation, at the center of west face of building.

Established and referenced by Hartford City Engineering Department. Class A.

WINDSOR No. 130 Elev. 36.63 feet m.s.l.
 Profile Point
 Loomis Institute

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the exterior face of the boiler room north wall in the brick work west of ground level entrance doors and 2 feet below C.G.W.S. 1936 flood crest marker no. 76.

Established by Loomis Institute maintenance foreman and referenced by Connecticut Ground Water Survey. Class B. Reference B.M. used; C.G.W.S. 1936 high water marker: Elevation 38.534 feet m.s.l. Run from U.S.C.&G. B.M. H 8: Elevation 35.699 feet m.s.l.

WINDSOR No. 132 Elev. 36.77 feet m.s.l.
 Profile Point
 Loomis Institute Road at Railroad Underpass.

No definite description.

Established and referenced by Hartford City Engineering Department. Class A.

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

...the ... of ...
...the ... of ...
...the ... of ...
...the ... of ...

WINDSOR

No. 136

Elev. 36.86 feet m.s.l.
Profile Point

Palisado Avenue

The High Water Mark is 1.81 feet below a brass marker on west wall of the highway underpass at New York, New Haven and Hartford Railroad.

Established and referenced by Hartford City Engineering Department. Class A.

WINDSOR LOCKS

No. 142

Elev. 38.76 feet m.s.l.
Profile Point

Dexter Paper Mill

The High Water Mark is 1.43 feet below a bronze marker in north face of building first concrete abutment east of large door.

Established and referenced by Hartford City Engineering Department. Class A.

WINDSOR LOCKS

No. 144

Elev. 38.75 feet m.s.l.
Profile Point

Canada Dry Ginger Ale Company

The High Water Mark is 1.45 feet below a bronze marker in south face of building.

Established and referenced by Hartford City Engineering Department. Class A.

WINDSOR LOCKS

No. 146

Elev. 38.33 feet m.s.l.
Profile Point

Montgomery Company, inside main building.

The High Water Mark is a pencil mark at the scum line on south side of the north wall of main stairwell to basement 8.270 feet above the ground floor level at foot of stairs.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. M 8; Elevation 37.401 feet m.s.l.

WINDSOR LOCKS

No. 148

Elev. 38.68 feet m.s.l.

Montgomery Company, outside main building

The High Water Mark is a blue keel mark at the scum line on the south face of building 20 feet from the south east corner on concrete pilaster.

WINDSOR LOCKS

No. 148 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G. M 8:
Elevation 37.401 feet m.s.l.

WINDSOR LOCKS

No. 152

Elev. 38.791 feet m.s.l.

E. Horton and Son Company

The High Water Mark is a small brass U.S.G.S. marker set at the oil line on a wooden supporting post at the south side of stairway to basement.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. M 8:
Elevation 37.401 feet m.s.l.

THE UNIVERSITY OF CHICAGO

DEPARTMENT OF THE HISTORY OF ARTS
AND ARCHITECTURE

THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO PRESS
1207 EAST 58TH STREET
CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO PRESS
1207 EAST 58TH STREET
CHICAGO, ILL. 60637

LYME

No. 3

Elev. 8.858 feet m.s.l.
Profile Point

Old Ely Landing

The High Water Mark is the top of a small brass angle set at the scum line on west face at northwest corner of E. H. Cooper's boat house on pier just below Old Ely Landing.

Established and referenced by Connecticut Ground Water Survey. Class A. B. M. used; U.S.G.S. on sunken boulder in school yard 1.2 miles south of Hamburg: Elevation 113.36 feet m.s.l.

LYME

No. 5

Elev. 10.752 feet m.s.l.
Profile Point

Brockway's Ferry Landing

The High Water Mark is the top of a small brass angle set at the scum line on southwest corner west face of a small white ice house south of main house.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.E. 31: Elevation 5.45 feet m.s.l.

LYME

No. 7

Elev. 9.867 feet m.s.l.

Hamburg Cove Landing

The High Water Mark is the top of a small brass angle set at the scum line on a 4-inch wooden post 5 feet high, painted white and standing near a hand pump in the rear of J. L. Lord's store on Route 86.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 26-115 W: Elevation 25.807 feet m.s.l.

LYME

No. 9

Elev. 10.113 feet m.s.l.

D.G.Reynolds Boat Storage, Hamburg Cove

The High Water Mark is the top of a small brass angle set at the scum line on the northwest corner of a boat storage building.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 26-115 W: Elevation 25.807 feet m.s.l.

LYME

No. 11

Elev. 13.391 feet m.t.l.

Hadlyme

The High Water Mark is the top of a small brass angle set at the scum line on the southwest corner of a one-story barn, across the road from a pair of Gulf gasoline pumps in front of a green shingled house about one half a mile from Hadlyme Ferry Landing, on highway between Hadlyme and Hamburg, east of Selden's creek.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 3:
Elevation 23.56 feet m.t.l.

LYME

No. 13

Elev. 13.603 feet m.t.l.

Hadlyme Ferry Landing

The High Water Mark is the top of a small brass angle set at the scum line on the south side of a 48-inch elm tree east of a frame cottage on terrace just south of the ferry slip.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 3:
Elevation 23.56 feet m.t.l.

LYME

No. 15

Elev. 13.494 feet m.t.l.
Profile Point

Hadlyme Ferry Landing

The High Water Mark is a knife cut at flood crest on the northeast corner board of a frame building just south of the ferry slip.

Established by Ferry men and recorded by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 3:
Elevation 23.56 feet m.t.l.

LYME

No. 17

Elev. 13.593 feet m.t.l.
Profile Point

Hadlyme Ferry Road

The High Water Mark is the top of a small brass angle set at the scum line on west jamb of entrance gate at Parsons estate.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G. 3:
Elevation 23.56 feet m.t.l.

THE UNIVERSITY OF CHICAGO

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

THE UNIVERSITY OF CHICAGO

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

THE UNIVERSITY OF CHICAGO

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

THE UNIVERSITY OF CHICAGO

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

The University of Chicago is a private research university in Chicago, Illinois. It was founded in 1837 as the first American university to be organized on the basis of the European model. The university is known for its commitment to academic excellence and its role in the development of modern higher education in the United States.

LYME

No. 19

Elev. 13.246 feet m.t.l.

Hadlyme Road along Roaring Brook

The High Water Mark is the top of a small brass angle set at the scum line on a State Highway fence post across the road from sand pit entrance and about one quarter mile from Hadlyme Landing.

Established and referenced by Connecticut Ground Water Survey.
Class A. B.M. used; U.S.C.&G. 3:
Elevation 23.56 feet m.t.l.

EAST HADDAM

No. 21

Elev. 16.165 feet m.s.l.

Profile Point

East Haddam Coal and Lumber Company

The High Water Mark is a pencil mark at the scum line on east side entrance door to small office building.

Established and referenced by Connecticut Ground Water Survey.
Class B. B.M. used; U.S.C.&G. 102 W:
Elevation 28.494 feet m.s.l.

EAST HADDAM

No. 23

Elev. 15.857 feet m.s.l.

Profile Point

Tar paper covered garage east of
Riverside Hotel.

The High Water Mark is a yellow keel mark at the scum line on the north face near the northwest corner of building.

Established and referenced by Connecticut Ground Water Survey.
Class A. B.M. used; U.S.C.&G. 102 W:
Elevation 28.494 feet m.s.l.

EAST HADDAM

No. 25

Elev. 16.511 feet m.s.l.

Connecticut River Highway
Bridge at south side

The High Water Mark is a pencil mark at the scum line on a metal yoke strap holding electric cable to river face of east shore abutment.

Established and referenced by Connecticut Ground Water Survey.
Class A. B.M. used; U.S.C.&G. 102 W:
Elevation 28.494 feet m.s.l.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
PART I. - PHYSICAL ANTHROPOLOGY.
1904.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
PART I. - PHYSICAL ANTHROPOLOGY.
1904.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
PART I. - PHYSICAL ANTHROPOLOGY.
1904.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
PART I. - PHYSICAL ANTHROPOLOGY.
1904.

THE JOURNAL OF THE
ROYAL ANTHROPOLOGICAL INSTITUTE
PART I. - PHYSICAL ANTHROPOLOGY.
1904.

EAST HADDAM

No. 27

Elev. 16.560 feet m.s.l.

Connecticut River Highway
Bridge at north side

The High Water Mark is a blue keel mark at the scum line on river face at northwest corner of the east shore abutment.

Established and referenced by Connecticut Ground Water Survey,
Class A. B.M. used; U.S.C.&G. 102 W;
Elevation 28.494 feet m.s.l.

EAST HADDAM

No. 29

Elev. 17.695 feet m.s.l.
Profile Point

H. D. Hefflon property

The High Water Mark is the top of a small brass angle at the scum line on the northeast corner of a 2-car garage just north of Mobile gasoline pump and about one mile north of East Haddam Bridge on the west side of Route 149.

Established and referenced by Connecticut Ground Water Survey,
Class A. B.M. used; U.S.C.&G. 102 W;
Elevation 28.494 feet m.s.l.

HADDAM

No. 31

Elev. 20.293 feet m.s.l.
Profile Point

Haddam Neck, Rock Landing Road

The High Water Mark is the top of a small brass angle at the scum line on S.N.E.T.Co. pole #1118 about 300 feet east of Connecticut River bank on the south side of highway.

Established and referenced by Connecticut Ground Water Survey,
Class B. B.M. used; U.S.E. 34;
Elevation 10.221 feet m.l.w.

HADDAM

No. 33

Elev. 19.601 feet m.s.l.

Haddam Neck, Old Rock Landing House

The High Water Mark is the top of a small brass angle at the scum line set on the west face of a newel post at the northwest corner of first landing above ground on exterior front porch stairs of old hotel building facing the Connecticut River.

Established and referenced by Connecticut Ground Water Survey,
Class C. B.M. used; U.S.E. 34;
Elevation 10.221 feet m.l.w.

CHAPTER IV

OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

CHAPTER V

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

CHAPTER VI

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

CHAPTER VII

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

EAST HAMPTON

No. 35

Elev. 22.755 feet m.s.l.
Profile Point

Middle Haddam

The High Water Mark is the top of a small brass angle at the scum line 2.4 feet below C.G.W.S. 1936 flood crest marker over east entrance door to boat house on pier owned by George Bowden.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 high water marker: Elevation 25.155 feet m.s.l. Run from U.S.E.B.M. 172; Elevation 12.000 feet m.t.l.

EAST HAMPTON

No. 37

Elev. 24.075 feet m.s.l.
Profile Point

Oakum Road Landing

The High Water Mark is the top of a small brass angle set at the scum line on bole of a 10-inch ash tree about 100 feet from Connecticut River bank on the north side of road. Said road is the first south of Portland-East Hampton town line and running southwest from Route 14 to the river.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C. & G.S. one half mile west of Cobalt on stone stop. Elevation 305.96 feet m.s.l.

PORTLAND

No. 39

Elev. 24.737 feet m.s.l.

Seiferman property

The High Water Mark is the top of a small brass angle set at the scum line on the southeast corner of a brick garage north of an old brick residence on the Connecticut River bank at the end of a road running north about 500 feet to Route 14. Said road is the second northwest of Portland-East Hampton town line running to the river.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C. & G. W 14; Elevation 193.422 feet m.s.l.

PORTLAND

No. 41

Elev. 26.623 feet m.s.l.

Sand Hill Road Cider Mill

The High Water Mark is the top of a small brass angle set at the scum line on the northeast corner of a red frame building just south of Portland-East Hampton turnpike.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

PORTLAND

No. 41 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker: Elevation 29.153 feet m.s.l. Run from C.H.D.B.M. on Berman's well: Elevation 26.970 feet m.s.l.

PORTLAND

No. 43

Elev. 26.523 feet m.s.l.
Profile Point

Sand Hill Road

The High Water Mark is the top of a small brass angle set at the scum line on the east side of C.P.Co. pole 385 on the south side of Route 14 near the cider mill.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker: Elevation 29.153 feet m.s.l. Run from C.H.D.B.M. on Berman's well: Elevation 26.970 feet m.s.l.

PORTLAND

No. 45

Elev. 27.109 feet m.s.l.
Profile Point

Brazos brownstone quarry

The High Water Mark is the bottom of a small plate angle set at the scum line on the southeast corner of frame office building front all about 1,000 feet north of the Connecticut River Bridge.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1927 flood crest mark: Elevation 21.165 feet m.s.l. Run from U.S.C. & G. B.M. 103: Elevation 32.929 feet m.s.l.

PORTLAND

No. 47

Elev. 30.149 feet m.s.l.
Profile Point

Gildersleeve

The High Water Mark is the bottom of a small brass plate set on the scum line at the southeast corner of a frame house used as the Liberty Mica Company office.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker in highway post. Elevation 32.847 feet m.s.l. Run from C.H.D.B.M. on Soldier's monument: Elevation 128.415 feet m.s.l.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1895

1009 BROADWAY

NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1895

1009 BROADWAY

NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1895

1009 BROADWAY

NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1009 BROADWAY
NEW YORK, N. Y.

PORTLAND

No. 49

Elev. 30.599 feet m.s.l.
Profile Point

River Road, North Gildersleeve

The High Water Mark is the top of a small brass plate set at the scum line on the northeast corner of enclosed porch of a white house on the west side of Route 15 opposite S.N.E.T. pole 235.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 1292: Elevation 158.886 feet m.s.l.

GLASTONBURY

No. 51

Elev. 31.224 feet m.s.l.
Profile Point

River Road Tobacco Barn

The High Water Mark is the bottom edge of a small brass plate at the scum line on the northeast corner of barn west of S.N.E.T. Co. pole 2743 on Route 160.

Established and referenced by Connecticut Ground Water Survey. Class B. C.H.D.B.M. spike in maple tree; Elevation 44.655 feet m.s.l.

GLASTONBURY

No. 53

Elev. 31.797 feet m.s.l.
Profile Point

J. Hodges, 8 Ferry Road

The High Water Mark is keel mark on the scum line inside of north wall of garage south of 8 Ferry Road.

Established and referenced by Connecticut Ground Water Survey. Class A. C.H.D.B.M. spike in maple tree: Elevation 44.655 feet m.s.l.

GLASTONBURY

No. 55

Elev. 31.697 feet m.s.l.
Profile Point

Louis Palmieri property, 99 Ferry Road

The High Water Mark is the top edge of a small brass plate set at the scum line on east side casing of rear door to house.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.&G. 1288: Elevation 37.225 feet m.s.l.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

THE NEW YORK PUBLIC LIBRARY

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

THE NEW YORK PUBLIC LIBRARY

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

THE NEW YORK PUBLIC LIBRARY

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION

1911

1911

THE NEW YORK PUBLIC LIBRARY

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
1911

GLASTONBURY

No. 57

Elev. 32.575 feet m.s.l.
Profile Point

Mrs. Nye property, 46 Pease Avenue

The High Water Mark is the top edge of a small brass plate set at the top of water stain on the north side of first window south of corner on west side of house at end of road.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 1288:
Elevation 37.225 feet m.s.l.

GLASTONBURY

No. 59

Elev. 32.564 feet m.s.l.
Profile Point

Mrs. Haagensen property, Route 15

The High Water Mark is the top of a small brass plate set at the scum line on the west side of first window from the south east corner on the south face of frame house, the fifth south of Station 41 on the west side of the road.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker 55: Elevation 35.207 feet m.s.l. Run from C.H.D. Sta. 41 B.M. spike in maple tree;
Elevation 35.207 feet m.s.l.

GLASTONBURY

No. 61

Elev. 33.013 feet m.s.l.
Profile Point

Grange Hall

The High Water Mark is a blue keel mark at the scum line on center of the third course of brick above concrete foundation on the northwest corner of Grange Hall.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 264:
Elevation 30.307 feet m.s.l.

GLASTONBURY

No. 63

Elev. 33.031 feet m.s.l.
Profile Point

J.E.Berry Sons Co., Inc.

The High Water Mark is the top edge of a small brass plate on flood stain at the north office window on the east side of building south of Naubuc Avenue.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 264:
Elevation 30.307 feet m.s.l.

THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS
JANUARY 10, 1950

Dear Mr. [Name]:
I have your letter of January 5, 1950, regarding the [subject].
I am sorry that I cannot give you a more definite answer at this time.
The matter is being reviewed by the [committee] and I will be in touch with you again.
Very truly yours,
[Signature]

THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS
JANUARY 10, 1950

Dear Mr. [Name]:
I have your letter of January 5, 1950, regarding the [subject].
I am sorry that I cannot give you a more definite answer at this time.
The matter is being reviewed by the [committee] and I will be in touch with you again.
Very truly yours,
[Signature]

THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS
JANUARY 10, 1950

Dear Mr. [Name]:
I have your letter of January 5, 1950, regarding the [subject].
I am sorry that I cannot give you a more definite answer at this time.
The matter is being reviewed by the [committee] and I will be in touch with you again.
Very truly yours,
[Signature]

THE UNIVERSITY OF CHICAGO
CHICAGO, ILLINOIS
JANUARY 10, 1950

Dear Mr. [Name]:
I have your letter of January 5, 1950, regarding the [subject].
I am sorry that I cannot give you a more definite answer at this time.
The matter is being reviewed by the [committee] and I will be in touch with you again.
Very truly yours,
[Signature]

GLASTONBURY

No. 65

Elev. 33.024 feet m.s.l.
Profile Point

Williams Silver Company

The High Water Mark is the center of a black paint mark at the scum line on the east wall inside of the generator room.

Established by the power plant engineer and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 264; Elevation 30.307 feet m.s.l.

GLASTONBURY

No. 67

Elev. 33.062 feet m.s.l.
Profile Point

Pratt Street at Route 15

The High Water Mark is a pencil mark on the oily scum line on south wall inside Esso Gasoline Station garage.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 264; Elevation 30.307 feet m.s.l.

GLASTONBURY

No. 67 A

Elev. 32.967 feet m.s.l.

Route 15 at Pratt Street

The High Water Mark is a pencil mark at the scum line on Esso Gasoline Station metal pipe sign post at pump stand.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.G.S. 264; Elevation 30.307 feet m.s.l.

GLASTONBURY

No. 69

Elev. 33.066 feet m.s.l.
Profile Point

Mrs. Ruoff, 460 Naubuc Avenue

The High Water Mark is the bottom edge of a small brass plate set at the scum line on the northwest side of a 14-inch maple tree in front of house, 42 feet from S.N.E.T.Co. pole and 9 feet from fire hydrant.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 265; Elevation 32.083 feet m.s.l.

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

1870

EAST HARTFORD No. 71 Elev. 33.054 feet m.s.l.
Profile Point

High Street tobacco barn

The High Water Mark is the top edge of a small brass plate set at the scum line on the north face of a red tobacco barn about 6 feet from the northwest corner and 4 inches above foundation level.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 265:
Elevation 32.083 feet m.s.l.

EAST HARTFORD No. 73 Elev. 33.750 feet m.s.l.

Monti's Restaurant

The High Water Mark is the top edge of a small brass plate at the scum line on the southwest corner of garage building east of restaurant, east side of Route 15 and south of Willow Brook.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; C.H.D. 5:
Elevation 31.044 feet m.s.l.

EAST HARTFORD No. 75 Elev. 33.606 feet m.s.l.
Profile Point

Willow Brook

The High Water Mark is the top edge of a small brass plate at the scum line on a highway fence post the third north of the south end of fence at the end of the west side walk south of Willow Brook.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; C.H.D. 5:
Elevation 31.044 feet m.s.l.

EAST HARTFORD No. 77 Elev. 34.114 feet m.s.l.
Profile Point

Bond Oil Company Gasoline Station

The High Water Mark is the top edge of a small brass plate at the scum line on the south jamb of front entrance door of building on the west side of Route 15 and just north of the Hockanum River.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; C.H.D. 5:
Elevation 31.044 feet m.s.l.

THE UNIVERSITY OF CHICAGO
 LIBRARY

1910

CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO

1910

CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO

1910

CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO

1910

CHICAGO, ILL.

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

THE UNIVERSITY OF CHICAGO
 LIBRARY
 1910

EAST HARTFORD

No. 81

Elev. 34.53 feet m.s.l.

Profile Point

Tower Road

The High Water Mark is a nail set in pole at time of flood crest.

Established and referenced by East Hartford W. P. A.
Class A.

SOUTH WINDSOR

No. 85

Elev. 36.269 feet m.s.l.

Profile Point

Square Deal (Gulf) Gasoline Station

The High Water Mark is a U.S.G.S. small brass marker set at the scum line on the south door jamb of east face double doors at front of building on west side of Route 5.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. 1267: Elevation 31.916 feet m.s.l.

SOUTH WINDSOR

No. 87

Elev. 37.082 feet m.s.l.

Profile Point

Mrs. Newberry's property, Route 5

The High Water Mark is a nail scratch on the northeast corner board of shingled garage in rear of house on west side of highway.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.G.S. TT-Y-22: Elevation 40.869 feet m.s.l.

EAST WINDSOR

No. 89

Elev. 38,204 feet m.s.l.

Profile Point

Dean Street, Warehouse Point

The High Water Mark is a 20d spike at the scum line on the east side of a 12-inch hickory tree at the northwest corner of Dean and Spring Streets.

Established and referenced by Connecticut Ground Water Survey. Class B. Reference B.M. used; C.G.W.S. 1936 flood crest marker #31 on S.N.E.T.Co. pole 1573; Elevation 39.938 feet m.s.l. Run from U.S.C.&G.B.M. M 8: Elevation 37.401 feet m.s.l.

1. The first part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The second part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries. The third part of the paper is devoted to a review of the literature on the effects of the 1997-1998 Asian financial crisis on the economies of the Asian countries.

10

...

• • • • •

10

100

•

11

1992

1

... ..

EAST WINDSOR No. 91 Elev. 38.870 feet m.s.l.
 Profile Point
 School Street, Warehouse Point

The High Water Mark is a pencil mark at the scum line on the west face near the southwest corner of Paliner's chicken coop west of the Police Station.

Established and referenced by Connecticut Ground Water Survey. Class X. Reference B.M. used; C.G.W.S. 1936 flood crest marker #31 on S.N.E.T.Co. pole 1573: Elevation 39.938 feet m.s.l. Run from U.S.C. & G.B.M. M 8: Elevation 37.401 feet m.s.l.

EAST WINDSOR No. 93 Elev. 38.732 feet m.s.l.
 Profile Point
 Flynn's Tobacco Shop, Warehouse Point

The High Water Mark is a small brass washer on the scum line at the northwest corner of shop four and one half bricks below baseboard.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker #31 on S.N.E.T.Co. pole 1573: Elevation 39.938 feet m.s.l. Run from U.S.C. & G.B.M. M 8: Elevation 37.401 feet m.s.l.

EAST WINDSOR No. 95 Elev. 38.639 feet m.s.l.
 Profile Point
 Cahill's Garage, Warehouse Point
 Route U.S. 20

The High Water Mark is an oily scum line on glass panes of north face basement windows.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker #31 on S.N.E.T.Co. pole 1573: Elevation 39.938 feet m.s.l. Run from U.S.C. & G.B.M. M 8: Elevation 37.401 feet m.s.l.

EAST WINDSOR No. 97 Elev. 38.648 feet m.s.l.
 Profile Point
 Mechanics Hall, Warehouse Point,
 Route U.S. 20

The High Water Mark is a yellow kool mark at the scum line on the south side basement door jamb at east side of opening, 3 bricks above ground level.

EAST WINDSOR

No. 97 (continued)

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker #31 on S.N.E.T.Co. pole 1573: Elevation 39.938 feet m.s.l. Run from U.S.C.& G.B.M. M 8: Elevation 37.401 feet m.s.l.

ENFIELD

No. 99

Elev. 40.115 feet m.s.l.

Profile Point

State Highway Department Garage

Route U. S. 20

The High Water Mark is a yellow keel mark at the scum line on brick work about 10 feet south of main entrance door jamb.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.& G. O 8: Elevation 61.499 feet m.s.l.

ENFIELD

No. 101

Elev. 55.983 feet m.s.l.

Profile Point

Bigelow-Sanford Carpet Company
Thompsonville

The High Water Mark is 7 inches above a crayon mark on the top of the concrete retaining wall west of the power house and about 100 feet from the south end of said retaining wall along the river bank.

Established by the power plant engineer and recorded by Connecticut Ground Water Survey. Class B. B.M. used; U.S.C.& G.S. Q 8: Elevation 74.403 feet m.s.l.

CONFIDENTIAL

SECRET

1. The purpose of this document is to provide information regarding the activities of the [redacted] organization. This information is being provided for your information and is not to be distributed outside of your organization.

2. The information contained in this document is classified as [redacted] and is being provided to you under the provisions of the [redacted] Act.

3. The information contained in this document is being provided to you for your information and is not to be distributed outside of your organization.

4. The information contained in this document is being provided to you for your information and is not to be distributed outside of your organization.

5. The information contained in this document is being provided to you for your information and is not to be distributed outside of your organization.

6. The information contained in this document is being provided to you for your information and is not to be distributed outside of your organization.

7. The information contained in this document is being provided to you for your information and is not to be distributed outside of your organization.

OLD LYME

No. T 1

Elev. 9.175 feet m.s.l.

Blackhall

The Hurricane Wave Crest is a yellow keel mark at the scum line at the southwest corner of a small brown shingled house on the south side of Route 15, the second house west of the South Lyme station road.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. J 5: Elevation 23.655 feet m.s.l.

OLD LYME

No. T 3

Elev. 9.094 feet m.s.l.

Blackhall

The Hurricane Wave Crest is a yellow keel mark at the scum line on the northwest corner of foundation of house, the first south of Old Lyme Railroad Station on the west side of Route 15.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. J 5: Elevation 23.655 feet m.s.l.

OLD LYME

No. T 5

Elev. 9.688 feet m.s.l.

Quarry Point Landing

The Hurricane Wave Crest is a small brass angle at the scum line on an old 6-inch dead cedar tree about 50 feet east of dock piling.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.E. at Calves Island coal wharf: Elevation 3.7 feet m.l.w.

LYME

No. T 7

Elev. 8.790 feet m.s.l.

Brockway's Ferry Landing

The Hurricane Wave Crest is a yellow keel mark at the scum line on the stone foundation of a small ice house south of main house on the river front.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.E. 31: Elevation 5.45 feet m.s.l.

1875

1875

1875

1875

1875

1875

1875

1875

1875

1875

1875

1875

LYME

No. T 9

Elev. 10.175 feet m.s.l.

Cove Landing

The Hurricane Wave Crest is the top of a small brass angle at the southwest corner of a 5-car frame garage at the north side of land in rear of J. L. Lord's store.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 26-115 W: Elevation 25.807 feet m.s.l.

LYME

No. T 13

Elev. 11.33 feet m.t.l.

Hadlyme Center

The Hurricane Wave Crest is a yellow keel mark at the scum line on the southwest corner of a frame garage opposite the Gulf Filling Station, about 1/2 mile from Hadlyme Ferry Landing on highway between Hadlyme and Hamburg Cove.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. 3: Elevation 23.538 feet m.t.l.

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

1911-12-13

OLD SAYBROOK

No. T 2

Elev. 9.418 feet m.s.l.

Saybrook Point

The Hurricane Wave Crest is a yellow keel mark at the scum line on the southeast corner of the single concrete step in the front entrance walk to the Pease House Grill.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. U 16: Elevation 29.508 feet m.s.l.

OLD SAYBROOK

No. T 4

Elev. 9.145 feet m.s.l.

Saybrook Highway Bridge

The Hurricane Wave Crest is the top of a small brass angle set on the water stain line at the northeast corner of Persson's Boat Works.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. water gauge at Persson's Dock: Elevation 6.812 feet m.l.w.

ESSEX

No. T 6

Elev. 9.961 feet m.s.l.

Essex Paint and Marine Company
Novelty Lane

The Hurricane Wave Crest is the top of a small brass angle set at the scum line on a window frame near the southwest corner of brick building of Essex Paint & Marine Company close to Socony gasoline pumps.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. used; C.G.W.S. 1936 flood crest marker: Elevation 10.205 feet m.s.l.

SAYBROOK

No. T 8

Elev. 10.612 feet m.s.l.

Essex Street, Deep River

The Hurricane Wave Crest about 2 feet below 1938 high water mark at the scum line on northwest corner of a small shed on the south side of Essex Street east of Pratt's Creek.

Established by Connecticut Ground Water Survey. Class X. B.M. used; U.S.C.&G. Q 16: Elevation 17.241 feet m.s.l.

THE HISTORY OF THE

1800

THE HISTORY OF THE

1800

THE HISTORY OF THE

1800

THE HISTORY OF THE

1800

THE HISTORY OF THE

1800

CHESTER

No. T 10

Elev. 10.456 feet m.s.l.

Chester Center

The Hurricane Wave Crest is the top of a small brass angle at the scum line on the east side of door frame of the east door on the north face of rubble stone Esso filling station building opposite old stone tavern.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. P 16: Elevation 21.775 feet m.s.l.

CHESTER

No. T 12

Elev. 10.551 feet m.s.l.

Intersection of Route 148 and
Route 9

The Hurricane Wave Crest is a small brass plate set at the scum line on the southwest corner of the Gulf filling station building at the southwest corner of highway intersection.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. P 16: Elevation 21.775 feet m.s.l.

MIDDLETOWN

No. L. R. 1*

Elev. 28.217 feet m.s.l.

Newfield Street, J. J. Smith house

The High Water Mark is the top of brass marker set in the southwest corner of south face of J. J. Smith house, east of railroad crossing, Newfield Street.

Established and referenced by the Connecticut Ground Water Survey. Class A. B.M. used; 1936 High Water Mark, copper plug set in the southwest corner, west face of brick house 50.0' \pm east of railroad switch and south of Smith house. Elevation 31.349 feet m.s.l. Run from U.S.C.&G. B.M. E 16: Elevation 21.926 feet m.s.l.

MIDDLETOWN

No. L. R. 2

Elev. 28.279 feet m.s.l.

Newfield Street, H. LeBlanc house,
near railroad.

The High Water Mark is top of brass nail set under 1936 high water mark, in southwest corner south face of brick house (H. LeBlanc) 50.0 feet east of railroad switch for spur to Tuttle Brick Company.

Established and referenced by the Connecticut Ground Water Survey. Class A. B.M. used; 1936 High Water Mark directly under 1938 High Water Mark: Elevation 31.349 feet m.s.l.

MIDDLETOWN

No. L. R. 3

Elev. 28.104 feet m.s.l.

Newfield Street clothes line pole
southwest of LeBlanc house.

The High Water Mark is the top of brass marker set on clothes line pole 32.2 feet southwest of house.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; 1936 High Water Mark copper plug in southwest corner of house: Elevation 31.349 feet m.s.l.

MIDDLETOWN

No. L. R. 4

Elev. 28.254 feet m.s.l.

Newfield St. house east of LeBlanc's

The High Water Mark is top of brass marker set in first wooden step of two story wooden house east of LeBlanc and 100.0 feet more or less east of railroad tracks.

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

MIDDLETOWN

No. L. R. 4 (cont'd)

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; 1936 High Water Mark on LeBlanc house: Elevation 31.349 feet m.s.l.

CROMWELL

No. L. R. 5

Elev. 28.261 feet m.s.l.

Coles Road and Route 72

The High Water Mark is top of brass marker set in the west side of S.W.E.T. Co. pole 860 located at the intersection of Coles Road and Route 72.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; U.S.C.&G. E 16, 0.6 miles north of Westfield station site: Elevation 21.929 feet m.s.l.

EAST BERLIN

No. L. R. 6

Elev. 29.074 feet m.s.l.

Mill St. and Route 72
(Cielke House)

The High Water Mark is top of brass marker set in the south-west corner of R. Cielke house located at the intersection of Mill Street and Route 72, north side of road.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; 1936 High Water Mark #31 on tree west of house: Elevation 31.872 feet m.s.l. Run from U.S.C.&G. B.M. E 16: Elevation 21.926 feet m.s.l.

EAST BERLIN

No. L. R. 7

Elev. 28.275 feet m.s.l.

Stanley Chemical Company

The High Water Mark is top of scum line on highway post at west end of bridge 100.0 feet more or less southeast of Stanley Chemical Company.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; 1936 High Water Marker #30 on old brick building: Elevation 31.136 feet m.s.l. Run from U.S.C.&G. D 16: Elevation 24.625 feet m.s.l.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

[illegible]

... ..

MIDDLETOWN

No. C 1 *

Elev. 28.330 feet m.s.l.

Arawana Bridge - Road to Berlin

The High Water Mark is scum line on fence post on south side of road east of bridge.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; Middletown Department of Public Works located at east end of south wall Arawana Bridge: Elevation 31.069 feet m.s.l.

MIDDLETOWN

No. C 2

Elev. 28.532 feet m.s.l.

Washington Street, west of West St.

The High Water Mark is top of brass angle set in the north-east corner of north face of first yellow building west of concrete bridge south side of highway near I. E. Palmer Plant.

Established and referenced by Connecticut Ground Water Survey. Class B. B.M. used; Middletown Department of Public Works located at top of bronze plug set in southeast abutment of Washington Street bridge: Elevation 25.652 feet m.s.l.

MIDDLETOWN

No. C 3

Elev. 27.886 feet m.s.l.

Washington Street Underpass

The High Water Mark is top of chiseled mark in the east end of south abutment, railroad underpass, Washington Street, near City of Middletown yard.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; Middletown Department of Public Works located at top of bronze plug set in east end, north abutment: Elevation 34.534 feet m.s.l.

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 1, 1861.

2. The second part is a report from the Secretary of the Treasury, dated January 1, 1861, containing a statement of the public debt and the revenue of the United States for the year 1860.

3. The third part is a report from the Secretary of the Interior, dated January 1, 1861, containing a statement of the public lands and the revenue of the United States for the year 1860.

4. The fourth part is a report from the Secretary of the Navy, dated January 1, 1861, containing a statement of the public ships and the revenue of the United States for the year 1860.

5. The fifth part is a report from the Secretary of the War, dated January 1, 1861, containing a statement of the public arms and the revenue of the United States for the year 1860.

6. The sixth part is a report from the Secretary of the State, dated January 1, 1861, containing a statement of the public buildings and the revenue of the United States for the year 1860.

7. The seventh part is a report from the Secretary of the War, dated January 1, 1861, containing a statement of the public arms and the revenue of the United States for the year 1860.

8. The eighth part is a report from the Secretary of the State, dated January 1, 1861, containing a statement of the public buildings and the revenue of the United States for the year 1860.

9. The ninth part is a report from the Secretary of the War, dated January 1, 1861, containing a statement of the public arms and the revenue of the United States for the year 1860.

10. The tenth part is a report from the Secretary of the State, dated January 1, 1861, containing a statement of the public buildings and the revenue of the United States for the year 1860.

11. The eleventh part is a report from the Secretary of the War, dated January 1, 1861, containing a statement of the public arms and the revenue of the United States for the year 1860.

EAST HADDAM

No. Sa. 1

Elev. 18.875 feet m.s.l.

Salmon River

The High Water Mark is top of brass angle on C.L.&P. Co. pole 675 on west side of south end of bridge on Route 151.

Established and referenced by Connecticut Ground Water Survey. Class A. B.M. used; 1936 flood marker 9 which is bronze plate on south side of Bridgeway Inn at west end of building: Elevation 21.116 feet m.s.l. Run from U.S.C.&G. B.M. Middletown Quadrangle (Cobalt) 1929 adj. Elev. 305.960 m.s.l.

EAST HADDAM

No. Sa. 2

Elev. 18.533 feet m.s.l.

Salmon River

The High Water Mark is scum line on windows south side of Bridgeway Inn - 2.583 feet below 1936 flood marker 9 (bronze plate)

Established and referenced by Connecticut Ground Water Survey. Class A. Measured 1/5/39 by Anderson and Pike. Elev. of 1936 mark - 21.116 feet m.s.l.

AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938

156

MAP 1 OF 8



PREPARED BY CONN. GROUND WATER SURVEY
W.—P.—A. PROJECT 665—15—3—116

AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938


MAP 2 OF 8



PREPARED BY CONN. GROUND WATER SURVEY
W.—P.—A. PROJECT 665—15—3—116

AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938


MAP 3 OF 8



PREPARED BY CONN. GROUND WATER SURVEY
W-P-A. PROJECT 665-15-3-116

AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938

MAP 4 OF 8




PREPARED BY
CONN. GROUND WATER SURVEY

W.-P.-A. PROJECT
665-15-3-116

AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938


MAP 5 OF 8



PREPARED BY CONN. GROUND WATER SURVEY
W.—P.—A. PROJECT 665—15—3—116


AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938

MAP 6 OF 8



AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938


MAP 7 OF 8



AREA FLOODED AND HIGH WATER MARK LOCATIONS FLOOD OF SEPTEMBER 1938

163

MAP 8 OF 8



X. Description of Measurement Stations and
 Tabulation of Gauge Heights
 Farmington River Valley

Gauge Heights at East Granby, Connecticut
At Hartford Electric Light Company Dam
1/2 Mile West of Route 187 Steel Bridge Over
Farmington River

Gauge 0.000 = 131.469 feet m.s.l.

OBSERVED BY: Hartford Electric Light Company.

PERIOD: 6:00AM, September 20 to 12:00 Midnight, September 25, 1938.

FLOOD CREST ALTITUDE: 142.869 feet, m.s.l.

DATUM: United States Coast and Geodetic Survey, m.s.l.

LOCATION OF GAUGE: Top of dam at wheel house.

REMARKS: Altitude of measuring point determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge 0.000 is top of dam.

Gauge Heights at East Granby, Connecticut
At Hartford Electric Light Company Dam
1/2 Mile West of Route 137 Steel Bridge Over
Farmington River

Gauge 0.000 = 131.469 feet m.s.l.

| <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> | <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> |
|------------------------------|--|-----------------------------------|------------------------------|--|-----------------------------------|
| September 20, 1938 | | | September 23, 1938 | | |
| 6:00 AM | 2.7 | 134.169 | 6:00 AM | 9.2 | 140.669 |
| 12:00 Noon | 3.6 | 135.069 | 12:00 Noon | 8.5 | 139.969 |
| 6:00 PM | 4.1 | 135.569 | 6:00 PM | 8.7 | 140.169 |
| 12:00 Mid | 4.5 | 135.969 | 12:00 Mid | 7.2 | 138.669 |
| September 21, 1938 | | | September 24, 1938 | | |
| 6:00 AM | 5.0 | 136.469 | 6:00 AM | 6.3 | 137.769 |
| 12:00 Noon | 5.5 | 136.969 | 12:00 Noon | 5.0 | 136.469 |
| 6:00 PM | 6.2 | 137.669 | 6:00 PM | 5.1 | 136.569 |
| 12:00 Mid | 7.2 | 138.669 | 12:00 Mid | 4.4 | 135.869 |
| September 22, 1938 | | | September 25, 1938 | | |
| 6:00 AM | 8.9 | 140.369 | 6:00 AM | 4.1 | 135.569 |
| 12:00 Noon | 11.0 | 142.469 | 12:00 Noon | 3.6 | 135.069 |
| 6:00 PM | 11.4 | 142.869 | 6:00 PM | 3.1 | 134.569 |
| 12:00 Mid | 10.5 | 141.969 | 12:00 Mid | 3.8 | 135.269 |

THE ANNALS OF THE ROYAL SOCIETY OF MEDICINE

PUBLISHED BY THE SOCIETY

| <p>CONTENTS</p> | <p>VOLUME LXXV</p> | <p>PART I</p> | <p>1884</p> |
|--------------------------|--|-----------------------|-------------|
| <p>Original Articles</p> | <p>On the Pathology of the Heart in the Human Embryo</p> | <p>By J. H. Green</p> | <p>1884</p> |
| <p>Original Articles</p> | <p>On the Pathology of the Heart in the Human Embryo</p> | <p>By J. H. Green</p> | <p>1884</p> |
| <p>Original Articles</p> | <p>On the Pathology of the Heart in the Human Embryo</p> | <p>By J. H. Green</p> | <p>1884</p> |

Gauge Heights at Collinville, Connecticut
At Collins Company Dam

Gauge 0.000 = 286.370 feet m.s.l.

OBSERVED BY: Collins Company.

PERIOD: 7:00AM, September 19 to 7:00AM, September 23, 1938.

FLOOD CREST ALTITUDE: 297.070 feet, m.s.l.

DATUM: United States Coast and Geodetic Survey, m.s.l.

LOCATION OF GAUGE: Bristol Recorder in small frame house
on dam just east of gates.

REMARKS: Altitude of measuring points determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge 0.000 is top of dam.

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

Gauge Heights at Collinsville, Connecticut
at Collins Company Dam

Gauge 0.000 = 286.670 feet m.s.l.

| <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> | <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> |
|------------------------------|--|-----------------------------------|------------------------------|--|-----------------------------------|
| September 19, 1938 | | | September 21, 1938 (cont'd) | | |
| 7:00 AM | 3.00 | 289.670 | 8:00PM | 8.80 | 295.470 |
| 6:00 PM | 4.00 | 290.670 | 9:00 | 9.60 | 296.270 |
| 12:00 Mid | 5.00 | 291.670 | 10:00 | 10.20 | 296.870 |
| September 20, 1938 | | | 11:00 | 10.40 | 297.070 |
| 3:00 AM | 4.50 | 291.170 | 12:00 Mid | 10.00 | 296.670 |
| 7:00 | 4.50 | 291.170 | September 22, 1938 | | |
| 9:00 | 5.00 | 291.670 | 1:00 AM | 9.50 | 296.170 |
| 12:00 Noon | 5.00 | 291.670 | 2:00 | 8.80 | 295.470 |
| 3:00 PM | 4.80 | 291.470 | 3:00 | 8.80 | 295.470 |
| 6:00 | 5.00 | 291.670 | 4:00 | 7.20 | 293.870 |
| 9:00 | 4.60 | 291.270 | 5:00 | 6.60 | 293.270 |
| 12:00 Mid | 5.00 | 291.670 | 6:00 | 6.20 | 292.870 |
| September 21, 1938 | | | 7:00 | 5.80 | 292.470 |
| 3:00 AM | 5.40 | 292.070 | 9:00 | 5.30 | 291.970 |
| 6:00 | 5.60 | 292.270 | 12:00 Noon | 4.60 | 291.270 |
| 7:00 | 5.00 | 291.670 | 3:00 PM | 4.00 | 290.670 |
| 10:00 | 5.60 | 292.270 | 6:00 | 3.60 | 290.270 |
| 12:00 Noon | 5.80 | 292.470 | 9:00 | 3.40 | 290.070 |
| 3:00 PM | 6.00 | 292.670 | 12:00 Mid | 3.00 | 289.670 |
| 6:00 | 6.80 | 293.470 | September 23, 1938 | | |
| 7:00 | 7.80 | 294.470 | 3:00 AM | 2.80 | 289.470 |
| | | | 7:00 | 2.80 | 289.470 |

Gauge Heights at Unionville, Connecticut
At Connecticut Power Company Dam
One Mile $\frac{1}{2}$ Above Unionville

Gauge 0.00 = 225.897 feet m.s.l.

OBSERVED BY: Connecticut Power Company.

PERIOD: 6:00AM, September 21 to 11:00AM, September 22, 1938.

FLOOD CREST ALTITUDE: 238.897 feet, m.s.l.

DATUM: United States Coast and Geodetic Survey, m.s.l.

LOCATION OF GAUGE: Fastened to pile supporting gate house on
the east end of dam. Pile is under north
west end of gate house.

REMARKS: Altitude of measuring points determined by
Connecticut Ground Water Survey.

Readings converted to mean sea level by
Connecticut Ground Water Survey.

Time is Eastern Standard Time.

Gauge Heights at Unionville, Connecticut
At Connecticut Power Company Dam
One Mile $\frac{1}{2}$ Above Unionville

Gauge 0.000 = 225.897 feet m.s.l.

| <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> | <u>TIME</u>
<u>E.S.T.</u> | <u>STAGE</u>
<u>HEIGHT</u>
<u>(feet)</u> | <u>ELEVATION</u>
<u>m.s.l.</u> |
|------------------------------|--|-----------------------------------|------------------------------|--|-----------------------------------|
| September 21, 1938 | | | September 22, 1938 | | |
| 6:00 AM | 7.0 | 232.897 | 1:00 AM | 10.1 | 235.997 |
| 1:00 PM | 7.4 | 233.297 | 2:00 | 9.3 | 235.197 |
| 4:00 | 7.6 | 233.497 | 3:00 | 8.4 | 234.297 |
| 5:00 | 8.2 | 234.097 | 4:00 | 7.5 | 233.397 |
| 7:00 | 8.3 | 234.197 | 5:00 | 7.0 | 232.897 |
| 8:00 | 10.7 | 236.597 | 6:00 | 6.8 | 232.697 |
| 9:00 | 12.2 | 238.097 | 7:00 | 6.4 | 232.297 |
| 10:00 | 13.0 | 238.897 | 8:00 | 6.3 | 232.197 |
| 11:00 | 13.0 | 238.897 | 9:00 | 6.2 | 232.097 |
| 12:00 Mid | 12.5 | 238.397 | 10:00 | 6.2 | 232.097 |
| | | | 11:00 | 5.5 | 231.397 |

... ..

Staphylinus

... ..

XI. GENERAL LISTING OF HIGH-WATER MARKS IN THE
FARMINGTON RIVER VALLEY

FARMINGTON RIVER
WEST BRANCH
STILL RIVER
MAD RIVER
SANDY BROOK

General Listing of High Water Marks
Farmington River Valley
Marks Set by Connecticut Ground Water Survey
Miles From Mouth Scaled on U. S. G. S. Topographical Maps

FR - Farmington River
WB - West Branch Farmington River
SR - Still River
MR - Mad River
SB - Sandy Brook

| <u>Town</u> | <u>No</u> | <u>Location</u> | <u>Miles
From
Mouth</u> | <u>Class</u> | <u>Elevation
m.s.l.</u> |
|-------------|-----------|--|---------------------------------|--------------|-----------------------------|
| Windsor | FR 1 | Poquonnock | 6.1 | A | 37.759 |
| E. Granby | FR 2 | H.E.L.Co.Dam 1 mile SE
of Tariffville | 12.0 | A | 142.869 |
| Simsbury | FR 3 | Tariffville Lace Co. Dam | 12.3 | A | 150.771 |
| " | FR 4 | Desmond Riverside Road | 18.2 | A | 159.096 |
| " | FR 5 | Ensign Bickford Co. | 18.5 | A | 159.091 |
| " | FR 6 | Butler Weatogue | 19.7 | A | 161.546 |
| Avon | FR 7 | Avon Diner | 22.7 | A | 166.193 |
| Farmington | FR 8 | Fred's Diner | 28.3 | A | 171.834 |
| " | FR 9 | Winchell Smith Grist Mill | 28.5 | A | 172.000 |
| " | FR 10 | Clancy Store, Unionville | 32.5 | A | 202.670 |
| " | FR 11 | Pine Tree, Unionville | 32.6 | B | 203.720 |
| " | FR 12 | Myrtle Mill, Unionville | 32.7 | A | 203.342 |
| " | FR 13 | Republic Steel Co. Unionville | 32.8 | A | 203.889 |
| " | FR 14 | Lawton's Bridge Unionville | 33.7 | B | 217.649 |
| " | FR 15 | Lawton's Grist Mill " | 33.8 | A | 217.348 |
| Avon | FR 16 | C.P. Co. Dam Collinsville | 34.6 | A | 238.409 |
| Burlington | FR 17 | R.4 - S. of RR Sta. 0.8 mi. | 35.3 | A | 243.481 |
| " | FR 18 | Intersection R.4 & 116 | 36.1 | A | 258.116 |
| " | FR 19 | R.4 N. of RR Sta. 0.2 mi. | 36.3 | A | 261.061 |
| Canton | FR 21 | Smith House - Collinsville | 38.4 | A | 299.760 |
| " | FR 23 | C.H.D. Garage - Collinsville | 38.9 | A | 299.530 |

THE UNIVERSITY OF CHICAGO
 LIBRARY
 520 EAST 58TH STREET
 CHICAGO, ILL. 60637

THE UNIVERSITY OF CHICAGO
 LIBRARY
 520 EAST 58TH STREET
 CHICAGO, ILL. 60637

| Author | Title | Year | Volume | Page |
|--------------------|-------|-----------|--------|-------|
| Adams, John Quincy | Diary | 1799-1803 | 1 | 1-100 |
| Adams, John Quincy | Diary | 1803-1804 | 2 | 1-100 |
| Adams, John Quincy | Diary | 1804-1805 | 3 | 1-100 |
| Adams, John Quincy | Diary | 1805-1806 | 4 | 1-100 |
| Adams, John Quincy | Diary | 1806-1807 | 5 | 1-100 |
| Adams, John Quincy | Diary | 1807-1808 | 6 | 1-100 |
| Adams, John Quincy | Diary | 1808-1809 | 7 | 1-100 |
| Adams, John Quincy | Diary | 1809-1810 | 8 | 1-100 |
| Adams, John Quincy | Diary | 1810-1811 | 9 | 1-100 |
| Adams, John Quincy | Diary | 1811-1812 | 10 | 1-100 |
| Adams, John Quincy | Diary | 1812-1813 | 11 | 1-100 |
| Adams, John Quincy | Diary | 1813-1814 | 12 | 1-100 |
| Adams, John Quincy | Diary | 1814-1815 | 13 | 1-100 |
| Adams, John Quincy | Diary | 1815-1816 | 14 | 1-100 |
| Adams, John Quincy | Diary | 1816-1817 | 15 | 1-100 |
| Adams, John Quincy | Diary | 1817-1818 | 16 | 1-100 |
| Adams, John Quincy | Diary | 1818-1819 | 17 | 1-100 |
| Adams, John Quincy | Diary | 1819-1820 | 18 | 1-100 |
| Adams, John Quincy | Diary | 1820-1821 | 19 | 1-100 |
| Adams, John Quincy | Diary | 1821-1822 | 20 | 1-100 |
| Adams, John Quincy | Diary | 1822-1823 | 21 | 1-100 |
| Adams, John Quincy | Diary | 1823-1824 | 22 | 1-100 |
| Adams, John Quincy | Diary | 1824-1825 | 23 | 1-100 |
| Adams, John Quincy | Diary | 1825-1826 | 24 | 1-100 |
| Adams, John Quincy | Diary | 1826-1827 | 25 | 1-100 |
| Adams, John Quincy | Diary | 1827-1828 | 26 | 1-100 |
| Adams, John Quincy | Diary | 1828-1829 | 27 | 1-100 |
| Adams, John Quincy | Diary | 1829-1830 | 28 | 1-100 |
| Adams, John Quincy | Diary | 1830-1831 | 29 | 1-100 |
| Adams, John Quincy | Diary | 1831-1832 | 30 | 1-100 |
| Adams, John Quincy | Diary | 1832-1833 | 31 | 1-100 |
| Adams, John Quincy | Diary | 1833-1834 | 32 | 1-100 |
| Adams, John Quincy | Diary | 1834-1835 | 33 | 1-100 |
| Adams, John Quincy | Diary | 1835-1836 | 34 | 1-100 |
| Adams, John Quincy | Diary | 1836-1837 | 35 | 1-100 |
| Adams, John Quincy | Diary | 1837-1838 | 36 | 1-100 |
| Adams, John Quincy | Diary | 1838-1839 | 37 | 1-100 |
| Adams, John Quincy | Diary | 1839-1840 | 38 | 1-100 |
| Adams, John Quincy | Diary | 1840-1841 | 39 | 1-100 |
| Adams, John Quincy | Diary | 1841-1842 | 40 | 1-100 |
| Adams, John Quincy | Diary | 1842-1843 | 41 | 1-100 |
| Adams, John Quincy | Diary | 1843-1844 | 42 | 1-100 |
| Adams, John Quincy | Diary | 1844-1845 | 43 | 1-100 |
| Adams, John Quincy | Diary | 1845-1846 | 44 | 1-100 |
| Adams, John Quincy | Diary | 1846-1847 | 45 | 1-100 |
| Adams, John Quincy | Diary | 1847-1848 | 46 | 1-100 |
| Adams, John Quincy | Diary | 1848-1849 | 47 | 1-100 |
| Adams, John Quincy | Diary | 1849-1850 | 48 | 1-100 |
| Adams, John Quincy | Diary | 1850-1851 | 49 | 1-100 |
| Adams, John Quincy | Diary | 1851-1852 | 50 | 1-100 |
| Adams, John Quincy | Diary | 1852-1853 | 51 | 1-100 |
| Adams, John Quincy | Diary | 1853-1854 | 52 | 1-100 |
| Adams, John Quincy | Diary | 1854-1855 | 53 | 1-100 |
| Adams, John Quincy | Diary | 1855-1856 | 54 | 1-100 |
| Adams, John Quincy | Diary | 1856-1857 | 55 | 1-100 |
| Adams, John Quincy | Diary | 1857-1858 | 56 | 1-100 |
| Adams, John Quincy | Diary | 1858-1859 | 57 | 1-100 |
| Adams, John Quincy | Diary | 1859-1860 | 58 | 1-100 |
| Adams, John Quincy | Diary | 1860-1861 | 59 | 1-100 |
| Adams, John Quincy | Diary | 1861-1862 | 60 | 1-100 |
| Adams, John Quincy | Diary | 1862-1863 | 61 | 1-100 |
| Adams, John Quincy | Diary | 1863-1864 | 62 | 1-100 |
| Adams, John Quincy | Diary | 1864-1865 | 63 | 1-100 |
| Adams, John Quincy | Diary | 1865-1866 | 64 | 1-100 |
| Adams, John Quincy | Diary | 1866-1867 | 65 | 1-100 |
| Adams, John Quincy | Diary | 1867-1868 | 66 | 1-100 |
| Adams, John Quincy | Diary | 1868-1869 | 67 | 1-100 |
| Adams, John Quincy | Diary | 1869-1870 | 68 | 1-100 |
| Adams, John Quincy | Diary | 1870-1871 | 69 | 1-100 |
| Adams, John Quincy | Diary | 1871-1872 | 70 | 1-100 |
| Adams, John Quincy | Diary | 1872-1873 | 71 | 1-100 |
| Adams, John Quincy | Diary | 1873-1874 | 72 | 1-100 |
| Adams, John Quincy | Diary | 1874-1875 | 73 | 1-100 |
| Adams, John Quincy | Diary | 1875-1876 | 74 | 1-100 |
| Adams, John Quincy | Diary | 1876-1877 | 75 | 1-100 |
| Adams, John Quincy | Diary | 1877-1878 | 76 | 1-100 |
| Adams, John Quincy | Diary | 1878-1879 | 77 | 1-100 |
| Adams, John Quincy | Diary | 1879-1880 | 78 | 1-100 |
| Adams, John Quincy | Diary | 1880-1881 | 79 | 1-100 |
| Adams, John Quincy | Diary | 1881-1882 | 80 | 1-100 |
| Adams, John Quincy | Diary | 1882-1883 | 81 | 1-100 |
| Adams, John Quincy | Diary | 1883-1884 | 82 | 1-100 |
| Adams, John Quincy | Diary | 1884-1885 | 83 | 1-100 |
| Adams, John Quincy | Diary | 1885-1886 | 84 | 1-100 |
| Adams, John Quincy | Diary | 1886-1887 | 85 | 1-100 |
| Adams, John Quincy | Diary | 1887-1888 | 86 | 1-100 |
| Adams, John Quincy | Diary | 1888-1889 | 87 | 1-100 |
| Adams, John Quincy | Diary | 1889-1890 | 88 | 1-100 |
| Adams, John Quincy | Diary | 1890-1891 | 89 | 1-100 |
| Adams, John Quincy | Diary | 1891-1892 | 90 | 1-100 |
| Adams, John Quincy | Diary | 1892-1893 | 91 | 1-100 |
| Adams, John Quincy | Diary | 1893-1894 | 92 | 1-100 |
| Adams, John Quincy | Diary | 1894-1895 | 93 | 1-100 |
| Adams, John Quincy | Diary | 1895-1896 | 94 | 1-100 |
| Adams, John Quincy | Diary | 1896-1897 | 95 | 1-100 |
| Adams, John Quincy | Diary | 1897-1898 | 96 | 1-100 |
| Adams, John Quincy | Diary | 1898-1899 | 97 | 1-100 |
| Adams, John Quincy | Diary | 1899-1900 | 98 | 1-100 |
| Adams, John Quincy | Diary | 1900-1901 | 99 | 1-100 |
| Adams, John Quincy | Diary | 1901-1902 | 100 | 1-100 |

| <u>Town</u> | <u>No</u> | <u>Location</u> | <u>Miles
From
Mouth</u> | <u>Class</u> | <u>Elevation
m.s.l.</u> |
|--------------|-----------|--|---------------------------------|--------------|-----------------------------|
| Canton | FR 24 | Barnes house, Collinsville | 39.1 | A | 300.520 |
| New Hartford | FR 25 | Satan's Kingdom Grill Route 44 | 42.6 | A | 358.845 |
| " | " | FR 27 Rt 44 Pine Meadow Center | 44.4 | A | 372.400 |
| " | " | FR 28 Rt 44 at Wickett Road | 44.7 | A | 378.740 |
| " | " | FR 29 New Hartford Garage | 45.3 | A | 387.170 |
| " | " | FR 30 New Hartford Fire House | 45.5 | A | 389.010 |
| Barkhamsted | FR 31 | Pleasant Valley | 48.0 | A | 421.655 |
| " | FR 32 | Route 20, Riverton | 52.0 | A | 504.155 |
| " | FR 33 | " " North of Riverton,
1/8 mile | 52.1 | A | 506.495 |
| " | FR 34 | Grocock House Riverton | 52.2 | A | 506.680 |
| Colebrook | WB 1 | Rt. 8-S. of bridge $\frac{1}{4}$ mi. | 56.4 | A | 601.140 |
| " | WB 2 | Rt. 8 S. of bridge $\frac{1}{8}$ mi. | 56.7 | A | 603.545 |
| " | WB 3 | Rt. 8 at bridge | 56.8 | A | 604.180 |
| " | WB 4 | Rt. 8 So. of bridge $\frac{1}{2}$ mi. | 57.6 | A | 625.885 |
| " | WB 5 | Rt. 8 No. of inn 300 feet | 58.0 | A | 644.410 |
| " | WB 6 | Rt. 8 at State Line | 58.5 | A | 655.545 |
| " | SB 1 | Rt. 183 north of bridge | 58.3 | A | 1058.765 |
| " | SB 2 | Rt. 183 north of Colebrook
0.3 mile | 59.6 | A | 1081.770 |
| " | SB 3 | Rt. 183 north of Colebrook
1.2 mile | 60.4 | A | 1185.385 |
| Norfolk | SB 4 | Rt. 183 north of Colebrook
1.7 mile | 61.0 | A | 1210.610 |
| Winchester | SR 1 | North Main St. Winsted | 57.0 | A | 693.875 |
| " | SR 2 | S. of Winsted 0.8 mile | 57.5 | A | 699.000 |
| Torrington | SR 3 | Rt. 8 N. of Torrington 4 mi. | 62.3 | A | 725.037 |
| " | SR 4 | Rt. 8, N. " " $3\frac{1}{2}$ mi. | 62.8 | A | 730.619 |
| Winchester | MR 1 | 19 Rowley St. Winsted | 57.0 | A | 699.050 |

| Year | Month | Day | Event | Time | Location |
|------|-------|-----|--------------------------------|-------|----------|
| 1901 | Jan | 1 | First day of the year | 10:00 | Home |
| 1901 | Jan | 2 | Second day of the year | 10:00 | Home |
| 1901 | Jan | 3 | Third day of the year | 10:00 | Home |
| 1901 | Jan | 4 | Fourth day of the year | 10:00 | Home |
| 1901 | Jan | 5 | Fifth day of the year | 10:00 | Home |
| 1901 | Jan | 6 | Sixth day of the year | 10:00 | Home |
| 1901 | Jan | 7 | Seventh day of the year | 10:00 | Home |
| 1901 | Jan | 8 | Eighth day of the year | 10:00 | Home |
| 1901 | Jan | 9 | Ninth day of the year | 10:00 | Home |
| 1901 | Jan | 10 | Tenth day of the year | 10:00 | Home |
| 1901 | Jan | 11 | Eleventh day of the year | 10:00 | Home |
| 1901 | Jan | 12 | Twelfth day of the year | 10:00 | Home |
| 1901 | Jan | 13 | Thirteenth day of the year | 10:00 | Home |
| 1901 | Jan | 14 | Fourteenth day of the year | 10:00 | Home |
| 1901 | Jan | 15 | Fifteenth day of the year | 10:00 | Home |
| 1901 | Jan | 16 | Sixteenth day of the year | 10:00 | Home |
| 1901 | Jan | 17 | Seventeenth day of the year | 10:00 | Home |
| 1901 | Jan | 18 | Eighteenth day of the year | 10:00 | Home |
| 1901 | Jan | 19 | Nineteenth day of the year | 10:00 | Home |
| 1901 | Jan | 20 | Twentieth day of the year | 10:00 | Home |
| 1901 | Jan | 21 | Twenty-first day of the year | 10:00 | Home |
| 1901 | Jan | 22 | Twenty-second day of the year | 10:00 | Home |
| 1901 | Jan | 23 | Twenty-third day of the year | 10:00 | Home |
| 1901 | Jan | 24 | Twenty-fourth day of the year | 10:00 | Home |
| 1901 | Jan | 25 | Twenty-fifth day of the year | 10:00 | Home |
| 1901 | Jan | 26 | Twenty-sixth day of the year | 10:00 | Home |
| 1901 | Jan | 27 | Twenty-seventh day of the year | 10:00 | Home |
| 1901 | Jan | 28 | Twenty-eighth day of the year | 10:00 | Home |
| 1901 | Jan | 29 | Twenty-ninth day of the year | 10:00 | Home |
| 1901 | Jan | 30 | Thirtieth day of the year | 10:00 | Home |
| 1901 | Jan | 31 | Thirty-first day of the year | 10:00 | Home |

| <u>Town</u> | <u>No.</u> | <u>Location</u> | <u>Miles
From
Mouth</u> | <u>Class</u> | <u>Elevation
m.s.l.</u> |
|-------------|------------|---------------------------|---------------------------------|--------------|-----------------------------|
| Winchester | MR 2 | C.H.D. Tar Plant, Winsted | 57.1 | A | 699.750 |
| " | MR 3 | Gas Co. Building, Winsted | 57.5 | A | 705.183 |
| " | MR 4 | 489 Main Street, Winsted | 57.8 | A | 730.093 |
| " | MR 5 | 787 Main Street, Winsted | 58.0 | A | 751.873 |
| " | MR 6 | 31 Front Street, Winsted | 58.0 | A | 753.133 |

WINDSOR

No. FR. 1

Elev. 37.759 feet m.s.l.

1690 River Street, Poquonock

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on a 4"x4" wood stair support on the east face of a two-story frame building on the north bank of the Farmington River.

Established and referenced by the Connecticut Ground Water Survey. Class A. Used Metropolitan District B.M. at the northeast corner of Town Hall on West Street. Elevation, 96.399 feet m.s.l.

EAST GRANBY

No. FR 2

Elev. 142.869 feet m.s.l.

Hartford Electric Light Co. Power Plant

The High Water Mark is a small brass U.S.G.S. marker set at the flood crest on H.E.L.Co. pole 239 about 30 feet north of east end of the concrete gate platform, just above dam.

Established by the power house engineer and referenced by the Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on bridge seat 1.3 miles southeast of Tariffville. Elevation 113.00 feet m.s.l.

SIMSBURY

No. FR 3

Elev. 150.771 feet m.s.l.

Tariffville Laco Co. Tariffville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the west face at the northwest corner of the gate house at the west end of the dam.

Established and referenced by the Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. 181 W. Elevation 161.379 feet m.s.l.

SIMSBURY

No. FR 4

Elev. 159.016 feet m.s.l.

T. Desmond property, Riverside Road.

The High Water Mark is a chisel cut in the foundation wall at the front of the house.

Established by T. Desmond and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. on hydrant cap bolt at Butler House in Weatogue. C.G.W.S. Elevation 173.126 feet m.s.l. Run from U.S.G.S.B.M. at Avon Congregational Church. Elevation 200.810 feet m.s.l.

1. The first of these is the fact that the system is not a simple one.

2. The second of these is the fact that the system is not a simple one.

The first of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

The second of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

3. The third of these is the fact that the system is not a simple one.

4. The fourth of these is the fact that the system is not a simple one.

The first of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

The second of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

5. The fifth of these is the fact that the system is not a simple one.

6. The sixth of these is the fact that the system is not a simple one.

The first of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

The second of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

7. The seventh of these is the fact that the system is not a simple one.

8. The eighth of these is the fact that the system is not a simple one.

The first of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

The second of these is the fact that the system is not a simple one. It is a complex one, and it is one that is not easily understood. It is a system that is not easily understood, and it is one that is not easily understood.

SIMSBURY

No. FR 5

Elev. 159.091 feet m.s.l.

Ensign-Bickford Co.

The High Water Mark is a chisel cut at the flood crest in brownstone foundation of Fuse House on the west face near the southwest corner, 13.5 inches above 1936 flood crest mark and 15 inches above 1927 flood crest mark.

Established by plant engineer and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. on hydrant top at F. S. Butler property in Weatoguo. C.G.W.S. Elevation 173.126 feet m.s.l. Run from U.S.G.S.B.M. on stop of Avon Congregational Church. Elevation 200.810 feet m.s.l.

SIMSBURY

No. FR 6

Elev. 161.546 feet m.s.l.

F.S.Butler property, Maple Elms,
Weatoguo

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the 13th highway post south of Stillwater Brook culvert on the east side of Route 10.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. on hydrant top of F.S.Butler property in Weatoguo. C.G.W.S. Elevation 173.126 feet m.s.l. Run from U.S.G.S.B.M. on stop of Avon Congregational Church. Elevation 200.810 feet m.s.l.

AVON

No. FR 7

Elev. 166.193 feet m.s.l.

Avon Diner, West Bank of Farmington
River at Route U.S. 44

The High Water Mark is a small brass U.S.G.S. marker on sheathing in side open stairway at rear of kitchen.

Established by owner at flood crest and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G. S.B.M. on Avon Congregational Church stop. Elevation 200.810 feet m.s.l.

FARMINGTON

No. FR 8

Elev. 171.834 feet m.s.l.

Fred's Diner, Route 4, southeast of
Farmington River Bridge

The High Water Mark is a pencil line 7 inches above vestibule floor at conduit on wall.

Established by owner at flood crest and referenced by Connecticut Ground Water Survey. Class A. Used U.S.C. & G.S. B.M. 18 W at Farmington Town Hall. Elevation 244.899 feet m.s.l.

... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

FARMINGTON

No. FR 9

Elev. 172.000 feet m.s.l.

Winchell Smith's Grist Mill,
Mill Street at the Farmington River.

The High Water Mark is a small brass U.S.G.S. marker set at the flood crest on the southwest corner of frame mill building.

Established by mill foreman and referenced by Connecticut Ground Water Survey. Class A. Used U.S.C. & G.S. B.M. 18 W at Farmington Town Hall. Elevation 244.899 feet m.s.l.

FARMINGTON

No. FR 10

Elev. 202.670 feet m.s.l.

Clancy's Store, southeast of Route 177
and Farmington River Bridge at Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the northwest corner of frame building just off the ground.

Established and referenced by Connecticut Ground Water Survey. Class A. Used Unionville B.M. No. 6 at southeast corner of Route 4 and 177. Elevation 210.84 feet m.s.l. Run from U.S.C. & G.S. B.M. 18 W. Elevation 244.899 feet m.s.l. at Farmington Town Hall by Merton Hodge, C. E.

FARMINGTON

No. FR 11

Elev. 203.720 feet m.s.l.

Southwest of Route 177 and Farmington
River Bridge at Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the base of a large pine tree about 6 feet above the ground.

Established and referenced by Connecticut Ground Water Survey. Class B. Used Unionville B.M. No. 6 at southeast corner of Route 4 and 177. Elevation 210.84 feet m.s.l. Run from U.S.C. & G.S. B.M. 18 W. Elevation 244.899 feet m.s.l. at Farmington Town Hall by Merton Hodge, C. E.

FARMINGTON

No. FR 12

Elev. 203.342 feet m.s.l.

Myrtle Mill, Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on north face of large yellow brick chimney above the cleanout door.

Established and referenced by Connecticut Ground Water Survey. Class B. Used Unionville B.M. No. 6 at southeast corner of Route 4 and 177. Elevation 210.84 feet m.s.l. Run from U.S.C. & G.S. B.M. 18 W. Elevation, 244.899 feet m.s.l. at Farmington Town Hall by Merton Hodge, C. E.

THE HISTORY OF THE
CITY OF NEW YORK

FROM THE FIRST SETTLEMENT TO THE PRESENT TIME
BY J. C. H. COOPER

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.
1880

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.

1880

1880

THE HISTORY OF THE
CITY OF NEW YORK

FROM THE FIRST SETTLEMENT TO THE PRESENT TIME
BY J. C. H. COOPER

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.
1880

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.

1880

1880

THE HISTORY OF THE
CITY OF NEW YORK

FROM THE FIRST SETTLEMENT TO THE PRESENT TIME
BY J. C. H. COOPER

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.
1880

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.

1880

1880

THE HISTORY OF THE
CITY OF NEW YORK

FROM THE FIRST SETTLEMENT TO THE PRESENT TIME
BY J. C. H. COOPER

NEW YORK: PUBLISHED BY J. C. H. COOPER, 10 NASSAU ST.
1880

FARMINGTON

No. FR 13

Elev. 203.889 feet m.s.l.

Republic Steel Co. Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line in the brick work of the northwest corner of the shipping room building.

Established and referenced by Connecticut Ground Water Survey Class A. Used Unionville B.M. No. 6 at southeast corner of Route 4 and 117. Elevation 210.84 feet m.s.l. Run from U.S.C. & G.S.B.M. 18 W. Elevation 244.899 feet m.s.l. at Farmington Town Hall by Merton Hodge, C. E.

FARMINGTON

No. FR 14

Elev. 217.649 feet m.s.l.

Lawton's Bridge, Route 4, Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on a wooden block carrying railing on third upright girder from east end on the south side of steel highway bridge.

Established and referenced by Connecticut Ground Water Survey Class B. Used C.H.D.B.M. on Avon-Farmington Town Line M.S. Elevation 244.89 feet m.s.l.

FARMINGTON

No. FR 15

Elev. 217.348 feet m.s.l.

Lawton's Grist Mill, Route 4, Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the northwest corner of main mill building.

Established and referenced by Connecticut Ground Water Survey Class A. Used C.H.D.B.M. on Avon-Farmington Town Line M.S. Elevation 244.89 feet m.s.l.

AVON

No. FR 16

Elev. 238.409 feet m.s.l.

Connecticut Power Co. Dam
1-1/4 miles north of Unionville

The High Water Mark is a small brass U.S.G.S. marker set at the scum line on the northeast corner of gate house just above foundation line.

Established and referenced by Connecticut Ground Water Survey. Class A. Used C.H.D.B.M. on northeast corner of porch step at A. E. Penny house. Elevation 283.87 feet m.s.l.

[Illegible title]

[Illegible text block]

[Illegible title]

[Illegible text block]

[Illegible text block]

[Illegible title]

[Illegible text block]

[Illegible text block]

[Illegible title]

[Illegible text block]

[Illegible text block]

BURLINGTON

No. FR 17

Elev. 243.481 feet m.s.l.

Route 4 - .8 mile south of Burlington Station

The High Water Mark is a surveyor's tack set at the scum line in S.N.E.T.Co. pole 97.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on top of bridge seat north side of west end, east of Route 4, about 200 feet north of Route 116.
Elevation 253.881 feet m.s.l.

BURLINGTON

No. FR 18

Elev. 258.116 feet m.s.l.

Intersection of Route 4 and 116

The High Water Mark is a surveyor's tack set at the scum line on the northeast corner of Hartigan Fruit Stand, 25 feet west of road.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on top of bridge seat north side of west end, east of Route 4, about 200 feet north of Route 116.
Elevation 253.881 feet m.s.l.

BURLINGTON

No. FR 19

Elev. 261.061 feet m.s.l.

Route 4, north of Burlington Station, about .2 mile

The High Water Mark is a surveyor's tack set at the scum line on the west side of a state highway fence post, 30 feet north of S.N.E.T.Co. pole 138.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on top of bridge seat north side of west end, east of Route 4, about 200 feet north of Route 116.
Elevation 253.881 feet m.s.l.

CANTON

No. FR 21

Elev. 299.760 feet m.s.l.

Village of Collinsville

The High Water Mark is a surveyor's tack set at the scum line on the northwest corner of E. J. Smith's house opposite F.V.T.Co. pole C 76, opposite Rourke-Robotham Company.

Established and referenced by Connecticut Ground Water Survey. Class A. Used C.H.D.B.M. on Farmington River bridge at Collinsville.
Elevation 297.390 feet m.s.l.

100 100 100

100 100 100

100 100 100

100 100 100

CANTON

No. FR 23

Elev. 299.530 feet m.s.l.

Village of Collinsville,
State Highway Department Garage

The High Water Mark is a surveyor's tack set on the scum line at the southeast corner of main structure on River Road to New Hartford.

Established and referenced by Connecticut Ground Water Survey Class A. Used C.H.D.B.M. on Farmington River bridge at Collinsville.
Elevation 297.390 feet m.s.l.

CANTON

No. FR 24

Elev. 300.520 feet m.s.l.

Village of Collinsville

The High Water Mark is a chiseled cross at the scum line on the southwest corner of third step from bottom on walk from street to W. W. Barnes house.

Established and referenced by Connecticut Ground Water Survey Class A. Used C.H.D.B.M. on Farmington River Bridge at Collinsville.
Elevation 297.390 feet m.s.l.

NEW HARTFORD

No. FR 25

Elev. 358.845 feet m.s.l.

Satan's Kingdom Grill on Route 44

The High Water Mark is a surveyor's tack set at the scum line on the northeast corner of enclosed porch, 2 feet under the eaves.

Established and referenced by Connecticut Ground Water Survey Class A. Used U.S.G.S.B.M., 2.5 miles southeast of New Hartford on steel highway bridge over Farmington River.
Elevation 358.120 feet m.s.l.

NEW HARTFORD

No. FR 27

Elev. 372.400 feet m.s.l.

Chapin 1926 Factory, Pine Meadow Center

The High Water Mark is a chiseled "V" at the scum line on the southwest corner of factory in brick work, 6 feet above the ground.

Established and referenced by Connecticut Ground Water Survey Class A. Used U.S.G.S.B.M. on steel railroad trestle in New Hartford Village.
Elevation 386.140 feet m.s.l.

[illegible][illegible]

NEW HARTFORD

No. FR 28

Elev. 378.740 feet m.s.l.

Wickett Road at Route 44

The High Water Mark is a chiseled "W" at the seam line three feet from the northeast corner of the Shell Gas Station, on perpendicular face of coping at intersection with oval cement foundation four inches below coping top.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on steel railroad trestle in New Hartford village.
Elevation 386.140 feet m.s.l.

NEW HARTFORD

No. FR 29

Elev. 387.170 feet m.s.l.

New Hartford Garage, Route 44

The High Water Mark is a surveyor's tack set at the seam line on the southwest corner of building two feet above foundation line.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on steel railroad trestle in New Hartford village.
Elevation 386.140 feet m.s.l.

NEW HARTFORD

No. FR 30

Elev. 389.010 feet m.s.l.

New Hartford Fire House

The High Water Mark is a chiseled "V" in foundation brick work of building at the northeast corner on eighth course below base board.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. on steel railroad trestle in New Hartford village.
Elevation 386.140 feet m.s.l.

BARKHAMSTED

No. FR 31

Elev. 421.655 feet m.s.l.

R. C. Norton's store, Pleasant Valley

The High Water Mark is a chiseled cross set at the seam line in concrete oval for gas pumps in front of store building.

Established and referenced by Connecticut Ground Water Survey. Class A. Used Metropolitan Water Co. B.M. on Pleasant Valley Road, .4 mile north of its intersection with Route 17.
Elevation 411.060 feet m.s.l.

BARKHAMSTED

No. FR 32

Elev. 504.155 feet m.s.l.

Riverton, Route 20, 100 feet west of
West Branch of Farmington River Bridge

The High Water Mark is a spike set at the scum line on the southeast corner of the south wing of a brick building on the north side of road, 100 feet west of bridge.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. in Village of Riverton, at front entrance to Union Church.
Elevation 503.980 feet m.s.l.

BARKHAMSTED

No. FR 33

Elev. 506.495 feet m.s.l.

Route 20 - 1/8 mile north of Riverton

The High Water Mark is a surveyor's tack set at the scum line on the southeast corner of the south wing of the Mayburn house.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. in Village of Riverton, at front entrance to Union Church.
Elevation 503.980 feet m.s.l.

BARKHAMSTED

No. FR 34

Elev. 506.680 feet m.s.l.

Route 20, Mrs. F. H. Grocock's property

The High Water Mark is a surveyor's tack set at the scum line on the outside corner south side of kitchen door.

Established and referenced by Connecticut Ground Water Survey. Class A. Used U.S.G.S.B.M. in Village of Riverton, at front entrance to Union Church.
Elevation 503.980 feet m.s.l.

1890

...

...

...

...

...

...

...

...

COLEBROOK

No. WB 1

Elev. 601.140 feet m.s.l.

Route 8, one mile south of Colebrook River and $\frac{1}{4}$ mile south of Route 8 at West Branch Farmington River crossing.

The High Water Mark is a surveyors tack set at the scum line on the third highway fence post north of S.N.E.T.Co. pole 1182.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. on concrete bridge over West Branch Farmington River on Route 8. Elevation, 610.490 feet m.s.l.

COLEBROOK

No. WB 2

Elev. 603.545 feet m.s.l.

Route 8 - 1 mile south of Colebrook River and $\frac{1}{8}$ mile south of Route 8 and West Branch Farmington River crossing.

The High Water Mark is a surveyors tack set at the scum line on a highway fence post on the east side of road 100 feet north of Tydol Gas Station.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. on concrete bridge over West Branch Farmington River on Route 8. Elevation, 610.490 feet m.s.l.

COLEBROOK

No. WB 3

Elev. 604.180 feet m.s.l.

Route 8 at West Branch Farmington River Bridge.

The High Water Mark is a chisel cut on the east end, south side wing wall.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. on concrete bridge over West Branch Farmington River on Route 8. Elevation, 610.490 feet m.s.l.

COLEBROOK

No. WB 4

Elev. 625.885 feet m.s.l.

Bette's Garage, Route 8 - $\frac{1}{2}$ mile south of Colebrook River.

The High Water Mark is a surveyors tack set at the scum line on post separating the north and middle entrance 45 feet from north west corner.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. on bridge over brook 300 feet south of Bette's garage. Elevation, 622.330 feet m.s.l.

THE UNIVERSITY OF CHICAGO LIBRARY
1215 EAST 58TH STREET, CHICAGO, ILL. 60637
TEL. 733-4331
The University of Chicago Library
1215 East 58th Street
Chicago, Illinois 60637
Tel. 733-4331

THE UNIVERSITY OF CHICAGO LIBRARY
1215 EAST 58TH STREET, CHICAGO, ILL. 60637
TEL. 733-4331
The University of Chicago Library
1215 East 58th Street
Chicago, Illinois 60637
Tel. 733-4331

THE UNIVERSITY OF CHICAGO LIBRARY
1215 EAST 58TH STREET, CHICAGO, ILL. 60637
TEL. 733-4331
The University of Chicago Library
1215 East 58th Street
Chicago, Illinois 60637
Tel. 733-4331

THE UNIVERSITY OF CHICAGO LIBRARY
1215 EAST 58TH STREET, CHICAGO, ILL. 60637
TEL. 733-4331
The University of Chicago Library
1215 East 58th Street
Chicago, Illinois 60637
Tel. 733-4331

COLEBROOK

No. WB 5

Elev. 644.410 feet m.s.l.

C.B.Humphrey property, Colebrook River, Route 8.

The High Water Mark is a surveyors tack at the scum line on the southwest corner of house, 20 inches above base board.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. on State Line monument at west side of Route 8. Elevation 658.490 feet m.s.l.

COLEBROOK

No. WB 6

Elev. 655.545 feet m.s.l.

Route 8 at Connecticut-Massachusetts State Line.

The High Water Mark is at base of stone steps front of house just south of the state line on the east side of road.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Metropolitan Water Company B.M. at state line. Elevation 658.490 feet m.s.l.

COLEBROOK

No. SB 1

Elev. 1058.765 feet m.s.l.

Route 183 - 200 feet north of Sandy Brook Bridge.

The High Water Mark is a surveyors tack set at the scum line on telegraph pole 374 about 2.5 feet above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. northeast corner of culvert on the west side of Route 183 at its intersection dirt road along Sandy Brook. C.G.W.S. elevation 1064.440 feet m.s.l. Run from U.S.G.S.B.M. 1128-204 W. Elevation, 1127.956 feet m.s.l.

COLEBROOK

No. SB 2

Elev. 1081.770 feet m.s.l.

Route 183 - .3 mile north of North Colebrook

The High Water Mark is a surveyors tack set at the scum line on S.N.E.T.Co. pole 516 about 6 inches above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. northeast corner of culvert on the west side of Route 183 at its intersection dirt road along Sandy Brook. C.G.W.S. elevation 1064.440 feet m.s.l. Run from U.S.G.S.B.M. 1128-204 W. Elevation, 1127.956 feet m.s.l.

1. The first part of the paper is devoted to a general discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

2. The second part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

3. The third part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

4. The fourth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

5. The fifth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

6. The sixth part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

7. The seventh part of the paper is devoted to a detailed discussion of the problem of the origin of life. It is shown that the problem is one of the most important and interesting in the history of science.

COLEBROOK

No. SB 3

Elev. 1185.385 feet m.s.l.

Route 183, about 1.2 miles north of North Colebrook.

The High Water Mark is a surveyors tack set at the scum line on a fence post on the east side of road directly in front of northwest corner of bridge.

Established and referenced by Connecticut Ground Water Survey. Class A. Reference B.M. northeast corner of culvert on the west side of Route 183 at its intersection with road along Sandy Brook. C.G.W.S. elevation 1064.440 feet m.s.l. Run from U.S.G.S.B.M. 1128-204 W. Elevation, 1127.956 feet m.s.l.

NORFOLK

No. SB 4

Elev. 1210.570 feet m.s.l.

Route 183, about 1.7 miles north of North Colebrook.

The High Water Mark is a surveyors tack set at the scum line in S.N.E.T.Co pole 3004 on the west side of road about 1,000 feet north of Norfolk-Colebrook town line.

Established and referenced by C.G.W.S. Class A. Used. U.S.G.S.B.M. 1128-204 W. Elevation, 1127.956 feet m.s.l.

WINCHESTER

No. SR 1

Elev. 693.375 feet m.s.l.

W. L. Gilbert Clock Company property North Main Street, Winsted, on east side of river at the dam.

The High Water Mark is a chiseled cross mark at the scum line 14.7 feet south of corrugated steel siding of overhead runway between units on opposite sides of river, on large granite stone of perpendicular wall supporting east building and 1.5 feet above flume cover planking.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. at W. L. Gilbert Clock Company building. Elevation, 705.62 feet m.s.l.

WINCHESTER

No. SR 2

Elev. 699.000 feet m.s.l.

Route 8, about 8/10 mile south of Winsted.

The High Water Mark is a surveyors tack set at the scum line on S.N.E.T.Co. pole 2434 on the west side of road 5.5 feet above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. on highway bridge over railroad 1 mile south of Winsted. Elevation, 701.80 feet m.s.l.

TORRINGTON

No. SR 3

Elev. 725.037 feet m.s.l.

Route #8 - 4 miles north of Torrington

The High Water Mark is top of rails at sink hole crossing of railroad.

Established and referenced by Connecticut Ground Water Survey. Class C. Used. U.S.G.S.B.M. 730-200 W. Elevation, 729.912 feet m.s.l.

TORRINGTON

No. SR 4

Elev. 730.619 feet m.s.l.

Route #8 - 3.5 miles north of Torrington Terminal Filling Station.

The High Water Mark is top edge of lower steel Tydol sign post section about 6 inches above the ground level.

Established and referenced by Connecticut Ground Water Survey. Class G. Used. U.S.G.S.B.M. U 19; Elevation, 729.569 feet m.s.l.

WINCHESTER

No. MR 1

Elev. 699.050 feet m.s.l.

Winsted, Route #8, Dodd Garage

The High Water Mark is a chiseled "V" at the scum line on the northwest corner of brick building 1.8 feet above concrete line.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. on soldiers monument at corner of Main and North Main Streets, Winsted. Elevation, 710.710 feet m.s.l.

WINCHESTER


No. MR 2

Elev. 699.750 feet m.s.l.

Winsted, State Highway Department Tar Plant

The High Water Mark is a surveyors tack set at the flood crest on the northeast corner of frame building 1.5 feet above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. on soldiers monument at corner of Main & North Main Streets, Winsted. Elevation, 710.710 feet m.s.l.



WINCHESTER

No. MR 3

Elev. 705.183 feet m.s.l.

Winsted Gas Company Office Building Winsted,
Connecticut

The High Water Mark is a horizontal scratch at the scum line on the northwest corner of stucco building 2 feet above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Town of Winchester B.M. tablet at corner of Case Avenue and Center Street.
Elevation, 703.203 feet m.s.l.

WINCHESTER

No. MR 4

Elev. 730.093 feet m.s.l.

Socony Gas Station, 489 Main St. Winsted, Conn.

The High Water Mark is a surveyors tack set at the scum line on the northeast corner of building about 1 foot above base board.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. Town of Winchester B.M. Tablet #13 in sidewalk 200 feet east of Socony Station.
Elevation, 724.173 feet m.s.l.

WINCHESTER

No. MR 5

Elev. 751.873 feet m.s.l.

American Oil Company Gas Station 787 Main Street,
Winsted, Conn.

The High Water Mark is a chisled cross in cement ledge 3.5 feet directly in front of middle of door.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. 763-203 W.
Elevation, 762.623 feet m.s.l.

WINCHESTER

No. MR 6

Elev. 753.133 feet m.s.l.

31 Front Street, Winsted

The High Water Mark is a chiseled "V" at the scum line on the southeast corner of house in the stone foundation 1.5 feet above ground level.

Established and referenced by Connecticut Ground Water Survey. Class A. Used. U.S.G.S.B.M. 763-203 W.
Elevation, 762.623 feet m.s.l.

MIMEOGRAPHED BULLETINS OF THE CONNECTICUT GROUND WATER SURVEY

- S- 1 The Salinity of the Connecticut River, October 1, 1934 to September 30, 1937.
Part I - Text, 6 maps, 2 illustrations, 74 pages, 1938.
Parts II and III - Tabulations of chlorides in samples collected from the Connecticut River at Saybrook Highway bridge, 323 pages, 1938.
- S-11 The Salinity of the Connecticut River at the Saybrook Highway bridge, October 1, 1937 to September 30, 1938.
Text, 1 illustration, tabulations, 192 pages, 1939.
(Similar to Parts II and III, Bulletin S-1)
- GW-1 Record of wells, springs and ground-water levels in the towns of Bridgeport, Easton, Fairfield, Stratford and Trumbull, Connecticut.
Text, 242 pages, 5 maps, 1938.
- GW-2 Record of wells, springs and ground-water levels in the towns of Branford, Chester, Clinton, Essex, Guilford, Haddam, Killingworth, Madison, North Branford, Old Saybrook, Saybrook and Westbrook, Connecticut.
Text, 340 pages, 12 maps, 1938.
- GW-3 Record of wells, springs and ground-water levels in the towns of Bethany, East Haven, Hamden, Milford, North Haven, Orange, West Haven and Woodbridge, Connecticut.
Text, 247 pages, 8 maps, 1938.
- GW-4 Record of wells, springs and ground-water levels in the towns of Berlin, Cromwell, Durham, Meriden, Middlefield, Middletown, Portland and Wallingford, Connecticut.
Text, 170 pages, 8 maps, 1938.
- GW-5 Record of wells, springs and ground-water levels in the towns of Colchester, East Haddam, East Hampton, East Lyme, Lyme, New London, Old Lyme and Waterford, Connecticut.
Text, 314 pages, 8 maps, 1938.
- GW-6 Ground-water levels in north-central Connecticut, October 1, 1934 to December 31, 1937.
Text, 212 pages, 1938.

October, 1939.

